
JTWC OPS

NNUAL TYPHOON Report






1972



FLEET WEATHER CENTRAL/JOINT TYPHOON WARNING CENTER Guam, Mariana Islands

SEE EDGE INDEX ON BACK COVER





Area of Responsibility - Joint Typhoon Warning Center, Guam

Primary (180° West to Malay Peninsula) Secondary (Malay Peninsula West to 90°E)

U. S. FLEET WEATHER CENTRAL JOINT TYPHOON WARNING CENTER

COMNAVMARIANAS BOX 17
FPO SAN FRANCISCO 96630

ALBERT T. BUCKMASTER Captain, United States Navy

COMMANDING

HIROSHI NISHIMOTO
Lieutenant Colonel, United States Air Force
DIRECTOR, JOINT TYPHOON WARNING CENTER

STAFF

LCDR Leo H. Craiglow, Jr., USN LT Gordon W. Safley, USN Stephen G. Colgan, USN CAPT Martin M. Cassity, Jr., USAF CAPT Charles R. Holliday, USAF MSGT Gerald E. Page, USAF SSGT Robert W. Dorland, Jr., USAF SSGT Earl W. Schneider, Jr., USAF AG3 Seth T. Young, USN AG3 Richard E. Campbell, USN AG3 Thomas R. Meals, USN Timothy R. Piatt, USN Richard W. Ulisky, USAF Leslie D. Barnlund, USAF AG3 SGT AGAN Lawrence E. McMullen, USN Mrs. Ann N. Cornwell

> 1972 ANNUAL TYPHOON REPORT

FORWARD

The body of this annual report summarizes western North Pacific tropical cyclones. Annex A summarizes tropical cyclones from 180° eastward to the North American coast, and Annex B summarizes tropical cyclones in the Bay of Bengal east of 90°E.

Fleet Weather Central/Joint Typhoon Warning Center (FWC/JTWC), Guam has the responsibility to:

- 1. Provide warnings to U.S. Government agencies for all tropical cyclones north of the equator and west of 180° longitude to the coast of Asia and the Malay Peninsula;
- 2. Provide warnings for the area from the Malay Peninsula west to $90\,^{\circ}\text{E};$
- Determine tropical cyclone reconnaissance requirements and assign priorities;
- 4. Conduct investigative and postanalysis programs including preparation of the Annual Typhoon Report; and
- 5. Conduct tropical cyclone forecasting and detection research.

Asian Tactical Forecast Center, Fuchu (formerly Air Force Asian Weather Central), coordinating with the Naval Weather Service Environmental Detachment, Yokosuka, is designated as the alternate JTWC in case of the incapacitation of FWC/JTWC Guam.

The JTWC is an integral part of FLEWEA-CEN Guam and is manned by four officers and five enlisted men each from the Navy and Air Force. The senior Air Force officer is designated as Director, JTWC.

The Western Pacific Tropical Cyclone Warning System consists of the Joint Typhoon Warning Center and the U.S. Air Force 54th Weather Reconnaissance Squadron stationed at Andersen Air Force Base, Guam.

The Central Pacific Hurricane Center, Honolulu, is responsible for the area from 180° eastward to 140°W and north of the equator. Warnings are issued in coordination with FLEWEACEN Pearl Harbor and the Air Force Central Pacific Forecast Center, Hickam Air Force Base, Hawaii.

The Eastern Pacific Hurricane Center, San Francisco, is responsible for the area east of 140°W and north of the equator. Warnings are issued in coordination with FLEWEAFAC Alameda and the Air Force Hurricane Liaison Officer, McClellan Air Force Base, California. FLEWEACEN Pearl Harbor replaced FLEWEAFAC Alameda in this coordinating role on 1 November 1972.

The coordinating agencies under CINC-PACFLT and CINCPACAF are responsible for further dissemination and, if necessary, local modification of tropical cyclone warnings to U.S. military agencies.

TABLE OF CONTENTS

		pag
CHAPTER I	OPERATIONAL PROCEDURES 1. General	1
	2. Analyses and Data Sources	1
	 Forecast Aids Forecasting Procedures 	1
	4. Forecasting Procedures	2 2
	6. Prognostic Reasoning Message	2
	7. Tropical Weather Summary	2
	8. Tropical Cyclone Formation Alert	2
CHAPTER II	RECONNAISSANCE AND COMMUNICATIONS 1. General	7
	2. Reconnaissance Responsibility and Scheduling	3
	3. Aircraft Reconnaissance Summary	3
	4. Radar Reconnaissance Summary 5. Communications	4 5
CHAPTER III	TECHNICAL NOTES	J
CHALLER III	1. Verification of the 48-Hour Forecast Sector of	
	75 Percent Probability	7
	2. A Re-evaluation of Three-Hourly Fixes	11
	3. An Automated Objective Technique for Constructing Tropical Cyclone Best Tracks	12
	riopical dyclone best fracks	12
CHAPTER IV	SUMMARY OF TROPICAL CYCLONES	
	1. General Resume	13
	2. Individual Typhoons	19
	page Typhoon KIT 19 Typhoon FLOSSIE - 45	
	Typhoon LOLA 21 Typhoon HELEN 47	
	Typhoon ORA 23 Typhoon IDA 51	
	Typhoon PHYLLIS - 27 Typhoon LORNA 53	
	Typhoon RITA 29 Typhoon MARIE 55	
	Typhoon SUSAN 33 Typhoon NANCY 57 Typhoon TESS 35 Typhoon OLGA 59	
	Typhoon ALICE 37 Typhoon PAMELA 61	
	Typhoon BETTY 39 Typhoon RUBY 63	
	Typhoon CORA 41 Typhoon SALLY 65	
	Typhoon ELSIE 43 Typhoon THERESE - 67	
	3. Typhoon Center Fix Data	68
CHAPTER V	SUMMARY OF FORECAST VERIFICATION DATA	
	1. Comparison of Objective Techniques	89
	2. Summary of Tropical Cyclone Formation Alerts	89
	3. Annual Forecast Verification 4. Summary of Individual Tropical Storm Verification -	90 92
	5. Tropical Storm and Depression Data	93
	6. Typhoon Data	95
ANNEX A	SUMMARY OF TROPICAL CYCLONES IN THE EASTERN NORTH PACIFI	
	1. Eastern Pacific Resume	107
	2. Central Pacific Resume 3. Central Pacific - Individual Cases	107
	3. Central Pacific - Individual Cases 4. Hurricane Tracks	111
		111
	Hurricane ANNETTE 111 Hurricane FERNANDA 115	
	Hurricane CELESTE 112 Hurricane GWEN 116 Hurricane DIANA - 113 Hurricane HYACINTH 117	
	Hurricane BIANA - 113 Hurricane HYACINTH 117 Hurricane ESTELLE 114 Hurricane JOANNE - 118	
	5. Center Fix Data - Hurricanes	110
	6. Position Data - Tropical Storms and Depressions	121
	 Position Data - Tropical Storms and Depressions Position and Verification Data - Hurricanes 	121
ANNEX B	DAY OF DENGAL TRODUCAL CHOICNES	
ANNEX B	BAY OF BENGAL TROPICAL CYCLONES 1. Summary of Data	125
	1. Summary of Data	126
	2000	•
	Cyclone 19-77 126 Cyclone 25-72 128	
	Cyclone 24-72 127	
	3. Center Fix Data	130
	4. Position and Verification Data	131
APPENDIX	ABBREVIATIONS, DEFINITIONS, AND DISTRIBUTION	
	1. Abbreviations	133
	2. Definitions 3. Distribution	133
	3. Distribution	154

CHAPTER I - OPERATIONAL PROCEDURES

I. GENERAL

Services provided by the Joint Typhoon Warning Center (JTWC) include forecasts of tropical cyclone formation, intensity, direction and speed of movement, and extent of damaging winds. This information was disseminated in 1972 by: (1) the Tropical Cyclone Formation Alert issued when formation of a tropical cyclone was suspected; (2) tropical cyclone warnings issued four times daily whenever a significant tropical cyclone was observed in the JTWC primary area; and (3) tropical cyclone warnings issued twice daily whenever a significant tropical cyclone was observed in the JTWC secondary area.

FLEWEACEN Guam provides computer and meteorological/oceanographic analyses for the JTWC. Communications support is furnished by the Nimitz Hill Message Center of the Naval Communications Station, Guam.

2. ANALYSES AND DATA SOURCES

a. FLEWEACEN GUAM ANALYSES:

- (1) Surface mercator analysis, Northern Hemisphere, Western Pacific area; 00002, 06002, 12002, and 1800Z.
- (2) Surface micro-analysis of South China Sea region; 0000Z, 0600Z, 1200Z, and 1800Z.
- (3) Surface mercator analysis, Northern and Southern Hemispheres, Western Pacific and Indian Ocean area; 0600Z and 1800Z.
- (4) Sea surface temperature charts; daily.

b. JTWC ANALYSES:

- (1) Gradient level (3,000 feet) streamline analysis (south of 20°N) and isobaric analysis (north of 20°N); 0000Z and 1200Z.
- (2) 700-mb, 500-mb, and 200-mb contour and streamline analysis; 0000Z and 1200Z.
- (3) Reconnaissance data. Observations from weather reconnaissance aircraft are plotted on large-scale sectional charts.
- (4) Time cross $\dot{}sections$ of selected tropical stations.
- (5) Time sections of surface reports for selected tropical stations.
- (6) Additional and more frequent analyses similar to those above during periods of tropical cyclone activity.

c. SATELLITE DATA:

Satellite data played a major role in the early detection of tropical cyclones in 1972. This aspect, as well as applications of satellite data to tropical cyclone tracking, is discussed in Chapter II,

Reconnaissance and Communications.

d. RADAR:

Land radar reports, when available, were used for tracking tropical cyclones during the 1972 typhoon season. Once a storm moved within range of a land radar site, reports were usually received hourly. Use of radar during 1972 is treated in Chapter II, Reconnaissance and Communications.

e. COMPUTER PRODUCTS:

During 1971 the FLEWEACEN Guam computer was equipped with a varian plotter. This device eliminated a significant portion of the former hand plotting effort. Varian charts are produced routinely at synoptic times for the surface, 700-mb, and 500-mb levels. Additionally, a chart which approximates the 200-mb level is also produced. This chart uses rawinsonde data at 200 mb and aireps above 33,000 feet and within six hours of the 0000Z and 1200Z synoptic times. Data not in the proper format for use by the computer are hand plotted on the charts. These include pibal gradient level winds, low cloud movement, and missing or late synoptic reports necessary for a detailed analysis.

In addition, the standard array of synoptic-scale computer analyses and prognostic charts is produced.

JTWC extensively utilizes the computer center for objective typhoon forecasts and for statistical post analysis.

3. FORECAST AIDS

a. CLIMATOLOGY:

The following climatological publications were utilized:

- (1) Tropical Cyclones in the Western Pacific and China Sea Area (Royal Observatory, Hong Kong), covering 70 years of typhoon tracks.
- (2) Intensity Changes of Tropical Storms and Typhoons of the Western North Pacific Ocean (Brand and Gaya, 1971) NAVWEARSCHFAC Tech Paper No. 5-71.
- (3) Climatological 24-Hour Typhoon Movement (McCabe, J. T., 1961).
- (4) Western Pacific Typhoon Tracks, 1950-1959 and 1959-1968 (FWC/JTWC).
- $\mbox{(5)}$ Far East Climate Atlas (1st Weather Wing, February 1963).
- (6) Annual Typhoon Reports, 1959-1971 (FWC/JTWC).
- (7) A Climatology of Tropical Cyclones and Disturbances of the Western Pacific with a Suggested Theory for Their Genesis/Maintenance (Gray, Wm., 1970) NAV-WEARSCHFAC Tech Paper No. 19-70.

- (8) Changes in the Characteristics of Typhoons Crossing the Philippines (Brand and Blelloch, 1972) ENVPREDRSCHFAC Tech Paper No. 6-72.
- (9) Speed of Tropical Storms and Typhoons After Recurvature in the Western North Pacific Ocean (Burroughs and Brand, 1972) ENVPREDRSCHFAC Tech Paper No. 7-72.
- (10) The Typhoon Analog Computer Program (TYFOON).

b. PERSISTENCE:

Extrapolation of storm movement using 12-hour mean speed and direction was the most reliable objective method for 24-hour forecasts.

c. OBJECTIVE TECHNIQUES:

During 1972 the following objective forecasting methods were employed:

- $\hspace{1.5cm} \hbox{(1) ARAKAWA surface pressure grid model.} \\$
- (2) TYRACK based on programselected best steering level from FLEWEACEN Pearl tropical fields.
- (3) TSGLOB modification of TYRACK using global band upper air fields (GBUA) from FLENUMWEACEN Monterey. It replaced TYRACK on 23 September 1972 when FLEWEACEN Pearl tropical fields were replaced by the GBUA's from FLENUMWEACEN Monterey.
- (4) TYFOON analog weighted mean track.

 (See Chapter V for technique evaluation.)

4. FORECASTING PROCEDURES

a. TRACK FORECASTING:

An initial track based on persistence blended subjectively with climatology is developed for a 3-day period. This initial track is subjectively modified by the following:

- (1) Recent steering is evaluated by considering the latest upper air analyses as representative of the average upper air flow over the past 24 hours. (The latest upper air analyses are about 12 hours old, thus roughly representing the mid-point of the last 24-hour time interval.) By this technique actual past 24-hour movement serves to indicate the best steering level as well as the effectiveness of steering.
- (2) Objective techniques are considered, with the techniques being ranked according to their past performance on similar storms.
- (3) Twenty-four hour heightchange analyses are evaluated for forecast track/speed changes (Hoover, Devices for Forecasting Movement of Hurricanes, Manuscript of the U.S. Weather Bureau, 1957).
- (4) The prospects of recurvature are evaluated for all westward moving storms. The basic requisites for this evaluation are accurate continuity on mid-

latitude troughs and numerical progs to indicate changes in amplitude or movement. Relative position and strength of the subtropical ridge and northward tendency due to internal forces are also important considerations.

(5) Finally, a check is made against climatology to ascertain the likelihood of the forecast. If the forecast track is climatologically unusual, a reappraisal of the forecast rationale is conducted and adjustments made if warranted.

b. INTENSITY FORECASTING:

Intensity forecasts are extrapolated linearly and modified by climatology where necessary. This modification is made after considering upper tropospheric evacuation, 850 mb-700 mb temperatures, sea surface temperatures, and possible terrain influence.

5. WARNINGS

Tropical cyclone warnings are numbered sequentially. If warnings are discontinued and the storm reintensifies, as Tropical Storm Grace did this year, warnings are numbered consecutively from the last warning issued. Amended or corrected warnings are given the same number as the warnings they modify. Forecast positions are issued at 00002, 06002, 12002, and 18002 as follows:

Tropical
Depressions 12 hr and 24 hr

Typhoons and 12 hr, 24 hr, Tropical Storms 48 hr, and 72 hr

Forecast periods are stated with respect to warning time. Thus a 24-hour forecast verifies 26-1/2 hours after the aircraft fix data, 30 hours after the latest surface synoptic chart and 30 or 36 hours after the latest upper air charts.

Warning forecast positions are verified against the corresponding post analysis "best track" positions. A summary of results from 1972 is presented in Chapter V.

6. PROGNOSTIC REASONING MESSAGE

Whenever warnings on typhoons and tropical storms are being issued, a prognostic reasoning message is released at 0000Z and 1200Z. This message is intended to provide the reasoning behind the latest JTWC forecasts.

7. TROPICAL WEATHER SUMMARY

This message is issued daily from 1 May through 31 December and otherwise when tropical cyclogenesis is forecast or observed. It is issued at 0600Z and describes the location, intensity and likelihood of development of all tropical low pressure areas and significant cloud masses detected by satellite.

8. TROPICAL CYCLONE FORMATION ALERT

Alerts are issued when the formation of a tropical cyclone is considered possible or probable. These messages are issued as required and are valid for up to 24 hours unless cancelled, superseded or extended.

CHAPTER II - RECONNAISSANCE & COMMUNICATION

1. GENERAL

During the 1972 typhoon season there were three primary methods--satellite, radar, and aircraft--utilized to accomplish reconnaissance. Aircraft reconnaissance remained the primary means for cyclone reconnaissance; however, greater emphasis was placed on the use of satellite-derived information due to a reduction of reconnaissance resources in November 1971.

2. RECONNAISSANCE RESPONSIBILITY AND SCHEDULING

Aircraft weather reconnaissance is performed in the JTWC area by the 54th Weather Reconnaissance Squadron (54 WRS). The squadron, composed of nine WC-130 aircraft, is located at Andersen Air Force Base, Guam.

The JTWC reconnaissance schedule is sent daily to the Tropical Cyclone Reconnaissance Coordinator. This schedule includes areas to be investigated, forecast positions of cyclones to be fixed and standard synoptic tracks to be flown.

Four fixes per day, at six-hour intervals, are required on all significant tropical cyclones in the JTWC primary area of responsibility (see inside front cover). Two fixes per day are required in the secondary area. Additional fixes and other information may be requested by operational commanders through the JTWC (CINCPACINST 3140.1K, 1971).

3. AIRCRAFT RECONNAISSANCE SUMMARY

Beginning with Typhoon Lola in May, the JTWC employed satellite and radar, on a selective basis, to position tropical cyclones in order to conserve aircraft and crews. Of 713 required fixes, 15% were obtained by satellite or radar. By selecting the mode of fixing, 109 fixes were eliminated from the aircraft levy. Of the 127 investigative missions required, 38% were performed by satellite, conserving 48 aircraft sorties. Whenever observing conditions permitted, satellite and radar were utilized, except in instances where aircraft fixes were required by operational commanders.

Table 2-1 summarizes aircraft reconnaissance fixes. 624 fixes were levied of which 538 or 86.2% were 6-hourly. The intermediate fixes (3-hourly) accounted for 12.5% and there were three 1-hourly fixes levied. Five fixes were levied for the Bay of Bengal area representing 0.8% of the

The aircraft missions for 1972 included 17 synoptic tracks, 81 investigatives and 624 fixes. The lower half of Table 2-1 compares the total of 705 fixes and investigatives levied with the annual average of 706 compiled over a 10-year period. The coverage provided by SRP reduced this total from 862 required fixes and investigatives. This is a total savings of 19% from May. Reconnaissance

TABLE 2-1. FIX SUMMARY

 538
 6-HRLY FIXES LEVIED (WESTPAC)
 86.2%

 78
 INTERMEDIATE (3-HRLY FIXES)
 12.5%

 3
 1-HRLY FIXES
 0.5%

 5
 FIXES IN SECONDARY AREA (BAY OF BENGAL)
 0.8%

COMPARISON OF FIXES AND INVESTIGATIVES
LEVIED IN 1972 TO LONG TERM AVERAGE

LEVIED FIXES 624
LEVIED INVESTIGATIVES 81
705

ANNUAL AVERAGE LEVIED FIXES/INVESTIGATIVES 706 (1962 - 1971)

TABLE 2-2. RECONNAISSANCE EFFECTIVENESS

	ALL	6 HRLY	3 HRLY	1 HRLY
COMPLETED ON TIME	433	370	60	3
EARLY	13	10	3	0
LATE	52	46	6	0
MISSED	<u>126</u>	<u>117</u>	9	0
TOTAL	624	543	78	3

LEVIED VS. MISSED FIXES

AVERAGE	1965-1970	LEVIED 507	MISSED 10	PERCENT 2.0%
	1971	802 (620 6HR)	61 (44 6HR 17 3HR	7.6%
	1972	624 (543 6HR) 78 3HR 3 1HR)	126 (117 6HR 9 3HR	20.2%

effectiveness, the top of Table 2-2, separates the fixes into 6-hourly, 3-hourly, and 1-hourly categories. Of a total of 624 fixes levied, 126 were missed. This represents a 20.2% missed rate as compared to the 1971 average of 7.6%. These statistics were developed by the same system of crediting fixes as was used in 1971 (FWC/JTWC, 1971).


In addition to the fixes missed, 2.1% and 8.5% of the fixes were too early or too late respectively. This is a 5% increase from the previous year. Early and late fixes are considered together as each degrades the quality of warnings.


The bottom half of Table 2-2 compares fixes levied with fixes missed. During the $\ensuremath{\mathsf{T}}$

period from 1965-1970, when a different crediting criteria was used, an average of 2% of all fixes were missed. In 1971 a more rigid system of scoring reconnaissance was adopted, resulting in an increase in the missed-fix ratio. This season, continuing with the 1971 criteria, a large increase was noted, especially in the 6-hourly rate. The combined 6-hourly and 3-hourly missed-fix percentage rate was 2-1/2 times the 1971 rate.

Figure 2-1 compares fixes missed to the monthly fix requirements and multiple-storm days. The 174 fixes levied in July account for about 28% of all fixes levied in 1972. July also included 44% of the multiple-storm days (20) and 40% of the fixes missed (50).

Figure 2-2 compares the percentage of fixes and investigatives missed/late versus the number of storms per day. Thirty-two percent of the annual total of levied fixes and investigatives were missed on fourstorm days. This illustrates the load that is placed on the aircraft reconnaissance assets during periods of multiple-storm days. Despite the 48 sorties and 109 fixes obtained by satellite and radar, the percentage of fixes-missed/late on single-storm days was twice as large as the average for 1971.








FIGURE 2-1. Missed fixes for 1972 compared to monthly fix requirements and multiple storm days.

Figure 2-3 relates levied requirements to multiple-storm days and missed fixes/investigatives by month. The major peaks occurred in July and September when four tropical cyclones were active concurrently. The peak in October was a result of almost continuous storm activity. The peak in December resulted from a period of two concurrent storms.




FIGURE 2-2. Percentage of fixes and investigatives missed/late vs. storms per day.




FIGURE 2-3. Levied requirements vs.
missed fixes/investigatives
as related to multiple storm
days.

4. RADAR RECONNAISSANCE SUMMARY

Over 700 land and ship radar reports were received during the 1972 season. These reports are normally received hourly whenever a storm is within the envelope of radar coverage. The majority of the reports from land stations were from Japan, including the Ryukyus and Taiwan. Radar reports from ships were received almost exclusively from the South China Sea.

Since the radar is normally remote from the storm, ability to position a cyclone is a function of signal attenuation, range, organization of the cyclone and operator skill (NAVAIR 50-1P-2, 1967). The mean deviation, from the best track, for all radar reports on cyclones was 17 nm. The mean deviation for radar reports on cyclones of typhoon strength was 16 nm.

Positioning errors occurred when the wall cloud was weak or open, creating false impressions of the actual storm movement. During Typhoon Betty, for example, land radars reported her stationary from 160800Z until 161100Z at which time they showed her tracking southeast. During this time Betty was actually moving north-northwest at 13 kt. Positioning errors also generate unrealistic speed movements. Radar fix-to-fix computations produced some speeds in excess of 200 kt.

Another source of positioning error is present when a storm is near the maximum radar range. In these cases the radar paints only the tops of clouds near the wall and a complete presentation of the eye, if defined, is not possible.

Despite these errors and limitations, radar was used very effectively to track cyclones. Typhoon Lorna provided an excellent example of the efficacy of radar for tracking a well-developed tropical cyclone. Lorna was tracked solely by radar from 1240Z on the 1st of October through 0540Z on the 5th. Due to geographic flight restrictions, aircraft were unable to penetrate during this period.

5. COMMUNICATIONS

a. AIR TO GROUND:

Current air-to-ground communications procedures were implemented five years ago and functioned effectively in 1972. Reconnaissance information is normally received from the aircraft by JTWC via voice phone patch through Andersen, and occasionally from Clark aeronautical station. If the transmission from the aircraft is not of patch quality, data can be relayed over the telephone by the weather monitor in the aeronautical station. If the weather monitor can not complete a direct phone patch or relay, he places the message on a teletype circuit but this usually results in excessive delay.

Figure 2-4 compares the 33.8 minute average delay in receipt of center data messages in 1972 with recent years. Under ideal circumstances the weather observer transmits the complete message 20 to 25 minutes after fixing the center of the storm. The small rise in delay times noted in 1971 and 1972 is attributed to the number of multiple-cyclone situations in those years and the system's inability to handle more than one voice report at a time.

Table 2-3 shows that the percent of fix messages received over one hour after fix time remained nearly constant in recent years, but the percent of fix messages received after warning time rose significantly in 1971 and again in 1972.




FIGURE 2-4. Comparison of 1972 average delay times with those of previous years.

The preliminary eye data message was instituted in 1972 as a means of reducing the delay in receipt of position and intensity information. These preliminary messages are much shorter than the complete report and reduce the time required for preparation and transmission. Figure 2-5 illustrates that the delay in receipt of this information is nearly halved by the use of the preliminary messages. The solid bars represent the delay of the complete center data message and hatched bars portray preliminary message delays. The number of reports considered are in parentheses.

TABLE 2-3.	STA	TISTI		ND DE MPARE S		гн
	1967	1968	1969	<u>1970</u>	<u>1971</u>	1972
% FIX MESSAGES DELAYED OVER ONE HOUR	16%	4 %	3%	5 %	6 %	6%
% FIX MESSAGES RECEIVED AFTER WARNING TIME	3.1%	0.7%	0.6%	0.9%	2.1%	5.5%

Figure 2-5 also illustrates the difference in delay times between the various means of delivery; phone patch and relay being the most expeditious while the infrequently-used teletype relay resulted in delays of over 55 minutes. Most fix reports from the Bay of Bengal had to be relayed due to weak signal strength or inability of the aircraft to raise Clark Airways. This resulted in considerable delay in receipt of the data.




FIGURE 2-5. 1972 eye message delay statistics.

b. OUTGOING COMMUNICATIONS:

The present warning handling procedure was initiated in October 1971. By agreement with the Nimitz Hill Message Center, a special content indicator causes warnings to be placed in the communications system before other IMMEDIATE but after FLASH traffic awaiting transmission. Typhoon and tropical storm warnings are handled in this manner while tropical depression warnings are treated as normal IMMEDIATE messages.

Figure 2-6 shows a comparison of the delays encountered in transmission of warning messages in 1972 with the years through 1969. In 1972, warnings were delivered to the Nimitz Hill Message Center an average of 20 minutes before warning time (represented by the left-hand limit of the bar) and transmitted on AUTODIN an average of 30.7 minutes later (represented by the right-hand limit of the bar). This closely parallels the delays realized in 1971 after the use of the special content indicator was initiated. These statistics represent the average time required to enter the warnings into the communications system. Actual time of receipt at a station depends on factors beyond the control of JTWC or its servicing communications center.




FIGURE 2-6. AUTODIN message handling times.

REFERENCES:

CINCPACINST 3140.1K, "Tropical Cyclone Operations Manual," III-2, Sect 3.3.1, November 1971.

FWC/JTWC, Annual Typhoon Report, Guam, Marian as Islands, p 2-13, 1971.

NAVAIR 50-1P-2, Weather Radar Manual, Ch. 3, August 1967.

CHAPTER III - TECHNICAL NOTES

1. VERIFICATION OF THE 48-HOUR FORECAST SECTOR OF 75 PERCENT PROBABILITY

a. INTRODUCTION:

At the 1971 CINCPAC Tropical Cyclone Conference the COMSEVENTHFLT Staff Meteorologist introduced an agenda item requesting that a statement of estimated error for the 48-hour outlook position be included in warnings issued by the Joint Typhoon Warning Center (JTWC). The Conference agreed that an estimated error was of value, however, it noted that no objective procedure had as yet been developed that could adequately depict what the estimated error would be for a particular forecast. The JTWC was therefore tasked to develop and test a means for estimating the error associated with a particular 48-hour outlook.

b. DEVELOPMENT AND TESTING:

During the 1971 tropical cyclone season, two methods of assigning confidence limits to 48-hour outlooks were developed and tested.

The first method consisted of constructing a segment of an annulus with the origin at the warning position and the segment centered about the 48-hour outlook position. The mean width was determined by striking a 240-mile arc (mean track error) centered at the 48-hour outlook position. The mean length was determined by moving 180 miles toward and away from the 48-hour outlook position. The 362 cases evaluated yielded a verification rate of 55%.

The second method used the 48-hour 50% climatology ellipse (obtained from the TYFOON analog computer program) as the confidence limit. Of 102 cases tested during 1971, 42% verified.

A combination of these two methods was then tested. This method consisted of a sector originating at the warning position, but limited by the larger of lines tangent to:

(1) The 50% climatological ellipse; or

 $\ensuremath{\text{(2)}}$ 120 miles across track and 180 miles along track from the 48-hour outlook position.

In no case would the resulting sector be smaller than either of the sectors derived using the first or second methods. Of the 94 cases tested using this third method, 79% verified.

Shortcomings were known to be inherent in all three of the methods tested. The first method failed in areas where climatological tracks diverge and in cases where recurvature occurred. The method based on the 50% climatological ellipse handled poorly those cases where there was a well-established westward track or climatologically unusual storms. The combination method demonstrated little skill when an abrupt course change occurred or during short-term accelerations or decelerations.

Although all three methods exhibited weaknesses, the combination method was chosen for operational use based upon its 79% verification during the 1971 test period.

c. UTILIZATION:

The 48-hour forecast sector of 75% probability was first issued on Typhoon Ora in June 1972.

The actual procedure used in its construction is depicted in Figure 3-1. First, the 48-hour 50% probability ellipse from the TYFOON analog program was plotted as shown in 1.a. Next, the forecast track was constructed. In 1.b. the forecast track and 48-hour outlook position lie within the 48-hour outlook probability ellipse, although this is not a requirement. Third, using the 48-hour outlook position and track, 120-mile perpendiculars were drawn across track and 180-mile points were laid along track. Utilizing these points, tangents and arcs were drawn from




FIGURE 3-1.a. Forecast positions based on TYFOON analog computer program.




FIGURE 3-1.b. Actual forecast track.




FIGURE 3-1.c. 48-hr forecast 50% probability sector centered on 48-hr forecast position.




FIGURE 3-1.d. The 48-hr forecast sector of 75% probability.

the warning position, resulting in a wedgeshaped sector centered on the 48-hour outlook position as depicted in 1.c. Finally, taking the extreme positions of the 4x6 degree wedge-shaped sector and the 50% probability ellipse, tangents and arcs were drawn from the warning position resulting in the 48-hour forecast sector of 75% probability as shown in 1.d.

During the 1972 tropical cyclone season 48-hour 75% probability forecast sectors were included in 307 warnings. An individual storm and cumulative breakdown is provided in Table 3-1. As can be seen from Table 3-1, 27 of the forecasts were not verified. This was due to the tropical

cyclone having dissipated or become extratropical by verification time. Of the 280 48-hour sector of 75% probability forecasts verified, only 153 or 54.6% of the actual 48-hour positions fell within the sector.

d. VERIFICATION PROCEDURES:

To determine if a bias existed in the method of constructing the sector, it was divided into four internal and four external parts for verification purposes as shown in Figure 3-2. All directions shown in Figure 3-2 and subsequent figures are relative to the storm tracks. The hypothesis on which the verification sector was based was that if no bias existed, then a

TABLE 3-1. INDIVIDUAL AND CUMULATIVE VERIFICATION STATISTICS FOR THE 48-HOUR FORECAST SECTOR OF 75% PROBABILITY

1		INDIVIDU	AL STORM			CUMULAT	IVE TOTAL	
STORM	FORECASTS	WITHIN	OUTSIDE	NOT	FORECASTS	WITHIN	OUTSIDE	NOT
NAME	ISSUED	SECTOR	SECTOR	VERIFIED	ISSUED	SECTOR	SECTOR	VERIFIED
ORA	9	4	3	2	9	4	3	2
PHYLLIS	33	4	24	5	42	8	27	7
RITA	50	23	27	0	92	31	54	7
SUSAN	1	0	1	0	93	31	55	7
TESS	25	11	10	4	118	42	65	11
ALICE	16	11	5	0	134	53	70	11
BETTY	24	20	4	0	158	73	74	11
CORA	10	6	1	3	168	79	75	14
ELSIE	4	1	3	0	172	80	78	14
FLOSSIE	11	9	2	0	183	89	80	14
GRACE	5	0	5	0	188	89	8.5	14
HELEN	7	3	2	2	195	92	87	16
IDA	18	12	3	3	213	104	90	19
KATHY	12	7	5	0	225	111	95	19
MARIE	18	11	4	3	243	122	99	22
NANCY	14	3	11	0	257	125	110	22
OLGA	16	9	4	3	273	134	114	25
PAMELA	12	6	4	2	285	140	118	27
RUBY	1	1	0	0	286	141	118	27
THERESE	21	12	9	0	307	153	127	27
					1			

normal distribution should be present both in and out of the sector.

Figure 3-3 shows the breakdown of the 280 forecasts verified. The distribution within the sector could be described as fairly normal. However, of the 127 forecasts that fell outside the sector, 59 or 46.5% were outside to the east of the storm tracks while only 15 or 11.8% were outside to the west of the storm tracks. Thus, the original hypothesis of no bias in the construction of the sectors was invalid.

Based upon the results contained in Figure 3-3, a new hypothesis was formulated, i.e., that a westerly bias existed in the construction of the sectors. To determine if this hypothesis was valid it was necessary to divide the storms for which 48-hour sector forecasts were issued into two categories:

(1) Northerly/recurving storms - those storms whose primary direction of movement was either to the right of $315^{\circ}(T)$ or which recurved; and

(2) We sterly moving storms those storms whose primary direction of movement was to the left of $315^{\circ}(T)$.

In making this division, the difference in the number of storms was quite small--11 classified as northerly/recurving and 9 classified as westerly moving. A major difference existed, however, in the number of sector forecasts issued--190 for northerly/recurving versus 90 for the westerly moving storms. This significant difference resulted from the climatologically disproportionate number of northerly moving systems experienced during the 1972 season that originated to the east of Guam where historical data was minimal.

If the new hypothesis of a westerly bias was correct, then the majority of cases verified for the northerly/recurving storms should fall to the right of the sector center. Similarly, for the westerly moving storms, the majority of cases should fall to the left of the sector center. Figures 3-4, northerly/recurving storms, and 3-5, westerly moving storms, confirm this hypothesis. In fact, a southwesterly bias was actually present, i.e.,:

(1) For northerly/recurving storms 63.7% of the predictions fell to the right of center and 55.8% fell above the center; and

(2) For westerly moving storms 60.6% of the forecasts fell to the left of center and 57.8% fell below the center.

Thus, the center of the average 48-hour forecast sector of 75% probability issued during 1972 was to the left and behind the actual average storm track.

e. RESULTS AND CONCLUSIONS:

A verification rate of only 54.6%, plus the presence of a southwesterly bias, indicated the need for a complete reanalysis of the procedures used in constructing the 48-hour forecast sector of 75% probability.

The southwesterly bias was attributed to two factors:

(1) The regression and correlation coefficients for TYFOON were recomputed after the 1971 season utilizing data from that year. The 1971 season had a preponderance of westerly moving storms. The result was a limited biasing of TYFOON toward westerly moving storms.




FIGURE 3-2. Verification sector.

FIGURE 3-3. Verification of sector fore-casts issued during 1972.




FIGURE 3-4. Verification of sector fore-casts for northerly/recurving tropical cyclones.




FIGURE 3-5. Verification of sector forecasts for westerly moving tropical cyclones.

(2) The JTWC has historically been slow to forecast recurvature by an average of one to two warnings.

These two factors contributed markedly to the center of the 48-hour forecast sector being to the left and behind the actual storm tracks.

When the sector was originally developed, it was assumed that the 48-hour 50% TYFOON ellipse and the 4x6 degree wedge-shaped sector were independent, thus establishing a 75% degree of confidence. Both subjective and mathematical investigation indicated that the original assumption was invalid. The 4x6 degree wedge-shaped sector was dependent upon the 48-hour outlook position and the forecast track. The forecast track, in turn, was derived from many inputs, one of which was the 50% TYFOON ellipses for 24, 48, and 72 hours. Therefore, true independence between the two did not exist. Utilizing this fact, it was mathematically determined that the optimum degree of confidence that could be expected using the present method would be about 65%. This equates with the actual verification statistics for westerly moving systems in 1972 of 65.5%.

During the 1972 season the average sector was approximately $270,000~\rm{nm^2}$. To insure that future sectors actually verified 75% of the time would require a minimum increase of 37% in the average sector size over the 1972 average. The result would be a sector of such dimension as to be of dubious value.

Although well received, on the average, by the users of Typhoon Warning WestPac, the 48-hour forecast sector of 75% probability has proven to be not only unreliable but even misleading. The JTWC sees no means of readily improving the present sector forecast system. An entirely new method must be developed and tested.

2. A RE-EVALUATION OF THREE-HOURLY FIXES

a. INTRODUCTION:

A JTWC presentation made to the 1972 CINCPAC Tropical Cyclone Conference contributed significantly to a recommendation for the deletion of mandatory 3-hourly fixes whenever a tropical cyclone was within 300 nm of a Department of Defense (DOD) installation. However, operational commanders retained the authority to request supplementary fixes if required for operational decisions or to safeguard DOD interests and lives.

The rationale behind the JTWC presentation in 1972, reproduced in the 1971 Annual Typhoon Report, was:

(1) Increased reconnaissance fixes would improve the accuracy of the warning position when based on interpolation but not extrapolation. Extrapolation would improve only until the distance

TABLE 3-2. THREE-HOURLY FIXES VERSUS SEASON'S AVERAGE

	THREE HOURLY FIXES	SEASON'S AVERAGE	SEASON'S AVERAGE LESS THREE-HOURLY FIXES
MISS RATE	11.5%	19.7%	20.7%
LATE RATE	7.7%	9.2%	9.4%
EARLY RATE	3.8%	1.95	1.6%
MADE RATE	76.9%	69.2%	68.35

between fixes became so small that inaccuracies in measurements were of the same order of magnitude as likely changes in the parameters measured; and

(2) The addition of 3-hourly fixes would increase the reconnaissance burden and be accompanied by a proportional increase in the missed-fix frequency.

The statistics presented, based on the evaluation of 1971 data, tended to support the rationale listed above.

b. RESULTS DURING 1972:

During the 1972 season the JTWC levied 78 3-hourly fixes, primarily in the South China Sea (SCS). These supplementary fixes were levied at the request of operational commanders, in anticipation of such requests, or to fulfill requirements for warnings.

Aircraft on two-fix sorties can get the intermediate fix as a bonus. Thus, during 1972, the 3-hourly fixes had a better miss/late rate than the overall statistics for the year as depicted in Table 3-2. This enabled the JTWC to obtain a more comprehensive evaluation of the tropical cyclone. More importantly, the average 24-hour forecast error for warnings based on consecutive 3-hourly fixes was less than for any other fix interval. A comparison of average 24-hour forecast errors for three separate fix interval categories and all warnings issued is shown in Table 3-3. This comparison shows that warnings based on two or more consecutive 3-hourly fixes are superior, on the average, to all other categories.

TABLE 3-3. COMPARISON OF 1972 AVERAGE 24-HOUR FORECAST ERRORS

Α.	WARNINGS BASED ON:	FORECAST ERROR
	Consecutive three-hourly fixes Consecutive six-hourly fixes Missed aircraft recon fixes	94 nm 111 nm 134 nm
В.	ALL WARNINGS ISSUED FOR:	
	SCS tropical cyclones SCS tropical cyclones without	105 nm
	three-hourly fixes All tropical cyclones	110 nm 117 nm

AVERAGE 24-HOUR

c. CONCLUSIONS:

Although 1972 found a reversal in the results obtained in 1971, a two-year sampling of data is considered to be insufficient to arrive at valid conclusions. The majority of 3-hourly fixes in 1971 were levied as a system approached land. In 1972 most 3-hourly fixes were levied on cyclones moving over the SCS and undergoing reorganization and intensification. Also, tropical cyclones over the SCS are normally smaller than those in other parts of the western North Pacific.

In general, continuous 6-hourly fixes are sufficient for warning purposes only so long as the tropical cyclones are following a smooth path at nearly constant speed. However, for erratically moving or accelerating circulations, 3-hourly fixes are essential to the issuance of competent warnings.

3. AN AUTOMATED OBJECTIVE TECHNIQUE FOR CONSTRUCTING TROPICAL CYCLONE BEST TRACKS

a. INTRODUCTION:

The accuracy of tropical cyclone best tracks depends heavily on the techniques used in their construction (position/intensity histories). Due to changes in personnel, reconnaissance platforms, and procedures, these techniques have varied greatly over the years. Since reliable data are essential for progress in tropical cyclone research it is desirable that inconsistency be eliminated. It was with this goal that an objective analysis technique was developed.

b. GENERAL PROCEDURE:

The computer program takes cyclone fix information from punched cards, weighs and groups these data based on preassigned weighting factors and calculates latitude, longitude, intensity, and accuracy functions using linear and second order smoothing routines. The program incorporates both a position history routine to develop the actual storm track and an intensity history routine to derive the storm's maximum surface wind speed at each synoptic time.

(1) THE POSITION HISTORY ROUTINE - The program initially divides the time domain into 3-hourly intervals, or integral multiples of 3 hours, so that each interval contains at least one fix. To eliminate unwanted short-term movements, a group point is derived from a weighted combination of the fixes contained in each time interval. This group point is assigned a time, position, and accuracy values, all weighted by the accuracies of the fixes used to produce the group point. The set of group points then undergoes four linear smoothing/accuracy adjustments where each group point is adjusted in relation to adjacent group points. After linear smoothing, five group points at a time $(\dot{\lambda}, \dot{\lambda} + 1, \dot{\lambda} + 2, \dot{\lambda} + 3,$ and $\dot{\lambda} + 4$) are considered in a second order smoothing routine. During this process, points $\dot{\lambda} + 1$ and $\dot{\lambda} + 3$ are adjusted in reference to a second order

polynomial drawn through points ℓ , $\ell+2$, and $\ell+4$. After completion of two second order smoothings, the position history, as defined by the collection of group points, is adjusted to correct any corner cutting that may have been introduced during the smoothing cycles. The program then calculates latitude, longitude, and position accuracy values corresponding to the set of desired best track times using second order interpolation.

(2) THE INTENSITY HISTORY ROUTINE - This portion of the program closely parallels the position history routine. Differences exist in that, unlike position information, much of the intensity information cannot be read directly from fix data cards but must be constructed from other measured parameters. In addition, some fixes lack intensity estimates altogether. In these cases intensity data from neighboring group points are used.

c. FUTURE DEVELOPMENT:


All fixes used in the procedure are assigned an accuracy weighting factor which determines how much influence they will have on the final best track positions of the storm. The merit of an objective best track routine depends on the goodness of the weighting factors used. The factors are assigned based on the probable errors of the fix method utilized and modified if better information as to the accuracy of the fix is available. The values assigned to various fix methods are based on limited data and will be refined as the data base enlarges. Results gained in testing the program with 1972 data are very encouraging, indicating that the objective best track program represents a significant advance in post-seasonal tropical cyclone track analysis.

CHAPTER IV - SUMMARY OF TROPICAL CYCLONES

1. GENERAL RESUME

Thirty named tropical cyclones, of which twenty-two attained typhoon intensity, developed over western North Pacific waters during 1972 (Table 4-1). Typhoons Olga and Ruby had their origin in the central Pacific. Elsie and Flossie retained their identity while crossing the Indo-China peninsula and regenerated into tropical cyclones of typhoon strength over the Bay of Bengal.

The 1972 typhoon frequency was higher than the yearly average of 19 since the beginning of the JTWC in 1959. During this period, only 1962, 1964, and 1971 experienced more typhoons (Table 4-2). Typhoon days numbered 121, which is 21 more than average (Table 4-3). This figure surpasses all years since 1959, indicating the several multiple-storm situations and longer track lifetimes of 1972.



Multiple-storm activity was quite pronounced in July. Four tropical cyclones, Phyllis, Rita, Susan, and Tess, signaled the greatest simultaneous outbreak in JTWC records in over a decade. The record for multiple storms was August 1960, when five appeared on synoptic charts during the same day. However, in July 1972 four named tropical cyclones co-existed for seven consecutive days, producing a longevity record (Figure 4-1). Typhoon days for July exceeded the high for any month since 1959, as a record 222 warnings were issued by the JTWC. This compares with a total of 739 warnings issued during the year (Table 4-4).

The equatorial trough was quite pronounced during the summer and fall of 1972. Low-level monsoon westerlies extended from Southeast Asia across equatorial latitudes into the central Pacific. Sadler indicated this anomalous circulation pattern to be associated with large-scale ocean

1946 1947 1948 1949 1950 1951 1952 1953 1954	AN FEB 0 0 0 0 0 0 1 0 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	MAR 0 1 0 0 0	APR 0 0 0 0 0 0	0 1 1 2 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	JUN 1 1 1 0 1	JUL 2 3 0 2 3	AUG 5 1 3 2	SEP 3 3 4	OCT	NOV	DEC 0 0	TOTAL 13 13
1946 1947 1948 1949 1950 1951 1952 1953 1954	0 0 0 1 0 1 0 0 0 0 0 0 0 0 1	0 0 0 1 0	0 0 0 0 0 2	1 2 0	1 0 1	3 0 2	1 3 2	3	1	2	0	13
1947 1948 1949 1950 1951 1952 1953 1954	0 0 1 0 1 0 0 0 0 0 0 0 0 1	0 0 0 1	0 0 0	1 2 0	1 0 1	3 0 2	1 3 2	3	1	2	0	13
1946 1949 1950 1951 1952 1953 1954	1 0 1 0 0 0 0 0 0 0 0 0	0 0 0 1	0 0 0 2	2 0 1	0	0 2	3 2	4	5	4		
1948 1949 1950 1951 1952 1953 1954	1 0 0 0 0 0 0 0 0 1	0 1 0	0 0 2	2 0 1	1	2	2					
1949 1950 1951 1952 1953 1954	1 0 0 0 0 0 0 0 0 1	0 1 0	0 0 2	0	1					2	ī	iś
1951 1952 1953 1954 1955	0 0 0 0 0 1	1	2				3	3	1	ī	Ī	14
1952 1953 1954 1955 1956	0 0	ō	2	1		1	2 2 3 4	1	3	2	1	12
1953 1954 1955 1956	0 1		0		1	1	2	2	3	1	2	16
1954 1955 1956		0		0	3	· 1	3	2 3 2	4	3	2	19
1955 1956	0 0		0	1	1	2		2	4	1	1	17
1956		0	0	ł	0	1	4	4	2	3	0	15
	1 0	1	1	0	1	S	3	3	2	1	ı	19
1957	0 0	1	1	0	0	2	4 2 3 S	S S 3	1	3	1	18
	1 0	0	1	1	1)	2	5	3	3	0	18
1958	1 0	0	0	1	3	4	3	3	3	1	1	20
1959	0 0	0	1	0	0	1	S	3	3	2	2	17
	0 0	0	1	0	2	2	8	0	4	1	1	19
	0 0	1	0	2	1	3	3	5	3	ı	1	20
	0 0	ō	1	2	0	\$	7	3	4	3	0	24
	0 0	ō	1	1	2	3	3	3	4	0	2	19
1964	0 0	a	0	2	2	6	3	5	3	4	1	26
	1 0	0	1	2	2	4	3 6	S	2	1	0	21
	0 0	0	1	2	1	3	6	4	2	0	1	20
	0 0	1	1	0	1	3	4	4	3	3	0	20
	0 0	0	1	1	1	1	4	3	š 3	4	0	20
1969	1 0	0	1	0	0	2	3	2	3	1	0	13
	0 1	0	0	0	1	0	4	2	3	1	0	12
	0 0	0	3	1	2	6	3	5	3	1	0	24
		0	0	1	1	4	4	3	4	2	2	22
	1 0	-			31							••

	1960-1971 (AVG)	1969	1970	1971	1972
TOTAL NUMBER OF WARNINGS	731	430	533	747	739
CALENDAR DAYS OF WARNING	151	108	127	163	139
NUMBER OF WARNING DAYS WITH TWO OR MORE CYCLONES	54	15	29	54	46
NUMBER OF WARNING DAYS WITH THREE OR MORE CYCLONES	12	1	0	6	13

 $^{^{}m 1}$ Consultant visit to JTWC in October 1972 by Prof. James C. Sadler, University of Hawaii.




FIGURE 4-1. ESSA-9 satellite mosaic for 13 July 1972 showing multiple tropical cyclones--Tropical Storm Susan (A), typhoons Rita (B), Phyllis (C), and Tess (D)--in the northwest Pacific Ocean.

warming and the early beginning of a strong "El Nino."

This anomalous circulation pattern gave rise to an unusual number of tropical cyclones (nine) forming east of 160°E. Of these, Lola and Olga each developed as members of a cyclone pair with southern hemisphere tropical cyclones. The anomalous monsoonal flow also acted to prolong the typhoon season. This was evidenced by Tropical Storm Violet's presence in the Marshall Island area during mid-December.

Atypically, only one tropical cyclone (Tropical Storm Doris) developed in the trade wind easterlies, during the summer and fall, from disturbances created by upper tropospheric cyclonic cells. However, on several occasions, such cells, embedded in the semi-permanent mid-Pacific trough, enhanced the outflow from disturbances in the equatorial trough and aided their development.

Only Rita and Betty reached super typhoon intensity (130 kt). This equals 1960 and 1969 for the lowest annual frequency of super typhoons in JTWC history. The 14-year (1959-1972) average for super typhoons is six.

Rita established a new longevity record (22 days) for a tropical cyclone in the western North Pacific. She dominated the synoptic circulation features of the East China and Philippine Seas for most of the period. Typhoons Phyllis, Susan, and Tess developed and dissipated during Rita's lifetime. Tess traveled over 3100 nm from the vicinity of the Marshall Islands, engaged in a Fujiwhara interaction with Rita, and dissipated over the Sea of Japan. All of this occurred while Rita maintained typhoon intensity.

Several typhoons dealt destruction to the Far East during 1972. The Republic of the Phillipines was especially hard hit as Kit, Ora, Rita, and Therese brought a combined death toll of approximately 640 to the archipelago (Table 4-5). Rita, although never crossing the coastline, had a critical impact on the economy of the country by enhancing the southwest monsoonal flow. This resulted in torrential rains of record proportions that caused widespread destruction and flooding throughout Luzon.

²Longest-lived (31 days) tropical cyclone on record is Hurricane Ginger, September 1971, in the North Atlantic.

Helen inflicted the heaviest damage on Japan in several years as she moved through the Ise Bay area, grounding many ships, causing numerous landslides inland, and capsizing several fishing vessels.

Much of the pertinent meteorological data and typhoon damage statistics in this chapter were based on information received from the following sources: Weather Bureau of the Republic of China; Royal Observatory of Hong Kong; Office of the High Commissioner, Trust Territory of the Pacific Islands; Casualty Returns, Liverpool Underwriters Association; Director of Meteorology, Republic of Vietnam; Japan Meteorological Agency; Weather Bureau of the Republic of the Philippines; and the Environmental Data Service, National Oceanic and Atmospheric Administration.

TABLE 4-5. LIST OF ESTIMATED CASUALTIES FOR THE 1972 SEASON

TYPHOON	<u>DEATHS</u>	MISSING	
KIT	204		
LOLA		2	
ORA	134		
PHYLLIS	3		
RITA	229		
SUSAN	4		
TESS	29	20	
BETTY	25	4	
ELSIE			
FLOSSIE			
HELEN	72	2	
MARIE	19		
PAMELA	4	5	
RUBY			
SALLY	11	5	
THERESE	90		
	824	36	


TABLE 4-6. 1972 TROPICAL CYCLONES


				CALEND	AR MAX	MIN	ı	VARNINGS	ISSUED
			DATE	DAYS O		OBS		NO. AS	DISTANCE
CYCLONE	TYPE	NAME	(PRD OF WRNG)	WARNIN	G WIND	SLP	TOTAL	TYPHOON	S TRAVELED


01	T	KIT	05 JAN-09 JAN		120	933	15	5	840
02	TD	TD 02	31 MAR-01 APR		30	1001	5		185
03	T	LOLA	30 MAY-05 JUN	7	105	956	26	13	1370
04	TS	MAMIE	02 JUN-03 JUN		50	989	5		260
05	TS	NINA	04 JUN-04 JUN	1	45	N/A	3		120
06	T	ORA	23 JUN-27 JUN		80	971	19	12	1450
07	T	PHYLLIS	06 JUL-15 JUL		120	944	38	22	2325
08	T	RITA	07 JUL-26 JUL		145	911	79	72	3330
09	T	SUSAN	07 JUL-14 JUL	8	65	980	29	4	800
10	T	TESS	08 JUL-24 JUL		125	940	66	44	3165
11	TS	VIOLA	24 JUL-26 JUL	3	60	980	8		890
12	TS	WINNIE	31 JUL-02 AUG	3	60	971	7		440
13	T	ALICE	01 AUG-08 AUG	8	90	964	30	20	2040
14	T	BETTY	09 AUG-17 AUG	3 8 9 5 5 5	135	910	35	27	2075
16	T .	CORA	25 AUG-29 AUG	. 5	65	976	16	4	630
15	TS	DORIS	25 AUG-29 AUG	5	55	986	17		1045
17	T	ELSIE	31 AUG-04 SEP	5	75	974	16	12	580
18	T	FLOSSIE	IO SEP-16 SEP		75	975	25	7	795
19	TS	GRACE	*12 SEP-18 SEP	5	50	989	12		495
20	T	HELEN	13 SEP-16 SEP	4	100	957	15	13	1325
21	TD	TD 21	13 SEP-15 SEP	3	30	N/A	8		550
22	T	IDA	17 SEP-24 SEP	8	110	930	31	24	2315
23	TS	JUNE	(TS JUNE PICK	ED UP BY	CENTRAL	PACIFIC	HURRI	CANE CEN	TER, HONOLULU)
24	TS	KATHY	01 OCT-05 OCT	5	60	976	19		1560
25	T	LORNA	01 OCT-03 OCT	3	75	990	8	6	475
26	T	MARIE	05 OCT-12 OCT	8	115	936	29	24	2545
27	T	NANCY	16 OCT-21 OCT	6	105	945	22	19	1200
28	T	OLGA	22 OCT-29 OCT	8	105	939	31	24	2765
29	T	PAMELA	04 NOV-08 NOV	5	110	942	19	15	1575
30	T	RUBY	14 NOV-20 NOV	7	110	941	24	16	1555
31	T	SALLY	01 DEC-05 DEC	5	80	984	16	10	645
32	T	THERESE	01 DEC-10 DEC	10	105	944	36	20	1805
33	TS	VIOLET	11 DEC-19 DEC	9	5.5	995	30		960
		1972	TOTALS	139**	-		739	413	

DATA TAKEN FROM BEST TRACK

^{*12/00}Z - 14/06Z and 17/06Z - 18/00Z **Overlapping days included only once in sum







The season's first typhoon developed from a disturbance generated by an upper tropospheric low in the mid-Pacific trough in the eastern Carolines. The disturbance moved west-northwest for the next four days with a surface circulation becoming apparent on 4 January in the western Carolines. The depression passed just south of Yap and Ulithi on the evening of the 4th with Ulithi reporting 35-kt winds for a short period and surface pressure of 1001 mb.

On the 6th, reconnaissance aircraft located Tropical Storm Kit with 50-kt winds and a central pressure of 992 mb. For a 14-hour period, from the night of the 6th to mid-day on the 7th, Kit deepened 44 mb (3.1 mb/hr) to an unseasonably low 933 mb and winds of 120 kt (Figure 4-2).

January typhoons are unusual. Since 1945 only seven other tropical cyclones reached typhoon intensity, the latest being Phyllis in 1969.

As Kit moved toward the central Philippines, she turned to the west-southwest as heights began to build to the north over eastern China. Subsequent to moving over Leyte Gulf, Kit decelerated and weakened,

crossing the mountainous terrain of the Visayan Island group on the 8th. Kit further weakened to tropical storm strength by the time she reached Panay Island on the morning of the 9th. As westerlies eroded the ridge over eastern China, Kit dřifted north. During the next several days, Kit followed an unusual track, dissipating back over the Philippine Sea.

In her wake, Kit left a death toll at 204 persons and property damage of approximately 23 million dollars (U.S.). Torrential rains caused rampaging floodwaters which washed away bridges, devastated crops, and heavily damaged property. Newspapers indicate floodwaters of up to nine feet occurred in the towns of Abuyog and Baybay on Leyte.

Kit, being an unexpected event for January, played havoc with shipping. Early on the 7th a British vessel, HALCYON DAYS, passed through the eye, experiencing winds of force 11 and recording a minimum pressure of 964 mb. A tug, the USS SIOUX, pulling a large tow, was caught in the southern part of the eye that night. She encountered estimated winds in excess of 75 kt and recorded a minimum pressure of 952 mb.





FIGURE 4-2. Typhoon Kit near peak intensity 200 nm east of the Leyte Gulf, 6 January 1972, 2324 GMT (DAPP data).



Lola developed as part of a cyclone pair that formed on opposite sides of the equator near 165°E (Figure 4-3). The tendency for such development is greater during late fall and early spring when tropical cyclone activity is shifting into the oncoming summer hemisphere.

The beginning of Lola appeared in satellite pictures on the 28th. The system, destined to become Lola, drifted slowly westward through the eastern Carolines, attaining tropical storm intensity the next day, about 150 nm northeast of Ponape. Shifting to a more northerly track, Lola reached typhoon strength on the afternoon of the 31st.

During Lola's passage north of Ponape, the maximum sustained wind was 30 kt with gusts to 50 kt (30/1600 GMT). Lola's forward motion brought high winds and seas to Ponape and nearby atolls for a prolonged period, and extensive damage resulted. Two fishermen were reported missing and estimates of damage to public buildings and crops exceeded 18,000 dollars (U.S.). Wave action destroyed most of the water system creating a serious fresh water shortage. Reports from Pingelap and Mokil atolls stated that high seas had inundated inland areas destroying over 60 houses.

As Lola was developing to typhoon intensity (Figure 4-4), a block formed in the westerlies in the central North Pacific with ridging extending northeastward to the Aleutian chain. With this distortion of the subtropical ridge, a trough developed west-southwestward from a 500-mb low near Midway. By the evening of the 1st, Lola responded to this weakness and shifted to a north-northeast course at 10 kt.

Lola attained her peak intensity on the 2nd as reconnaissance aircraft reported a central pressure of 956 mb and maximum surface winds near 100 kt. The aircraft's radar detected little evidence of convective activity around the typhoon's circular, 40 nm eye. Reports from the aircraft's observer indicated that the wall cloud was comprised mainly of altostratus.

The USNS ASTERION, located 90 nm northnorthwest of Lola's center (02/0000 GMT) observed 65-kt winds and a pressure of 987.8 mb.

Lola continued on a north-northeast heading for the next three days at an average speed of 14 kt, weakening to tropical storm force on the afternoon of the 4th. By the 5th Lola had swung to a more northeasterly heading and become extratropical.




FIGURE 4-3. The twin tropical storms of Lola (120 nm northeast of Ponape) and Ida (in the Solomon Island group), 30 May 1972, 0212 GMT (DAPP data).





FIGURE 4-4. Typhoon Lola 270 nm west of Eniwetok, 1 June 1972, 0143 GMT [DAPP data].



The beginning stages of Ora can be traced to a closed cyclonic circulation in the equatorial trough south of Guam on 20 June. During the next four days, the system moved westward at 14-17 kt across the Philippine Sea with little development.

Reconnaissance aircraft, on the afternoon of the 23rd, observed a 40 nm calm area with a central pressure of 1006 mb, 330 nm east of Leyte Gulf. Ora was poorly organized at this time, having maximum winds of 35 kt in the northern periphery.

Ora slowed and intensified rapidly during the next 18 hours, reaching typhoon force before skirting the northern coast of Samar (Figure 4-5). She later moved ashore on the Bicol peninsula near Legaspi.

Prior to landfall, a mid-tropospheric high cell had begun to build south of the Ryukyu chain causing Ora to accelerate and veer to a more northerly track. She crossed southern Luzon at speeds of 16-20 kt on the 25th, emerging over the South China Sea that evening.

Legaspi City observed a minimum pressure of 970.7 mb in the eye of Ora and a gust of 110 kt from the south (24/1703 GMT) after passage of the center. A 24-hour total of 9.3 in. of rain was measured at Legaspi during Ora's transit. Eye passage was recorded near Clark Air Base that afternoon (25/0510 GMT). Maximum winds at Clark were estimated at 39 kt with a peak gust of 56 kt and minimum sea level pressure of 973.5 mb. As Ora passed north of Manila, the Weather Bureau Office in Quezon City measured gusts of 65 kt.

Manila was particularly hard hit by Ora as torrential rains caused waist-deep floodwaters in many parts of the city. Electrical power to most parts of the city




FIGURE 4-5. Typhoon Ora 120 nm east of Samar Island, 23 June 1972, 2355 GMT (DAPP data).




FIGURE 4-6. Aftermath of Typhoon Ora--the Singapore ship SHUN HING run aground on Roxas Boulevard, Manila.--Courtesy of Mariners Weather Log, EDS, NOAA.

was interrupted and water service was cut. Several ocean-going vessels anchored in Manila Bay were blown ashore along Roxas Boulevard. These vessels included the Singapore freighter SHUN HING, the Philippine flagship PHIL-ASIA ORANI, the ENCANTADA MANILA, and the PMI COLLEGE (Figure 4-6).

Ora left a death toll of 131 persons with an additional 385,000 people homeless. Property damage was estimated near 15 million dollars (U.S.). One maritime casualty, occurring outside the Manila area, was the capsizing of the MV VARTE, sailing from Legaspi City to Rapu-Rapu Island in the Bicol region. One passenger drowned, three were reported missing, and eight survived.

After leaving Luzon, Ora continued her northwest track at 20 kt while crossing the South China Sea. Climatologically, this is an unusually high speed for June. As Ora

approached Hainan Island on the evening of the 26th, she began to slow and turn to a more northerly course.

The West German ship HAVELSTEIN BOEL-WERFT, located 55 miles south-southeast of the center, experienced 65-kt winds and a minimum sea level pressure of 995.8 mb (26/1200 GMT). Early on the 27th, Ora weakened to tropical storm force, and that afternoon, crossed the South China coast east of the Luichow peninsula. Ora degenerated rapidly into an area of low pressure as she moved inland.

During Ora's transit of the South China Sea, reconnaissance aircraft reported sustained winds of typhoon force in the southeast quadrant, although no wall cloud was present (Figure 4-7). This unusual feature has been noted in other years. Probably the best documentation was provided by Fett³ (1968) concerning observations in Typhoon Billie in 1967.





FIGURE 4-7. Typhoon Ora in the northern South China Sea 330 nm west-northwest of Luzon. Surface center is delineated by low-level cloudiness on eastern edge of cirrus canopy, 26 June 1972, 0410 GMT (DAPP data).

³Fett, R. F., "Some Unusual Aspects Concerning the Development and Structure of Typhoon Billie," Monthly Weather Review, Vol. 96, No. 9, September 1968, pp 637-648.



With her genesis in the eastern Carolines (Figure 4-8), Phyllis passed 30 nm northeast of Ponape on a northwesterly heading, strengthening to tropical storm force on 6 July. During the next 72 hours, Phyllis slowly intensified, reaching typhoon force on the 9th. She then stalled and drifted northward, 500 miles east of the Marianas (Figure 4-9), as the subtropical ridge receded to the north producing a weak steering current.

By the 11th the subtropical ridge began to rebuild, causing Phyllis to accelerate and shift to a northwesterly track. Reconnaissance aircraft reported a central pressure of 944 mb and 110-kt surface winds on the afternoon of the 11th as Phyllis reached her maximum intensity.

Located in the convergent flow between a strengthening ridge to the northeast and the circulation of Typhoon Rita to the west, Phyllis accelerated to 20 kt. She passed 40 nm southeast of Chichi Jima on the morning of the 14th with a recorded

minimum sea level pressure of 994.7 mb $(14/2100~\mbox{GMT})$.

As Phyllis approached Japan, a midtropospheric low developed in a stationary trough over the Sea of Japan. Phyllis assumed a more northerly track when she was approximately 300 nm south of Tokyo late on the 14th. She struck the coastline just east of Ise Bay. A minimum pressure of 985.5 mb was recorded at Irako (15/1010 GMT). Maximum sustained winds reported during landfall were 57 kt with gusts to 71 kt at Irozaki. Phyllis then weakened and accelerated toward central Honshu where she merged with a low-pressure system, becoming extratropical late on the 15th.

Inland, Phyllis caused heavy rains in the Kanto, Chubu, and Kinki regions resulting in flooded streams and over 300 landslides. Rainfall of 14.9 in. was recorded at Oshima in the mountainous terrain of the Chubu region. Three deaths were attributed to Phyllis and over 6,600 homes and 1,600 hectares of land were flooded.





FIGURE 4-8. Formative stages of Rita (left) south of the Marianas and Phyllis (right) in the eastern Carolines, 5 July 1972, 2149 GMT (DAPP data).



FIGURE 4-9. Typhoon Phyllis (right)
quasi-stationary east of the
Marianas and Super Typhoon
Rita (left) in the Philippine
Sea, 10 July 1972, 0229 GMT
(DAPP data).



Rita had her genesis southeast of Guam in an equatorial trough that spawned a simultaneous set of four tropical cyclones. Before Rita dissipated, she brought her influence to bear on almost every country of the Far East, with the exception of Indo-China. She persisted for 22 days, marking a record for tropical cyclone longevity in the western North Pacific. Typhoon Rita surpassed the previous record holder, Typhoon Opal (1967), for total warnings issued. In all, 79 warnings were issued on Rita.

Tracking south of Guam on 6-7 July, Rita attained typhoon strength about 120 nm northeast of Ulithi Atoll on the afternoon of the 8th. Earlier that day, an Air Force B-52 crashed into the ocean southwest of

Guam, less than 150 nm in advance of Rita. Of the six-man crew, five were rescued from the typhoon's heavy seas.

During the 24-hour period (08/1000 GMT-09/1000 GMT), Rita's winds steadily strengthened and her central pressure plummeted 35 mb. Advancing northwestward on the morning of the 10th, Rita reached supertyphoon force (Figure 4-10). By the 11th her central pressure had deepened to 911 mb and the maximum winds concentrated around her circular, 20-nm-diameter eye reached 145 kt.

Rita slowed and weakened as Phyllis began to accelerate northwestward. From 12-16 July Rita described an erratic track, marked with two stalls, as Phyllis swung around her circulation and struck Japan.




FIGURE 4-10. Super Typhoon Rita 450 nm west of the Marianas. Cloudiness from the southeastern periphery of Tropical Storm Susan covers the northern Philippines. The vortex center of Susan, located 150 nm southeast of Hong Kong, appears on the edge of photo, 9 July 1972, 2322 GMT. (DAPP data)

During this period Rita's circulation expanded to cover a large portion of the Philippine Sea (Figure 4-11). By the 18th gale-force winds stretched out approximately 350 nm, except in the western quadrant. The location of Rita and Tropical Storm Susan's presence in the northern South China Sea, combined to intensify the southwest monsoon flow over Luzon. This resulted in a prolonged period of torrential rains and the most disasterous flooding in the history of the area. In just one 24-hour period on 17 July, Baguio

City recorded 18.86 in. of rain. Damages ran over 150 million dollars (U.S.) and flooding left an estimated death toll of 214 persons in its aftermath.

Rita began to slowly track northward late on the 16th. In response to a building high cell over the Sea of Japan, Rita made a bend to the west, skirting just north of Amami-o-Shima in the Ryukyu's on the evening of the 20th. The lowest minimum pressure recorded there was 968.9 mb (20/1100 GMT). Gaja Shima, 80 nm north of



FIGURE 4-11. Typhoon Rita (left) centered 400 nm southwest of Iwo Jima dominates the Philippine Sea. Typhoon Tess (right) 400 nm south of Marcus Island is at peak intensity (125 kt). The remains of Phyllis are located over western Honshu, 15 July 1972, 2219 GMT. (DAPP data)




FIGURE 4-12. Tuna boats lie swamped in Naha Port, victims of Typhoon Rita's torrential rains.--Courtesy of the Okinawa Morning Star.

the center, reported sustained winds of 65 kt.

During her passage south of Kyushu, more than 23 in. of rain was recorded in two days on Mt. Yabitsu, Kyushu, and 9.68 in. in 24 hours on Kumamoto Prefecture.

As Rita entered the East China Sea, the prevailing mid-tropospheric flow weakened due to the presence of a low situated in central Manchuria. Rita was thus located in a col region and her forward progress slowed on the afternoon of the 21st. Typhoon Tess at that time had just passed north of the Bonin Islands and was located some 800 nm east of Rita. A Fujiwhara interaction took place, forcing Rita southwestward, describing a loop in the vicinity of the Ryukyu chain for the next three and a half days. During this loop, Rita's center passed just north of Miyako Jima and brushed the western coast of Okinawa.

The lowest pressure registered in the islands during Rita's loop was at the Futema MCAS on Okinawa with 955.6 mb (24/0730 GMT). A maximum sustained wind of 72 kt was recorded at Okinoerabu Shima and gusts to 96 kt at Kume Shima.


Heavy rains of up to 9.6 in. in some mountain stations fell on Taiwan. Several villages were flooded, rendering over 700 persons homeless, while a train between Kaohsiung and Fangliao was derailed due to floods. Reports indicated three persons dead or missing.

Heaviest rains in the Ryukyu's occurred at Okinoerabu Shima, which recorded 31.87 in. in the five-day period it was under

Rita's influence. Damage on Okinawa was primarily to farm crops. Sugar cane and pineapple crops averaged 30-35% destroyed, while the vegetable crops were also hard hit. In addition, many small boats were sunk (Figure 4-12) and several highways blocked by landslides. A total of three persons were reported killed in the Ryukyu's.

Completing the loop, Rita moved northward on the 25th. She began to accelerate as she entered a confluent zone, created by a trough over Manchuria and a building ridge over the Sea of Japan. Rita passed just west of Cheju Do on the morning of the 26th and then brushed southwestern Korea. Minimum pressure of 975.5 mb was recorded there (25/2100 GMT) with maximum sustained winds of 50 kt. Eight persons were reported killed in the southwestern tip of Korea and more than 200 buildings and 50 small boats were destroyed.

Rita accelerated to 30 kt in the Yellow Sea. She then took a more westward track, passing just south of Port Arthur on the evening of the 26th, weakening to a tropical storm. Entering the Gulf of Chihli, Rita moved ashore near Tientsin, China, and dissipated rapidly inland south of Peking on the 27th.



Susan led the procession of developing tropical cyclones in the equatorial trough during early July. She was detected in the synoptic data on 4 July east of southern Leyte. As a weak depression, she crossed the Philippine archipelago on a northwest track. Susan emerged west of Luzon on the afternoon of the 7th in the region of the Lingayen Gulf.

Susan intensified into a tropical storm as she moved over the South China Sea. She slowed on the 8th and began to move northward as a weak trough extended southwestward from the Sea of Japan, influencing her motion.

By the 9th, the trough filled partially and a col region formed in the general flow off the southeastern coast of China. Due to the weak steering currents, Susan moved erratically for the next four days. During this time the British ship MEMNON passed some 60 nm south of the center (10/0000 GMT) reporting 55-kt winds and 16-foot seas.

With Susan stalled in the South China Sea and Rita meandering in the central Philippine Sea, the circulations of these tropical cyclones intensified the southwest monsoon over the northern Philippines. High seas were built up over the South China Sea by the persistent, strong southwesterly flow. Inundation from high tides and large waves occurred along the western coast of Luzon. In Manila some sections of the sea wall were ripped away by wave action.

Heavy rains brought disasterous floods in many provinces of central Luzon during the several weeks that this strong flow persisted. As Rita was largely responsible for these prolonged conditions, the damage and death toll of the floods are listed in the discussion of that typhoon.

Reconnaissance aircraft revealed that Susan attained typhoon intensity for an 18-hour period on the 11th. Minimum central pressure during this time was 983 (Figure 4-13). Like Ora, Susan generated typhoon winds during a period in which she lacked a wall cloud. Satellite data at this time depicted the surface center delineated by low clouds as the cirrus overcast was sheared off to the southwest.

During the 14th, Susan began to move northward through the Taiwan Straits. She crossed the east coast of China near Hui An on the morning of the 15th and rapidly degenerated into an area of low pressure near Fooshow by evening.

The maximum rainfall recorded on Taiwan during Susan's meandering path in the South China Sea was 10.4 in. Four people were reported killed on the island due to direct or indirect causes of torrential rains. Also during this period, maximum winds of 39 kt occurred at the Hong Kong airport and 37 kt at the Royal Observatory. Since records began at the Royal Observatory, no other tropical cyclone remained within 200 miles of Hong Kong for such a long duration as Susan.





FIGURE 4-13. Low level cloudiness spirals around the center of Susan (of minimal typhoon strength) located 150 nm southeast of Hong Kong.

Typhoon Rita, in the central Philippine Sea, appears on the right edge of the photo, 11 July 1972, 0357 GMT. (DAPP data)



Tess was first observed in satellite pictures on 6 July, west of the international dateline near $9^{\circ}N$. She was positioned at the end of a chain of developing tropical cyclones stretching to the Philippines. She was tracked by satellite for the next six days while passing north of the Marshall Islands. Intensity estimates based on satellite imagery indicated Tess probably reached tropical storm force on the 7th. Late on the 12th, reconnaissance aircraft indicated Tess had reached typhoon intensity.

Due to a building high cell north of Wake Island, Tess began to move southwest on the 13th. Steadily gaining strength (Figure 4-14), Tess described a gradual bend back to the northwest late on the 14th as she rounded the southern extension of the ridge. Her central pressure reached a minimum on the afternoon of the 15th as dropsonde measurements recorded 940 mb. Tess achieved her maximum intensity at this time with winds of 125 kt occurring near her center.

Continuing on a northwesterly course for the next five days, Tess gradually lessened in intensity as she paralleled the southwest side of a high cell 500 nm northeast of Minami Tori Shima (Marcus Island).

By the 20th, the influence of a high cell over northern Honshu caused Tess to shift to a westerly course. Now a minimal typhoon, Tess began to increase in forward speed on the 21st as she approached the Nampo Shoto, south of Japan. With the slowdown of Rita in the East China Sea, the circulation of Tess began to interact with



FIGURE 4-14. Typhoon Tess 90 nm north of Eniwetok, 13 July 1972, 2133 GMT. (DAPP data)

that of Rita, about 800 nm distant (Figure 4-15).

As a Fujiwhara effect began to take place, the path of Tess was dictated by both Rita's circulation and a high cell over Honshu. These two factors caused a 14-15 kt movement and landfall on northeastern Kyushu the evening of the 23rd. Emerging into the Sea of Japan as a tropical storm, Tess moved rapidly northward and weakened to a tropical depression. She finally merged with a front south of Vladivostok late on the 24th.


Torrential rains from Tess occurred over much of Shikoku (18.94 in. at Tsurugisan Weather Station) and the Kanto, Chubu and Kinki regions of Honshu. Resultant flooding caused inundation of over 3,500 homes and over 1,600 hectares of land. Newspaper reports indicated 29 persons killed and 20 missing in the aftermath of Tess. The majority of these were swimmers lost in the 6-to 12-foot surf which battered the central Japanese coastline prior to Tess's arrival.

The center passed over Oita, Kyushu, which registered the minimum pressure in the region of 979.4 mb. Maximum sustained winds of 72 kt and peak gust of 96 kt were recorded on Shikoku at Murotomisaki and Sukumo, respectively.

Although not a record breaker, Tess paralleled Rita in terms of longevity as she narrowly missed matching Typhoon Opal's (1967) performance. A total of 66 warnings was issued on Tess, three less than during Opal's lifetime.



FIGURE 4-15. Typhoon Tess (right) 400 nm south of Tokyo is centered some 700 nm east of Typhoon Rita (left) in the East China Sea, 22 July 1972, 0259 GMT. (DAPP data)



Except for a brush with Honshu of the Japanese Islands, Alice spent her 12-day existence at sea. Forming in the equatorial trough, Alice was initially detected by satellite on 29 July.

Moving northward as a depression, Alice reached tropical storm force 125 nm west of Eniwetok. The synoptic situation depicted a general weakness in the midtropospheric subtropical ridge at the longitude of the storm. This was due to a trough extending southward from the Kamchatka peninsula. Alice continued her northerly movement but shifted to a more westward track by the 1st. The western edge of a high cell, northeast of Minami Tori Shima (Marcus Island), began to build north of Alice during the next five days, guiding her on a track towards Japan.

On the 4th, Alice passed 80 nm southwest of Minami Tori Shima. The Japanese meteorological station on the island registered maximum winds of 53 kt (03/2140 GMT) and peak gusts of 74 kt (03/1930 and 03/2135 GMT). Minimum pressure

recorded was 990.0 mb (04/0000 GMT). A Japanese ship, NIPPON MARU, passed close to Alice's center on the 5th, observing 70-kt winds and a minimum pressure of 984.7 mb (05/0000 GMT).

With the long wave in the westerlies positioned over Manchuria, Alice began to decelerate as she approached the Boso peninsula of Honshu, Japan, (Figure 4-16) recurving once she crossed the 35th parallel. Accelerating to speeds of 19 kt, Alice passed south of Hokkaido on the 8th and acquired extratropical characteristics later that day.

The center of Alice passed 40 nm east of the Boso peninsula during the afternoon of the 7th. No winds in excess of 25 kt were reported along the coast during the passage of the weaker semicircle of Alice. A minimum pressure of 988.7 mb was measured at Choshi while rainfall amounts of 4.02 in. were totaled at Katsuura. In Iwaki, Fukushima Prefecture, some 300 houses were flooded when typhoon-generated waves caused the river in the city's Kunohama section to overflow.





FIGURE 4-16. Typhoon Alice 360 nm south-southeast of Tokyo, 6 August 1972, 0246 GMT. (DAPP data)



Betty, destined to become the second super typhoon of the season, was first detected by satellite on 7 August north of the eastern Carolines. After reaching tropical storm intensity 200 nm southeast of Guam, Betty passed 50 nm north of Saipan. Westerly winds of 30 kt with gusts to 50 kt and some local flooding were experienced there during the afternoon and evening of the 10th.

Betty attained typhoon strength after passing through the Marianas, and shifted to a more westerly course as the subtropical ridge began to build northeast of Iwo Jima. The central sea level pressure dropped steadily during her five-day journey toward the southern Ryukyu's. A minimum pressure of 910 mb and maximum sustained winds of 135 kt were observed by reconnaissance aircraft on the 15th (Figure 4-17).

At that time, gale-force winds reached 450 nm from the center in the eastern semicircle, and 300 nm elsewhere. The extent of typhoon-force winds was also exceptional. A Japanese ship, TAKAMATSU MARU, reported 65-kt winds 200 nm southeast of the eye (16/0600 GMT).

Betty's track during 15-16 August appeared to be influenced by a col over the northern East China Sea. This weakness in the ridge to the north resulted in a more northerly track. The center thus passed through the southern Ryukyu's during




FIGURE 4-17. Super Typhoon Betty 420 nm east-southeast of Taipei, Taiwan, 14 August 1972, 2347 GMT. (DAPP data)

the morning and afternoon of the 16th. The eye crossed the northern tip of Ishigaki Shima (16/0612 GMT) when the barograph recorded 942.5 mb. Maximum sustained winds on Miyako Shima, 60 nm from the center, were 61 kt from the south-southeast (16/1555 GMT). A maximum gust of 96 kt was recorded at Kume Jima, located 165 nm northeast of the center.

During her advance toward the southern Ryukyu's, Betty's circulation intensified the southwest monsoonal flow over Luzon bringing torrential rains. The resulting floods caused seven deaths in the northern province of Ilocos Sur. A light aircraft with four persons aboard was also reported missing.


Betty passed 40 nm north of Taiwan during 16-17 August. A minimum sea level pressure of 940.9 mb was registered at Pengchia Hsu Island (16/1745 GMT) as the eye passed overhead. Maximum sustained winds of 101 kt (16/2045 GMT) and a gust of 108 kt (16/2010 GMT) were also reported at that station.

Heavy rains (32.42 in.) were recorded at Alishan, resulting in considerable flooding in Taiwan. An estimated 300,000 people were stranded by floodwaters in Sanchung City (Figure 4-18) and the two adjacent townships of Luichow and Wuku, west of Taipei. Many highways were made impassable and rail service was interrupted by landslides in northern and central Taiwan. Eighteen storm-related deaths were reported in Taiwan while over 220 homes were totally destroyed and over 130 badly damaged.

Betty made landfall the evening of the 17th on the China coast near 27°N and lost strength rapidly as she moved inland.



FIGURE 4-18. The flooded Sanchung district of Taipei, Taiwan, due to torrential rains brought by Typhoon Betty.--Courtesy of China Post



First signs of a disturbance east of Luzon were indicated by satellite and ship data on 21 August. The developing depression moved across the southern Luzon Straits early on the 23rd and entered the South China Sea as Tropical Storm Cora. Cora was guided on a slow westerly course by the flow from a high cell over eastern China (Figure 4-19). She developed to a minimal typhoon on the 27th, less than 24 hours from landfall.

Cora crossed Hainan Island on the 28th and transited the northern Tonkin Gulf that evening. Making landfall as a tropical storm near Haiphong, she quickly dissipated.

Cora was only the fourth tropical storm to reach typhoon intensity in August in the South China Sea since 1945. The most recent was Shirley in 1968.





FIGURE 4-19. Tropical Storm Cora in the northern South China Sea 270 nm east of Hainan Island, 25 August 1972, 2349 GMT. (DAPP data)



The fourth typhoon of the month, Elsie, was first spotted by satellite as a disturbance east of Leyte Gulf on 29 August. After crossing the central Philippines as a depression, Elsie entered the South China Sea west of Mindoro on the 31st. Tropical-storm force was achieved later that day. By 1 September Elsie began to slow, apparently due to a slow-moving trough over China.


Elsie reached typhoon force near the Paracel Islands, then shifted to a southwest track as heights began to build in southern China. Moving slowly across the South China Sea toward the Vietnam coast, Elsie required two days to travel 160 nm

(Figure 4-20). As her center passed Quang Ngai, a minimum sea level pressure of 991 mb was registered and peak gusts of 60 kt were reported.

Elsie weakened rapidly as she moved into Thailand but maintained her identity across the Indo-China peninsula, redeveloping to typhoon strength in the Bay of Bengal (see Annex B). Elsie was only the second tropical cyclone in September to reach severe storm intensity (>47 kt) in the Bay of Bengal since 1943. During her passage over Thailand, Elsie caused three days of heavy rains, flooding many parts of the country.



FIGURE 4-20. Radars cope presentation (AN/SPS-30, range 150 nm) of Elsie taken aboard USS KITTY HAWK while the typhoon was centered 130 nm south of Hainan Island, 2 September 1972, 1720 GMT. Blip in eye is return from weather reconnaissance aircraft.



On 6 September, as Elsie was crossing Thailand, a weak circulation was noted on satellite pictures in the southern Marianas. The ill-defined system crossed the Philippine Sea and developed into Tropical Storm Flossie prior to landfall in the Lamon Bay region of Luzon.

A trough extending south-southwestward from the Kuril Islands weakened the subtropical ridge over southern China. The resulting weak steering flow caused Flossie to move slowly westward across the South China Sea during 11-14 September (Figure 4-21). Reaching minimal typhoon strength south of the Paracel Islands, Flossie shifted to a more southerly track. She moved ashore between Qui Nhon and Quang Ngai, South Vietnam, in the early morning of 16 September.

After weakening to a tropical depression, Flossie closely paralleled Elsie's track across Thailand, causing heavy rains on 18-19 September. Three provinces north of Bangkok were under floodwaters of up to 2-1/2 feet. Flossie, like Elsie, retained her identity across the Indo-China peninsula and regenerated to typhoon force in the Bay of Bengal (see Annex A). As Tropical Cyclone 25-72, she became the second tropical cyclone to achieve typhoon intensity in the Bay of Bengal during September. Since 1884, there had never been more than one tropical cyclone reaching severe storm force (>47 kt) in the Bay of Bengal during September.





FIGURE 4-21. Tropical Storm Flossie (left) in the South China Sea 300 nm east of Danang, Vietnam. A second tropical storm, Grace, is centered just east of Luzon, 13 September 1972, 0002 GMT. (DAPP data)

 $^{^4\}mathrm{Tracks}$ of storms and depressions in the Bay of Bengal and the Arabian Sea 1877-1960, India Meteorological Department, 1964.



While Flossie moved slowly across the South China Sea and Tropical Storm Grace stalled east of Luzon, a third circulation appeared in the equatorial trough west of Guam. This tropical cyclone would be the most destructive to strike Japan in 1972.

Reconnaissance aircraft, the afternoon of 13 September, indicated the presence of a tropical storm near $16\,^\circ\text{N}$ and $136\,^\circ\text{E}$. Moderate feeder band activity was detected and flight level winds (700 mb) of 58 kt were measured in the eastern quadrant. Minimum central pressure, as determined by extrapolation from 700 mb, was 987 mb.

Taking a northwesterly course around a high cell centered between Minami Tori Shima (Marcus Island) and Chichi Jima,

Helen attained typhoon intensity on the afternoon of the 14th. She then veered to a more northerly course due to a deepening trough in the East China Sea. This trough and an intense high pressure cell east of Chichi Jima combined to produce strong south-southwesterly flow south of Japan. Helen reacted by accelerating to 20 kt late on the 15th (Figure 4-22) and to 29 kt the following afternoon. Reconnaissance aircraft observed flight level winds of 100 kt in the right semicircle during this period.

Helen moved ashore near Cape Kushimoto during the evening of the 16th, crossing Honshu just west of Ise Bay. She passed between Osaka and Nagoya and moved into the Sea of Japan near Toyama 12 hours later.




FIGURE 4-22. Typhoon Helen 300 nm southeast of Okinawa, 15 September 1972, 0318 GMT. [DAPP data]




FIGURE 4-23. The aftermath of Typhoon Helen - Kawagoe Town, Mie Prefecture, Japan. Philippine cargo ship MARIA ROSELLO (9,000 tons) blown against causeway (Meiyon National Highway). Two other ships behind cargo ship are also blown against causeway while another is overturned in the background.--Courtesy of Kyodo Tsushin




FIGURE 4-24. Fishing vessel and cargo ship MARIA ROSELLO smashed against causeway due to Helen. Debris from wrecked causeway lies on the National Highway, Kawagoe Town, Mie Prefecture, Japan.--Courtesy of <u>Kyodo Tsushin</u>

The lowest recorded pressure of 956.9 mb (16/0940 GMT) and maximum sustained winds of 70 kt (16/0900 GMT) from the north were observed at Shionomisaki, west of Helen's track. A peak gust of 98 kt (16/0850 GMT) was registered at Sumoto located near Osaka Bay, 60 nm west of the track.

Heavy rains disrupted land, sea, and air transportation in central and eastern Japan. There were 38 deaths and 158 injuries reported, most of which were attributed to landslides and flooding. Over 360 houses were destroyed or badly damaged by landslides and over 77,000 homes were inundated by floodwaters. Losses from damage to roads and river embankments were estimated near 102 million dollars (U.S.). Helen also generated a tornado near Higashi Matsuyama north of Tokyo, destroying eight homes.

Nine cargo ships ran aground in Ise Bay, including the 6,244-ton Indian ship, STATE OF TRAJAN COCHIN, and the 9,031-ton Philippine freighter, MARIA ROSELLO (Figures 4-23, 4-24). Two fishing boats were sunk near Hachijo Jima. Of a combined crew of 30, only six fishermen were rescued.

After weakening to tropical storm force in the Sea of Japan, Helen slowed near Hokkaido late on the 17th and merged with an upper level low the following day. Rains up to 31 in. fell on Hokkaido with flash floods and landslides accounting for eight dead and two missing. High tides generated by Helen, while west of Hokkaido, accounted for at least two deaths along the east coast of Korea.



On 14-15 September, surface and upper air reports in the eastern Carolines depicted a weak circulation in the equatorial trough north of Truk. Satellite pictures for the next few days showed this disturbance drifting northward and gaining a more organized appearance.

On the 18th, reconnaissance aircraft indicated the disturbance had become a tropical storm (Figure 4-25), midway between the Marianas and Wake.

Ida tracked to the southeast, apparently under the influence of a mid-tropospheric trough extending from the Kamchatka peninsula to the vicinity of Wake Island. As heights began to build west of the trough, Ida reversed course, moved westward and intensified. She reached typhoon intensity the afternoon of 20 September.

Approaching the northern Marianas at 16-18 kt, Ida took a more northerly track on 21 September due to the deepening of a short wave trough over Japan. Pagan Island reported northwesterly winds of 30 kt with gusts to 50 kt and a minimum sea level pressure of 988.6 mb as the center passed 60 nm to the northeast.

Ida's central pressure dropped to 932 mb prior to passing 35 nm east of Iwo Jima early on the 23rd. Iwo Jima experienced maximum sustained winds of 56 kt with gusts to 83 kt (23/1140 GMT) before equipment failure. Later that afternoon, Ida passed 25 nm west of Chichi Jima where a minimum sea level pressure of 972 mb was recorded (Figure 4-26).

By the 23rd, a strong southwesterly flow was established over Japan due to the increased pressure gradient between a low over Manchuria and a ridge north of Marcus Island. In response, Ida began to recurve and accelerated to 20 kt north of the Bonin Islands.

Moving at 24 kt east of Honshu on the 24th, Ida brought typhoon-force winds to several ships including the Norwegian ship NEGO ANNE, which experienced 80-kt winds 50 nm east of the center.

The next day Ida became an extratropical system as she merged with a frontal zone east of Hokkaido.





FIGURE 4-25. Tropical Storm Ida 400 nm northwest of Eniwetok, 17 September 1972, 2145 GMT. (DAPP data)



FIGURE 4-26. Typhoon Ida 125 nm northeast of Iwo Jima, 22 September 1972, 2250 GMT. (DAPP data)



Lorna, like Cora and Elsie, developed from a depression in the Philippine Sea and crossed the Philippine archipelago (Figure 4-27).

After transiting Luzon, Lorna moved across the South China Sea at $12\text{-}15~\mathrm{kt}$ as ridging dominated southern China.

Satellite pictures on the 30th indicated the disturbance was rather small but of tropical storm intensity. The United Kingdom ship MARON, 70 nm north of the center, reported 45-kt winds from the southeast (01/0000 GMT). Reconnaissance aircraft found winds of 60 kt just northeast of the center a few hours later.

Lorna transited south of Hainan Island on the 2nd as her 15-nm-diameter eye was tracked closely by aircraft and ship radar. Although the radar presentations depicted Lorna as a well-developed cyclone, her circulation was quite small. Gale-force winds were limited to a radius of 75 nm from the center in the northern semicircle.

Early on the 3rd, Lorna moved ashore on the North Vietnam coast north of Dong Hoi and degenerated into a low pressure system after crossing central Laos. She dissipated in Thailand late that night.





FIGURE 4-27. Lorna as a tropical depression east of Luzon, 27 September 1972, 0348 GMT. (DAPP data)



Marie began as a broad circulation in the equatorial trough north of the Marshall Islands on 3 October (Figure 4-28) while Tropical Storm Kathy was passing north of the Marianas. On the 5th, she achieved tropical storm intensity, becoming a typhoon two days later as she passed 200 nm north of Eniwetok.

Marie's circulation was quite extensive, covering an area over 700 nm in diameter. Strong westerlies up to 20 kt were experienced in the eastern Caroline and Marshall Islands. Eniwetok, about 180 nm south of the center, recorded 40 kt sustained winds from the west with gusts to 52 kt the evening of 6 October. Squalls with gusts of up to 50 kt occurred in the Ponape district felling coconut trees, one of which killed one person on Kusaie.

Marie moved along the southern extent of the subtropical ridge centered north of Minami Tori Shima (Marcus Island) at 15-19 kt during 6-8 October. As she approached the northern Marianas, Marie began to slow. Her maximum winds reached 115 kt and central pressure dropped to 936 mb. Marie began a northwesterly track on the 9th, passing through the northern Marianas late in the day.

On Pagan, Agrihan and Alamagan islands, food crops were nearly 100% destroyed. Buildings were 80-95% destroyed; however, property damage was less severe on Agrihan due to sturdier construction.

Although 200 nm south of Marie's center, Saipan experienced gusts of 45-55 kt. High seas in the southern Marianas were responsible for capsizing at least five motorboats and caused two drownings. By the 10th reconnaissance aircraft reported 100-kt winds extended 75-100 nm east of the center (Figure 4-29).

Passing east of the Volcano Islands on the 11th, Marie accelerated to 21 kt. The Japanese ship, YAEKAWA MARU, about 170 nm east-southeast of the center, reported 60 kt (11/0000 GMT).

Marie weakened as she transited the North Pacific east of Honshu at up to 34 kt, merging with a frontal system east of Hokkaido on the 12th. Winds of up to 40 kt and gusts to 59 kt were experienced at Urakawa along the southeastern coast of Hokkaido. Sixteen of eighteen crewmembers were lost when a 77-ton Japanese fishing boat capsized off Miyagi Prefecture.




FIGURE 4-28. Formative stages of Marie centered some 350 nm north-east of Kwajalein, 3 October, 1972, 2112 GMT. (DAPP data)





FIGURE 4-29. Typhoon Marie 350 nm northnorthwest of Saipan, 10 October 1972, 0221 GMT. (DAPP data)



Nancy was the third tropical cyclone to develop north of the Marshalls in less than a month. Initially detected by satellite on 15 October, Nancy reached typhoon intensity 48 hours later, 200 nm south of Wake Island.

Tracking south of the subtropical ridge, Nancy took a more northerly course late on the 17th as the trough in the westerlies eroded the ridge near 155°E. On the 18th, reconnaissance aircraft reported a central pressure of 945 mb as Nancy's maximum winds of 105 kt were recorded.

Nancy began to recurve late on the $19 \, \mathrm{th}$ as she moved under upper tropospheric

westerlies of 45-50 kt. Early on the 21st, strong vertical shear weakened Nancy to a tropical storm and satellite data showed much of her cirrus canopy removed. Within 48 hours she degenerated into a tropical depression.

On the 22nd, Nancy stalled as she failed to recurve toward a trough in the westerlies. An intensifying ridge behind the trough caused Nancy, now a tropical depression, to track west-southwest for the next several days. Low-level cloud features were readily identifiable on satellite pictures as she moved into the Philippine Sea where the circulation finally lost its identity.





FIGURE 4-30. Typhoon Nancy 270 nm southwest of Wake Island, 17 October 1972, 2132 GMT. (DAPP data)



A twin cyclone system, one developing in the northern hemisphere and another in the southern hemisphere, became apparent in satellite photographs on 17 October near 175°W. The northern system, destined to be Olga, crossed the dateline on a westerly track and attained tropical storm intensity on the 21st. Bebe, in the southern hemisphere, developed to hurricane force and passed over Funafuti Atoll of the Ellice Islands during the night of the 21st.

Reconnaissance aircraft on the morning of the 22nd indicated that Olga was a strong tropical storm, 170 nm northeast of Majuro Atoll (Figure 4-31). During 23-24 October, Olga showed little change in intensity as she tracked through the northern Marshall Islands. Since the strongest winds were in the northern semicircle, the maximum sustained winds reported in the islands were only 25 kt.

Olga intensified to typhoon force early on the 26th. Continuing to gain strength, Olga accelerated to 20-22 kt late on the 26th and headed for the northern Marianas.

During the night of 27-28 October, Olga became the second typhoon in three weeks to sweep through that area. The following morning her central pressure dropped to 939 mb, generating maximum winds of 105 kt (Figure 4-32).

Since Typhoon Marie had destroyed most of the agricultural crops and coconut trees in the islands a few weeks earlier, Olga's effect was less noticeable than it might normally have been.

As a trough deepened over the East China Sea on the 28th, Olga headed northward, rounding the subtropical ridge east of the Volcano Islands late that day. Gale-force winds extended a considerable distance as the United Kingdom ship CAPE YORK, 200 nm east of the center, observed winds of 50-55 kt that night and the following morning.

Accelerating to 30 kt in the strong southwesterly flow southeast of Japan, Olga tracked northeastward and merged with a front east of Honshu late on the 29th.




FIGURE 4-31. Tropical Storm Olga 170 nm northeast of Majuro Atoll. The circulation depicted in the cloud pattern 1200 nm northwest of Olga is the remains of Nancy, 22 October 1972, 0108 GMT. (DAPP data)





FIGURE 4-32. Typhoon Olga 300 nm southsoutheast of Two Jima, 27 October 1972, 2201 GMT. (DAPP data)



It was nearly a week after detection by satellite that Pamela reached typhoon intensity, just east of Samar Island, Republic of the Philippines.

The formative stage of Pamela appeared in the eastern Carolines, on 30 October, as an area of enhanced convection. The system was poorly organized for the next several days until it entered the Philippine Sea. Satellite data indicated that tropical-storm intensity was acquired on the afternoon of 3 November as Pamela passed 250 nm north of Yap.

Reconnaissance aircraft, in the afternoon of the following day, located Pamela near 15°N and 130.5°E. The storm was poorly organized with a calm area 40 nm in diameter, a central pressure of 1004 mb, and 700-mb-level winds of 48 kt in the eastern semicircle.

Pamela traversed the Philippine Sea at 15-18 kt as she moved under the influence of a strong subtropical ridge. Satellite pictures and military aircraft radar reports indicate Pamela developed to typhoon intensity prior to her landfall on Samar.

Making landfall on northern Samar the morning of the 5th, Pamela crossed the center of the Republic of the Philippines and emerged 24 hours later west of Mindoro Island. Four fatalities and estimated damage to property and crops of over 700,000 dollars (U.S.) were reported.

Upon entering the South China Sea on the 6th, Pamela's forward speed decreased to 10 kt. Her circulation began to expand as a ship 90 nm east of the center reported winds of 60 kt from the south (06/0000 GMT). Pamela headed west-northwest for the first 18 hours, then northwest on the 7th as a trough in the mid-troposphere moved across the Indo-China peninsula.

Passing near the Paracel Islands on the evening of the 7th, reconnaissance aircraft reported a central pressure of 942 mb as Pamela reached her peak intensity of 110 kt (Figure 4-33). As she approached Hainan Island in advance of the trough, Pamela began to recurve and skirted the eastern end of the island on the 8th.


Pamela crossed the South China coast in Kwangtun Province about 180 nm west-southwest of Hong Kong. She moved inland during the evening and degenerated into an area of low pressure by the 9th.

Pamela brought strong winds to Hong Kong as gusts of 60 kt were recorded at the International Airport and 59 kt at the Royal Observatory.

As Pamela approached the southern China coast during high tide, flooding occurred in many low-lying areas of Hong Kong. One person was killed and eight were injured, but only minor property damage occurred in the colony. A freighter, SS VAN MINT, ran aground on the southern shore of Lei Yue Mun.



FIGURE 4-33. Typhoon Pamela in the South China Sea, 7 November 1972, 0300 GMT, ESSA-8 satellite.--Courtesy of Royal Observatory, Hong Kong



Ruby was the first tropical storm to form in the central Pacific and cross the international dateline since Typhoon Sarah in September 1967.

An area of enhanced convection was first evidenced in satellite pictures on 7 November south of the Hawaiian Islands near 4°N and 167°W. No organized circulation appeared until the 11th, at which time the system began to drift northward. Indication that winds had reached tropical storm strength was evidenced in satellite data by the 13th. Reconnaissance aircraft observed Ruby to have typhoon-strength winds just west of the international dateline on the 14th.

With a mid-tropospheric anticyclone located between Midway and Wake Island, Ruby moved on a west-northwesterly course at 9-12 kt for the next three days. She reached her peak intensity east of Taongi Atoll on the 16th as reconnaissance aircraft observed a central pressure of 944 mb and maximum winds of 110 kt.

Although the central pressure in Ruby had rapidly risen 20 mb to 983 mb during the morning of the 17th, reconnaissance aircraft observed 100-kt winds in a small band north of the center (Figure 4-34). This observed wind was relatively high for the standard pressure-wind relationship used at JTWC (Takahashi, 1939). By that afternoon the maximum winds had weakened considerably.

Passing south of Wake Island late on the 17th, Ruby was of minimal typhoon force as she shifted to a west-southwest heading. Like Nancy, Ruby moved beneath upper tropospheric westerlies while in the tropics and began to weaken significantly. On the 18th satellite pictures showed the cirrus canopy removed from over the center, revealing the low-level cloud structure of the storm (Figure 4-35). By late on the 19th, Ruby had been reduced to a tropical depression and finally dissipated east of the northern Marianas on the 21st.



FIGURE 4-34. Typhoon Ruby near her maximum intensity 270 nm southsoutheast of Wake, 16
November 1972, 2118 GMT.
[DAPP data]





FIGURE 4-35. Low-level clouds outline the remains of Tropical Storm Ruby 300 nm southwest of Wake, 18 November 1972, 0123 GMT. (DAPP Data)



Sally was the first tropical cyclone to develop to typhoon intensity in the month of December since Pamela in 1966. She was also the first tropical cyclone of typhoon intensity, since before 1945, to transit the Gulf of Thailand.

Sally crossed the Sulu Sea on 29 November as a depression in the equatorial trough. Satellite pictures indicated increased organization as she entered the southern portion of the South China Sea. Continuing her low-latitude track, Sally came under the influence of an anticyclone centered south of Hainan Island and was forced equatorward late on the 30th.

Reconnaissance aircraft arrived in the area on the morning of 1 December. A small circular eye of 5 nm in diameter with a partially-formed wall cloud was located. The central pressure was 989 mb and flight level (700 mb) winds were 55 kt in the northeast quadrant. The Japanese ship, TAGAMARU, passed 50 nm northeast of the center (01/1200 GMT). She observed 60-kt winds from the south and a minimum pressure of 992.5 mb.

Attaining typhoon strength, Sally tracked westward, passing the southern tip

of Vietnam on the evening of the 2nd (Figure 3-36) and reaching her peak intensity of 80 kt. Sally's track across the Gulf of Thailand on 3-4 December followed the periphery of an irregularly-shaped midtropospheric ridge which dominated the synoptic pattern over the Indo-China peninsula.

Late on the 3rd, Sally fell below typhoon strength, continuing to weaken slowly before striking the coast of Thailand on the morning of the 5th. She moved ashore south of Chumphon and crossed the Malaya peninsula at 10°N. Moving over the Andaman Sea that evening, Sally never regained her former intensity and slowly dissipated during the next two days.


Sally brought heavy rains to Thailand, flooding Chumphon and several surrounding provinces (Figure 4-36). Agricultural crops were damaged, hundreds of houses were destroyed, and thousands of coconut trees were uprooted. Twenty trawlers on Samuni and Phangan islands off the coast from Surat Thani were sunk. In the aftermath of Sally, 11 persons were reported killed and five missing.



FIGURE 4-36. Typhoon Sally off the southern coast of Vietnam, 2 December 1972, 0316 GMT, ESSA-8 satellite.--Courtesy of Royal Observatory, Hong Kong



FIGURE 4-37. Floodwaters in the coastal town Chumphon, Thailand, resulting from the torrential rains of Sally.--Courtesy of Bangkok Post



The season's last typhoon developed in the central Carolines from a circulation in the equatorial trough, first noted in satellite and synoptic data on 30 November. While Sally was navigating the South China Sea south of Vietnam, Therese intensified to tropical storm strength. Taking a westerly course, Therese approached the Palau Islands late on 1 December, passing near Koror the morning of the 2nd. Maximum winds observed at Koror were from the north at 43 kt (01/2013 GMT), gusting to 54 kt (01/2009 GMT). Minimum pressure was 995.8 mb (01/2030 GMT).

With the subtropical ridge located over the central Philippine Sea, Therese remained on a westerly course for the next 30 hours at 15-17 kt before making landfall on Mindanao. A few hours prior to the center moving ashore, the United Kingdom ship, DERWENTFIELD, observed 70-kt winds from the south and a minimum pressure of 999.0 mb.

Therese, weakened to tropical-storm intensity by terrain effects, crossed the southern Visayan Island Group the night of 2-3 December. She slowed to 7-8 kt over the northern Sulu Sea before passing over Vusuanga Island the morning of the 5th. The Cuyo Weather Station reported gusts of 55 kt (04/1132 GMT) as the center passed north of the island.

Considerable damage was reported in the Surigao del Sur, Misamis Oriental, and Suriago del Norte provinces of northern Mindanao. Over 4,700 homes were destroyed and 90% of the agricultural crops in these regions were damaged. Total damage estimates were placed at over a million dollars (U.S.). A death toll of 90 persons was

reported in the aftermath of the storm. Hardest hit was Cagayan de Oro where 87 persons were drowned in flash flooding in the mountainous terrain.

It took Therese five days to transit the South China Sea after leaving the Republic of the Philippines. This was, in part, due to a stationary trough off the eastern China coast which had weakened the subtropical ridge north of the storm, producing only a weak westerly steering current. Therese intensified significantly during the 24-hour period she was stalled just west of Busuanga Island, transforming from a strong tropical storm to a 95-kt typhoon (Figure 4-38). Her central pressure gradually dropped for the next several days until reconnaissance aircraft reported a minimum of 954 mb on the afternoon of the 8th.

The occurrence of such a well-developed typhoon and the fact that 90-100 kt maximum sustained winds persisted near her center for such a long time (four days) is rare for the South China Sea in December.

Therese arrived ashore on the South Vietnam coast near 14°N on the morning of the 10th. Qui Nhon, 20 nm south of the center, reported gusts of 78 kt and a minimum pressure of 999.8 mb during the typhoon's passage. More than 1,000 homes were heavily damaged and the village of Cat Trang virtually destroyed. Extensive crop damage in the region was also reported.

Moving inland over the highlands region on the evening of the 10th, Therese weakened to a low pressure area and dissipated over eastern Thailand on the 11th.




FIGURE 4-38. Typhoon Therese in the eastern South China Sea 90 nm west of Busuanga Island, Philippines, 6 December 1972, 0350 GMT. (DAPP data)

3. TYPHOON CENTER FIX DATA

a. DISCUSSION OF DATA:

(1) SATELLITE - These data, listed in the column labeled SAT, were derived from bulletins received from FLEWEAFAC and NESS Suitland. They were based on stored readout of ESSA-9 or NOAA-2 products. Bulletins from APT sites (identified by ICAO letters) were based on ESSA-8 imagery. The source and satellite designator appear in the remarks column. Unless otherwise noted, ESSA-9/NOAA-2 data were supplied by FLEWEAFAC Suitland. Intensity estimates, including two individual systems of classification, follow the fix category column. Detailed information on the interpretation of these data can be found in AWS Technical Report 212 (Section E) and NOAA Technical Memorandum 36.

(2) RADAR - This information is listed in the FIX CAT column and identified by platform as follows:

> LRDR - Land Radar AC R - Aircraft Radar S RDR - Ship Radar

The latitude and longitude of land-based radars is given in the remarks column. The position of weather reconnaissance aircraft is relative to the vortex center. Position data for aircraft pilot reports (PIREPS) is not normally available. A list of land-based radars providing data in the fix printout follows:

LOCATION	STATION NO.	ICAO SIGN
15.2N 120.5E	98327	RPMK
16.1N 108.2E	48855	VVSD
24.0N 121.6E	46763	RCYU
24.3N 124.2E	47918	
24.8N 125.3E	47927	ROMY
25.0N 121.5E	46692	
25.1N 121.5E	46696	RCTP
26.2N 127.7E	47936	
26.3N 127.8E	47931	RODN
28.4N 129.5E	47909	
30.6N 131.0E	47869	
33.2N 134.2E	47899	
33.6N 130.5E	47808	RJFF
34.4N 132.4E	47765	
35.3N 136.9E	47635	RJNN
35.3N 138.7E	47639	
35.3N 139.7E	47696	RJTX
35.7N 139.8E		RJTD
35.8N 139.4E	47643	RJTJ
36.4N 140.5E	47629	
37.1N 127.0E		RKSO
38.1N 140.9E	47569	RJSS
38.3N 140.9E	47590	

(3) WEATHER RECONNAISSANCE AIR-CRAFT - Data from reconnaissance aircraft are denoted in the FIX CAT column by the letter P (penetration). These data were normally obtained at scheduled fix times. Additional reconnaissance aircraft fixes are made during the peripheral datagathering legs between scheduled fixes. These fixes normally provide date, time, and position data only.

The categories containing information from reconnaissance aircraft fixes are:

(a) ACCY (Accuracy)

The estimated navigation (first number) and meteorological (second number) accuracies are expressed in nautical miles.

(b) FLT LVL (Flight Level)

A constant-pressure-surface flight level (listed in millibars) is normally maintained during a tropical cyclone fix mission. Low-level missions (1500 feet) are conducted at a constant, true altitude.

(c) FLT LVL WND

Wind speed (kt) at flight level is measured by the AN/APN-82 doppler radar system aboard the WC-130 aircraft. The values entered in this category represent the maximum wind measured prior to obtaining a scheduled fix. This measurement may not represent the maximum wind because the aircraft samples only those portions of the central core region along the flight path. For this reason, the maximum wind observed may be significantly lower than the true maximum wind in the circulation (i.e., penetration through weak semicircle on first fix).

A limitation of the doppler radar system occasionally prevents the measurement of the maximum wind in intense typhoons. In areas of heavy rainfall, the radar may track energy reflected from precipitation rather than the sea surface, preventing accurate wind measurement. Also, the doppler radar mount on the WC-130 restricts wind measurements to drift angles <27° if wind is normal to heading of aircraft.

(d) OBS SFC WND

The maximum surface wind (kt) observed from flight level is entered in this column. The observation is an estimate based on the state of the sea (refer to 9WRWGM 105-1, Vol II, pp 2-27, -28). The sampling limitation noted in paragraph (c) also exists for this category. In addition, availability of these data is dependent on undercast conditions. The position relative to the vortex center of items (c) and (d) need not coincide.

(e) OBS MIN SLP

The minimum, observed sea level pressure is normally obtained from a dropsonde released in the vortex center. If the ocean surface is visible, the dropsonde will be released over the center of the area of calm seas; otherwise it is released at the flight level wind center. If the fix is made at 1500 feet, the sea level pressure is extrapolated from that level.

(f) MIN 700 MB HT

The minimum height of the 700 mb surface in the vortex center is recorded in decameters.

(g) FLT LVL T_{1}/T_{0}

This denotes maximum temperature measured in the center (T_1) and ambient temperature outside the center (T_0) . Ambient temperature is measured just prior to entering the wall cloud. Both temperature observations are in degrees celsius and are made at a flight level of constant pressure surface (700, 500 mb).

Reconnaissance aircraft seldom penetrate on the same azimuth from one fix to another. Thus, the position of $T_{\rm O}$ normally varies from the center, both in bearing and range. The distance is directly dependent on radar definition of the storm.

(h) EYE FORM/ORIENTATION/DIA

The shape and diameter (nautical miles) of the eye are determined by radar. This is reported only if the center is 50% or more surrounded by wall cloud (see definition in Appendix). The orientation of the major axis is for elliptical cases. Abbreviations for the eye

form are:

CIRC - Circular ELIP - Elliptical CONC - Concentric

(i) POSIT OF RADAR/REMARKS

This includes the items discussed in (1) and (2) and the remarks contained in the Detailed Vortex/Center Data Message that pertain to conditions near the center of the tropical cyclone. These remarks include character of the wall cloud and feederbands as depicted on the aircraft's radar (APN-59/X-band). Visual flight conditions such as cloudiness in the eye or center are mentioned. If an eye is not depicted on radar, the diameter of the surface or flight level wind center may be included. The storm mission number is entered to the far right of the column to indicate when fix data is received from different aircraft. Three entries of 04 would indicate three fixes obtained by an aircraft on the fourth mission conducted into a tropical cyclone. Abbreviations used in the remarks category follow:

ABBREVIATIONS

ABT ACFT ACTV ANAL APPROX APPRS APRNT BCMG BGNG BLO BLTN BRKN BRKS BRLY BRT COH COLSD CONSBL CONT CONV CS CURV DEF DEVEL DEVEL DEVEL DIF DISORG DSPTG DTR ELLSW EST	About Aircraft Activity Analysis Approximately Appears Apparent Becoming Beginning Below Bulletin Broken Breaks Barely Bright Based Change Cirrus Circulation Cloud Closed Considerable Continuous Convective Cirrostratus Curviture Defined Developed Developing Diameter Diffuse Disorganized Dissipating Determined Elsewhere Estimated	EVID EXC EXTDS FBS FIL FL FNTL FRMG GRAD GT HR HVY IMPVG IRREG K KT LCTD LGT LND LRG LTL LTNG LTL LTNG LYV MDT NEG NM NR ORG ORG ORGANIZ OVC OVR PIREP POSIT PR PRES	Evidence Excellent Extends Feeder Bands Filled Flight Level Frontal Forming Gradient Greater Than Hour Heavy Improving Irregular Thousand Knots Located Light Land Large Little Lightning Light and Variable Moderate Minimum Sea Level Pressure Negative Nautical Miles Near Organization Organized Over Pilot Report Position Poorly Presentation	PRESS PRELIM PRTL PSBL PSG QUAD RDR RETRN RMR RPDLY SAT SC SEMIC SEW SFC SHWG SML SPRL STRM TEMPS TF THKN TURB UKN UNDET V VSBL WC WCS WK WKR WND YSTY	Pressure Preliminary Partial Possible Passage Quadrant Radar Return Remark Rapidly Satellite Stratocumulus Semicircle Severe Surface Showing Small Spiral Spiral Stage Station Storm Temperatures Trough Thickness Turbulence Unknown Undetermined Very Visible With Wall Cloud Wall Clouds Weak Weaker Wind Yesterday
---------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

b. FIX DATA PRINTOUT:

TYPHOUN KIT FIX POSTTIONS FOR CYCLONE NO. 1 2 JAN - 9 JAN

						FLI	490	680	HIN	FLI				insn	FuSII	
£8.	IIME	PUSII	Ž Į X	MAY-ME I	[4[LVL	SFL	MIN	100pp	11/10	FČħr	141104	ΕÏĀ	tri.	HALAR	
. 1	020418Z 050110Z	10.UN 102.0E	۱۸¢	\$16 B	/04MB	35	ć 5	-	-	9 -	•		-	-	E35A Y	
3	050519Z	10.0N 136.5E	SAI	\$10 .	/UUPo	30	15	-	-	11 -	-		-	-	rýpw A	
5	0523102 0603552	10.20 133.15 10.50 132.45	۲	2 - 3 5	7 OUMB	52 *8	ct ct	774 786	300 294	[5 A [0]0	Ξ	::	:	:	HER MC HER MC	U4
7		11:00 132.9E	ŞAI	STG A	70046	2 5CAT	<.5 0+	78 5	494	11 7	CIRC		25	-	CARA A UPEN SH	u5
10	0622102	11:40 120:7E	P	10 5	TOUME	160	100	711	288 263	17 13	CONC	-	20 5-18	Ξ	CLSU-#C INNEH-CESU+UUI-HMKS ALG	4006
. 11	0623597 0703002	11.5N 128.5t	þ	3 ž	100MB	105	150	د34	250	20 14	CIRC		5	Ξ	CF30 AC F224 A	ub
13 14		11.00 120.0t 11.50 126.2E	⇒A f	10 - v) CANE	3 CA1	4.0	7 56	214	17 8	CIRC		7-30	30	IMMEH-CL SU-OUTER-AN	υř
15 16	071300Z	11.4N 126.0E	ų	10 -	PWADC	60 60	-	761 774	=	-4 -9 -7 -7	ELIP	ンドートリ	30x22 20x15	-	CEFOR MC TONEY CEFOR MC	υř
17 18	080050Z	10.60 124.7E 10.70 124.5E	4	2 15	200MR	7 u 7 u	Ξ	-	:	-9 -9 -8 -8	Ξ		=	=	WER FAF WER HIJH HWFD	v8
20 20	080 0 202 0007002	12.00 122.5E	PAI	2 15	DUVAN DIA	5 50	J.5	-	-	-8 -8	-		-	-	HEG EYE	vн
21 22	U&U&302 U&1 625 2	11.0N 124.4E 10.5N 122.7E	þ	7 13	200MR	4 U	-	Ξ	:	-6 11	Ξ	::	=	-	neu eye	va va
23 24	082215Z 090600Z	11.5N 121.7E 13.0N 121.QL	SA1	5 10 UAK	500MB	Jυ	-	•	•	-6 · -6	-		-	• '	EDDA A WEA FAE	49

TYPHOUN EULA F1x PUSTITUMS FOR CYCLONE NU. 3 26 GAY - 6 JUN

				FLI	Uøb	ເດນ	HAN.	FLI				LIKN	+us[t	
			FIA ACCHY FLT	LVL	Stu	MIN	/UVMa	Ł VL	EYE	OKIEN-		*ALL	of /REMARKS	
FIX No.	IIAL	Posti	CAL NAV-ME! LYL	WWD	AND	SLF	ny i	11/10	FCHA	TALFOR	914	LED	HALAH	
1	2002104	12.1m 135./t	P 15 Lu 700MB	-	10	1001	•		-		-	-		
2	26035YZ	6.4N 104.4E	SAI SIU B SAT T2.0										E33# 9 (0U+-)	
٤	2422437	7./N 159.7E	SAI SIU U										LD3A 7	
5	3001007	17.901 No.4	r 5 10 700Mb	+ U	40	496	340		-		-	-	NEU LYF.	υŽ
6	3004102	H.UN 154.7E	SAI STO L						C 1		20	_	Laba /	ų j
7	30101254	8.46 154.3E 8.40 154.4E	h 3 In lanks		=	996 246	302	14 11	CIHL		20	Ξ	et ett per t	43
	3016202 3023652	9.7h 154.0E	P 20 10 700MB	-	دد	771	274	14 12	-		-	-	NEG PC	04
10	3103207	34.4E	P TO TO TOUMB		20	907	257	13 11	-		-	•	HEU PL	U 4
11	3104242	don todobe	SAL STU C+	45	-	754	276	19 12	_		-	_	7227 A	νb
15	3110302	9.46 158.5E			_	979		12 15	CIRL		50	-	AC PR DFF	ÜS
14	311530Z 312255Z	10.2N 138.3E	P 3 L5 7JUMB		45	477	528	15			-	-	HEE LYE	40
15	3123122	11.0N 158.0E	SAI SIO A LIA	4 64			-	14 13	CINC		30	_	CSSA B (GUA-1)	
10	0103332	11.80 15/.2L	P 4 ∠ 700Mb		55	-		1-1-1-	OI.		•		F207 A	
17.	0104012	11.5N 157.0L	SA! SIO A LIA	ואים פ	3.0	-	-		-		-	-		
			P 20 - 7.5980	13	-	700	202	16 11	CIMC		40	:	CESU WC	υŽ
20	8115355	13:30 136:3E	700ME		-	402	-17	17.16	C1=C	_	40	-	CLSD at	u/
33	0122252	13:72 139:35	P 15 - 700MB		60	792	513	ié iż	SIKC		40	-	MEO #Ü	46
24	UZ Ú 3 3 U Z	14.6N 137.5E	P 10 5 (DAME	95	10	-	212	is lo	CIRC		4 U	-	NEO HC	•••
24	0205012	16.UN 157.0E	SAT T6.5/6.5/D0.5		_	705	240	22 12	GONG	_	15-40	_	THUER CLAN-OUTER CLOD	ų y
55	UZ16002 UZ12212	14.00 108.15 14.00 108.05	# 30 20 /00ME		-	703	240		-		-	-		
27	UZ1600Z	14.1N 138.3E	P 15 15 / GUME		-	750	213	23 14	CIKL		4 U	-	AU OPEN 6 PH OFF	10
Žė	030+302		₽ Ž LŮ JUVNE		65	200	215	15 13	-		-	-	HEG WL	10
24	0309117	19.6N 159.7E	P 2 IO TOUME P 2 5 TOUME		دع	417	217	10 13	-		-	-	HED EYE	il
3 u	0322302	27.2N 160.9E	P 2 5 FLOME	, JO									1994 6 (400+)	
31	0403132	23.50 102.4L	SAI SIG X DIA	امّا خ	2.0						4		C 46 C	
33	0404002	23.4N 101.4E	P 2 5 TOUME	(81 /246	.DC /U	413	5ē İ	17 13	CIHC		50	-	NO PH UFF	
34	050412Z			AHRS									232 3	
35	0003147	31.0N 169.0E	SAL 14.0/3.0/#1/1											

TYPHOON UNA FIX POSITIONS FOR CYCLONE NO. 6 23 Jun - 26 Jun

			,	Er T Duk	044						_		
FIA	w.E		FIA ACCHY FET I	FLT 065 LVL 5FC	MIN OB2	ATV WTD	FLT	FYF	ONTEN	EVE	THKN WALL	PUSIT OF /REMARKS	
Nu •	11ME	PUS11 in. 46 130.66	P 5 15 700MH	MUD WHO		Hul	TI/TO	FČŘM	TAILON	DIA	ะเบ้า	RADAR	
č	2306002	11.0N 130.0E	SAT T2.5/2.5PLUS/D1/	שנ שנ ∕24HRS	1006	310	• •	-		-	-	ŁŚSA 9	
4	5355157 5350007	10:50 127:9E	3KUR - 7 / 10 MB	/u 8u	985	297	15 9	CIÃC		25	10	CLSD WC	02
5 6	2401 4 52 2403502	11.20 127.26	SAI SIU X DIA 3	CAT 2.0			•-	-,			10		
7	2400072	11.4H 120.5t	P 15 5 850mb P = - 700mb	5u 65 5u 65	981	-	16 11	CIRC		15		MC PR DEF OPEN NE-SM	03
9	240900Z 241742Z	12.3N 125.7E	F 500MB	40 70	-	-	4	CIRC		30	-	LLSD MC	03
iv	2421002	13.8N 122.8E	LKUK -					-	• •	:	-	15.2N 120.5E	
11	2423282 2423302	14.1N 122.0E	P 10 5 500MB	7u -	987	-	• •• 3	ELIP	N-S	15×12	5	LLSO WC	05
دا	2501152	14.4N 121.7E	LKUH -					-		-	-	15.2N 120.5E 15.2N 120.5E	
15	2502362	12.5N 119.6E		A CAT 2.0								FPPW 8 (MODM)	
16	2303452	13:50 19:4E	SAT SIG A DIA 6	CAT 2.0				•		•	-	15+2N 120+5E ESSA A (RUUN)	
ls	250410Z	14.8N 121.1E 14.8N 120.8E	LKUR - LKUR -					Ξ		=	-	ESSA 8 (RUUN) 15-2N 120-5E 15-2N 120-5E	
1 y 2 u	250610Z 250629Z	15.3N 120.6E 14.8N 119.5E	FRUR - SAT T4,0/4.5/W0/24H	DC (MECC)				-		-	-	15.2N 120.5E	
51	2507102	15.4N 120.4E	LRUK -					_	.	_	_	15:2N 120:5E	
23	251640Z	16.4N 117.3E	P 10 10 7 LONG	60 -	987	298	13 11	CIRC		10	-	WE PA DEF	46
24	5251007	17.00 117.5E 17.00 116.0E	AC H					=	= =	=	Ξ		
25 26	2522052 2604002	17.7N 115.5E 19.3N 114.5E	P 10 10 700MB P 10 10 500MB	40 85 45 85	987	297	14 12	CIAC		20	:	CLSD WC	96
51	2887382	18:88 114:5E	SAT T3.0/4.0MINUS/W	0.5/24HRS		_						NLU EYE LÎSA 9	07
54	261220Z	19.3N 112.5E	P 10 15 500MB	50 85	-	-	-3 1	CIRC		18	-	NEG EYE	07
	-, -	•	•					-1110			_		
				TVI OON DID	77.7.0								
			F1x P051	TYPHOON PHY Tions for (CACFONF	NU T							
				6 JUL - 16	JUL								
			1	FLT UBS	08S	MIN	FLT				THKN	POSIT	
F14				LVL SFC	MIN	70VMB	LVL	EYE	UALEN-	EYŁ	BALL	OF /REMARKS	
NU.	IIME	Puall	CAL VAN-ME T LAF 1	טאול טאול	SEP	H61	11/10	FCRH	TATION		CLD	HACAR	
ż	062220Z 070315Z	9.9N 156.3E	P 5 10 /6UMB P 5 7 70UMB	35 50 30 45	1005	311 306	9 9 12 11	Ξ		=	-	NËG EYE NU DEF FYE	01 01
3 4	070442Z	10.00 15/.QE	SAT T3.0/3.0/D1.5/2		1006	310						RADA 9 NEG EVE	02
5	0/16182	9.7h 155.4E 10.0n 157.0E	P 25 20 700MH	35 - 35 -	1006 999	307	10 10 15 12	-		-	-	NEG WC	02
7	บชบ์023 <u>2</u> บช03452	in.0n 157.0E	SAT T3.5/3.5D0.5/24	HDS								ESSAS(GUAM) ESSA 9	•
ė	0804152	la.8n 155.1E	P 3 3 700MH	35 50	995	305	16 9	ELIP	Şw-NŁ	18810	5	uČ Su	43
l v	იგი6302 სის9552	10.80 155.0E	P 700MB P 5 10 700MB	45 -	984	305	15 11	CIRC		30	20	NC OPER N	03
11	us15402	11.4m 155.2E	P 10 10 7uvm8	Ju -	990	301	14 10	CIRC		15		· · · ·	
12	0818187 0851407	17.9N 155.0t	P 700MB P 15 10 700MB	+0 +0	-	300	15 11	CIRC		10	-	NC BAKA SW	04 04
14	UYU400Z UYU444Z	12.8N 134.5E	P 20 lu 700MB SAT 4.5/4 5/D1.0/24	65 -	993	299	12 10	ELIP	Ę-a	20A 8	-	OUC AS IN LYE	05
16	0905142	17.00 155.5E	P 700Md		_	-		-		-	-	ESSA 9	
17 10	0910002	13.2N 154.5t	P 10 5 700MB	55 40 75 90	987 971	298	14 11	CIRC	£	20	•	NC OPEN SE	05 N6
19	0923152 1000562	13.2m 154.2E 13.1m 154.2E	P = - 700MB		311	285	16 11	EF IL	E	52450	Ξ		••
51	1003472	13.4N 154.5E 13.2N 154.1E	SAT TS.5/5.5/D1.0/2	4HRS 80 130	971	278	15 11	ELIP	£-w	10x20	6	ESSA 9	-06
22	1010152	13.5N 154.0E	P 10 2 700HH	78 - 70 -	949	265	17 10	CIRC		īŠ	4	CLAD MC	87
23 24	101555Z 1023002 110350Z	13.7N 153.9E	P 10 2 700MB P 2 2 700MB P 3 2 700MB	70 - 80 100 85 120	944 944 950	260 261 264	18 11 18 11 21 13	CIRC		15 15 15x12	5	CLSD WC	98
25		14.1N 154.1E 14.8N 154.0E			950	264	21 13	ECTP	ō#-₩È	[5X12	\$	MC OPEN SE LDSA 9	80
26 21	11u443Z 111 <u>u</u> 55Z	15.00 154.0E 15.80 153.9E	P 5 3 700MB	8u -	.=.	276 276	20 10 14 10	CIRC		25	10	PC OPEN S-SE	09
28 29	1115302	14.4N 153.6E	P 10 4 706MB P 10 10 706MB	80 - 78 100	970 959	216	14 10 21 10	CIRC		40	-	WL PR DEF WL PR DEF	10
36	1123352	14.00 152.7E	SAI STO X GIA 4	CAT 4.0								ESSA 8 (RODN)	
31 36	1200302	19.3N 152.2E 18.8N 152.5E	P 700MB P 10 10 700MB	65 100	962	5 <u>ē</u> 0	16 13	CIRC		40	:	WE OPEN NE-SH	10
33 34	1203512	19.00 152.0E 21.00 148.9E	SAL STG X DIA MA	A CAT J.5	966	262	19 14	CINC		50	_	OPEN SE	11
35	1215502	21.3n 148.4E	P 10 20 700MB	90 -	96 4	280	18 12	CIRC		5.0	5	WÇ OPEN SE	11
36			P 5 5 7 JUMB SAI S16 X JIA 3	08 - U.L TAD	967		18 15	FLIP	k-#	รีรั้นรับ	5	EPPA 8 (MODM)	13
36	1303302	29.3N 145.3E	P 5 5 700MB	- Bu	952	268	19 12	ELIP	N-5	35125	5	CLSD WC WC OPEN W	13
39 40	1309452 1311402	24.5N 143.6L 24.8N 143.1E	P 1 3 700MB P 700MB	70 60	745	264	23 14	CINC		50	5		
41	1415452	25.414 142.3E 27.41 141.2E	P 5 5 YOUNG	B0 -	954	270	20 12	CIRC		25	5	WC OPEN W	14
43	1404452	28.4N 139.9L	P 10 10 700MH	+5 45	975	286	15 8	-		-	-	ESSA B (RUDH) AĒG DEF	15
44 45	1410302	29.4N 1J8.6E	P 10 10 70VMB	o5 - -	980	595	15 11	-		-	:	WC PH DEF OPEN S	16
46	1412072 1415002		B TO SU LOOME	65 -	985	295	15 16	-		-	-	NEG EYE	16 17
4 / 45	142202Z 15u125Z	30.9N 137.6E	FKDH - B TO TO JOOMR	55 -	983	295	18 14	=	= =	:	:	uro EAE	.,
49	1501307	35.8t1 M7.5t	LKUK -	WA 5/24UDG				-		•	•	35.8N 139.4E	
71 م	1504572 1508002	34.6N 137.8E	SAT T4.0/5.0 MINUS/	HU, JI LAUKS				•		-	-	138.7E	
52	1203007	34.9N 137.8E	FMDK -					-		-	:	35.3N 138.7E	
53 54	70011c1 70011c1	35.1N 138.0E 35.0N 137.1E	FHOK -					Ξ		-	-	35-3N 138-7E 35-3N 136-9E	
55	1-12001	35.0N 137.1E	LHUR -					_		-	-	30.4E ME.CC	
56	1512007	35.0N 137.0t						-		-	-	35.3N 138 <u>.</u> 7E	
56 57	1512002	35.0N 137.0t	SAT T2.0/3.0 MINUS/	W2.0/24HRS				=		-	•	35.3N 136.9E 35.3N 138.7E E35A 9	

TYPHOON HITA FIX POSITIONS FOR CYCLUME NO. 8 O JUL - 26 JUL

FIA			ξįχ	ACCHY	FLT	FLI	085 5FC	MIN	MIN	FL] LVL	Eur.			InKN	FUSIT	
No.	No133A*	POSTI 1n.00 147.5E 11.00 144.5E	SAT	NAV-ME[LVL	MIND	MVN	SLP	HET	11/10	EYE FORM	PALTO	M DIA	HALL	UF /REMARKS HACAH	
ع و	0704427	10.5N 144.3E	SAT	I1.5/1.	.5/W0.5, 700MB	/24HRS	40	998	-	28 25	_				E35A 9	
5	0/15157 0/15125		بر	10 20 15, 15	7 nome 7 oome	- 50	50	994	304	- 51	-		-	-	WAND CHIE 40MM DIA	62
7	080020Z	11.50 143.1E		510	X UIA	۵ د د	1 2.0	771	299	14 9	•		-	•	ESSA 8 (RODA)	05
8	080315Z 080540Z	11:2N 141:8E	SAT	מ כ	A 700AB .SPLUS/I		1 2 30	980	292	16 13	CIRC		30	-	MC OPEN SM	uЗ
10 11	0811002	11.2N 141.8E 11.9N 141.2E	33.	10 10	70 0Ma	00	8u	¥76	268	13 11	CIRC		30	4	CLSD WC	64
12 13	081600Z	12.40 141.1E	Ή	10 10	TOUMB BMUUT	90	=	961	277	17 10	CIRC		18	10	CLSD WC	04
14 15	0404445	13.2N 134.9E	P	1 5	700MB	100	130	753	266	18 17	CIRC		18	Ξ	WC OPEN SE	¥5
16	091004Z	14.0N 140.0E 14.6N 138.9E	SAT	T4.5/4.	.5/D1.0/ 700mb	115	-	941	258	17 13	CIKC		22	5	ESSA 9 CLSU WC	ü6
1 is	0912052	14.8N 138.9E 15.3N 138.0E	þ	3 3	700MB	120	=	-	25u	23 10	CIRC		22	- 5	CLSD WC	V 6
19 20	1005422	15.6N 137.5E	ŞĀT		700MH OPLUS/I		HRS	930	247	51 16	CIRC		25	2	CLSD WC	u 7
55 51	1013582	17.4N 135.4E	ķ	<u>, </u>	700Md 760Mb	102	=	Ξ	230	23 -	CIRC		17	4	CLSD WC	9.0
2.1 24	101445Z 102315Z	17.4N 134.9E 17.5N 134.3E	٩	1 1	700MB 700MB	120 105	85	911	∠32 ∠31	22 I4 21 18	CIHC		17 20	5	CLSD MC	U8 U9
25 26	1116207 1116507	18.5N 134.0E 18.2N 133.1E	SAT	17.5/7. 5 2	5/D0.5/ 700MB	/24HRS	_	930	249	22 13	CIHC		20	8	CP20 MC	10
27 28	1201502 1205+42	18.14 133.9E	SAI	510 A		4 CA1					-2			٠	ESSA B (ROUN)	••
29 30	121100Z 121340Z	18.10 132.5E 17.60 132.3E	۲	3 5	700mb 700mb	75 -	=	947	551	10 14	CIHC		35	5	ETE SHAPE CHOING HPULY	11
31	1215302 1222052	18.10 132.5E 17.90 132.5E	4	3 8 10 5	700MB 700MB	195	40	940 952	202	16 16 16 15	CIRC		35 [3	-	MR DEF WC BRKN	11
33 34	1303362	17.0N 132.4E 18.1N 132.7E	SA!	\$16 C		65	55	953	269	16 13	CIRC		8	_	ESSA 8 (NOUN) CLSD WC	
35 36	1316002	19.UN 134.1E 17.9N 132.5E	ę,	1 2	700MB 700MB	55	-	963	276	14 12	-	::	-	-	WER MC	12
37 38	1401432	.20.UN 135.1E 19.9N 135.0E	SAT	\$16 x		NA CAT	3.0	966	د8 2	17 13	-		-	-	ESSA 8	
39 40	1404102	20.2N 135.1E 20.8N 135.7E	P P	2 3	700MB 700MB	.ง 5ง 6ง	50	967 964	282 280	15 15 18 -	-		-	-	WER MC	14
41	141600Z 142228Z	20.9N 135.7E 21.1N 135.6E	£	3 10	700MB	7 ₀	- 50	962 965	279 280	19 15	•		-	-	NEG HC	15
43	150553Z 160552Z	20.5N 135.5E	SAT	T5.0/5.	0/80/24	HRS 3 Cat		705	200	17 15	CIRC		40	-	MÁN CHTH 40NM DIA ESSA 9	16
45	1610302	21.7N 134.7E	P	3 2u	700MH	5 o	-	965	250	15 -	-		-	-	TOWNS MED CIVIR JUNE DE	
47	1/04002 1/04552	22.5N 134.JE 22.5N 133.8E 23.UN 133.EE	. p	5 10	700MB 700MB	32 30	- 25	906 965	291 279	16 13 15 -	-		-	-	- CALL HEEF WY PC - CALL WAS AUTO PER THE CUL!	19
49	1/00032	22.9N 133.8L	SAT P	T4.5/4.	7 u u M B	1.5/24	HRS -	-	_				-	_	F228 A	
50 51	1/0930Z 1/1600Z	23.1N 131.8E 23.5N 133.9E	P	5 10	700MB	60 60	40	900	278 277 277	14 15	CIRC		60	15	SEC CNTR SUMM DIA CLSU WC	19 20
53 54	1901105	23.5N 133.9£ 20.4L1 nV.E 24.3N 133.8E	PAL SAL	5 10 STG X TS.0/5.	70VMB	80 NA CAT	50 3.0	462	211	Ĭ4 Ĭ4	CIHC		80	15	ESSA A (KODIA) EPSA A (KODIA)	20
55	1805542 1815592	25.2N 134.4E	SAT	15.0/5. 5 5	7 UUMB	24HKS 60	-	960	2]4	16 14	CIHC		7 u	15	MC ONEV MM	c l
56 57	165512 165512 1600007	25.6N 134.6E 26.1N 134.5E 26.1N 134.1E	h h	3 10	700MB 700MB 700MB	40	+0	461	270	16 15	-		-	-	SEC CUTE OF SOME DIA	22
56 59	1501552	26.1N 135.2E	P SAI	510 x	LIA	- MA C∆T	٠.٤	-	_		-		•	-	E35A 8 (HUGH)	
6u 6i	1903302 1904582	26.5N 134.2E	P SAT	5 lu T5.5/5.	7uuma 5/D0.5/:	6u 24HRS	45	96 ü	276	16 16	-		-	-	SPC CNTR OF SUMM UTA	22
63	191017Z 191220Z	27.3N 133.4E 27.3N 133.4E	P	5 8	700 MB	50 -	36 -	962	276		-		-	-	DVC AS AUV	
64 65	1412725	27.50 132.78	۲	2 10	700ms	65	-	964 964	277 278	10 14	-		:	-	ONC BEG-SC IN CUIH	43
66	5005307 545585 545585	27.9n 137.9E 28.UN 131.7E 28.UN 131.2E	SÀI	ξιο ¹⁰ χ	700M8	NA 65.1	4.0	-	- 1.7		_		_	_	ESSA & (RUUII)	
68	2003002	24.2N 131.1E	ρ Ε 5ΔΤ	2 10 T4 5/5	TOUMB	80 W3 0/2	65 60	¥65	5jà	16 14	=		-	-	WHO CHIP SENT UIA	c4
7u 71	2005562 2010052	54.4N 139.8E	SAT	T4.5/5.	70UMB	55′	-	A03	277	14 14	-		•	-	ESSA 9 LRG CNTH-SIZE UNLET	25
72 73	2013002 2015082		P P	 5 5	TOUMB Toumb	***	-	-	- 28	14 13	•		-	-	F) C) T(
74	5055in <u>s</u>	24.60 129.0E 24.60 128.4E 24.90 128.3E	4	ĭ 5	700MB	30	-	Ξ	285 285	12 12	-		-	-	FL CNTR V BRUAD FL CNTR V BRUAD	25
76	2100102	2n.7n 121.6E	LHUK	-	10000	_					-		-	-	26.3N 127.8E	
7b	210225Z 210330Z	29.7N 127.4E 20.7N 127.1E	FHUR	. :							-		-	=	26.3N 127.8E 26.3N 127.8E	
79 80	210400Z 210415Z	24.6N 127.6E 23.8N 127.6E	FHOK	1 -	700MB	6 U	45	912	∠ę́5		ELIP	t-m	99×70	=	20.3N 127.8E FL CNIH HKUHU AND DIF	26
85	2106552 2110052	24.50 127.5E 28.70 127.3E	SAI	5 5 x	700MB	2 نما 5د	40 40	907	sēf	13 11	-		-	-	EDDA 9	د7
6.J	2112552	2p.4N 126.9E 2p.2N 126.9E	1	10 5	700MB 700MB	PU -	=	907	280	15 14	Ξ	::	Ξ	Ξ		27
85 85	211900Z 211958Z	27.9N 126.8E	ERUK LKUK	=							Ξ	::	=	-	26.2N 127.7E 26.3N 127.8E	
87 88	220000Z 220043Z	27.9N 126.6E 27.9N 125.8E	LRUK	5 3	7oums	65	65	-	279	17 15	CIRC		40	-	26.2N 127.7E	ده
89	220100Z 220300Z	27.9N 126.3E 27.9N 125.9E	LHUK	-					.,		-		-	:	26.2N 127.7E 20.2N 127.7E	-
92	220+082 2205582	27.5N 125.6E 27.4N 125.7E		5 .076.0	700MU 0/00.5/2	24HRS	70	-	278	17 14	CIRC		4 U	-	MC PR DEF	έð
9.1 94	220600Z 22065vZ	27.3n 125.6t 27.4n 125.5E	FHUR	2 5	700мн		_	96v	277	15 13	=	::	:	=	E55A 9 24.8N 125 <u>.</u> 3E NEG WC	. (1)
95	2207002	27.2N 125.4E	LRUH	-						•-	-		-	-	26.2N 127.7E 24.8N 125.3E	49
97		27.2N 127.2E 26.9N 126.6E	FKDK	-							-		-	-	26.2N 127.7E	
		21.1N 125.4E 26.4N 124.9E	FKDK	-							-		-	-	24.8N 125.3E 26.3N 127.8E	

TYPHOUN HIJA FLX POSITIONS FOR CYCLONE NO. 8 6 RUL = 26 JUL

FIA NO. (Int		FIX ACCRY	FLT L	LI UBS	WTW 092	LOCAR WTU	FLT	EYE	NHTFW- EAF	1 _m KN	FOSIT OF. / REMARKS	
100 2212302 100 2212302 101 2212302	POSTI 26.40 125.2c	CAL AAV-MET	TOUMB LVL H	- 60 min	5LP 759	He 1 275	11/TU 17 15	FCHM	INITON DIA	Crū	HALAM	ناد
105 5514007	24.4N 124.9E	LHUR -						Ξ	:: :	:	24.8N 127.8E	•
104 2214502	26.5N 124.7E 26.3N 124.9E	LRUR -						Ξ	= = =	Ξ	20.2N 127.7F 20.3N 127.8E	
105 2215002 106 2215002	26.3N 125.0E 26.3N 124.7E	LRUK - ERUK -						Ξ	:: :	=	24.6N 125.3F 26.2N 127.7F	
107 2216002 108 2216002	26.20 124.9E	LHUK -						-	:	-	24-81 125-3E 26-2N 127-7E	
109 2216357		LHUK - LHUK -						-	:: :	-	26.3N 127.8E	
111 2219002	26.1N 125.2E	LHUH -						_		-	24.8N 152.3E	
113 2220002	26.UN 125.1E	LHUR -						-	-: :	-	20.2N 127.7E	
114 2220002 115 2220302	26.UN 125.1E	F 3 10	fuUMB	6u -	A01	277	16 14	CIRC	 50	10	20.0N 127.7E	
116 2221152	24.3N 125.7E	LKUK -		5 ₀ -	961	277	15 13	-		10	#C UPEN SE-W 20.2N 127.7E	اد 1د
117 2222002	35:35 133:8E	LKUH -	· GOND	50 -	701	2.,,	13 13	CIEC	50	Ξ	24-8N 125:3E	
119 2222002	25.7N 125.0E	ERUH -						=	:: :	Ξ	24.2N 127.7E 24.0N 121.6E	
121 230000Z 122 230136Z			. LIA 6	Caf 4.0				-		-	24.6N 125.3E E33A d (HJI2)	
123 2302002 124 2302002	25.4h 125.0t 25.5h 125.2E	LKUR - LKUH -						Ξ	:: :	-	24.EN 125.3E 26.2N 127.7E	
125 2363007		LKUH -						-	:: :	-	24.8N 125.3E	
127 230400Z 128 230400Z	25.7N 125.3E	LKDA -						-	:: :	Ξ.	24.4N 121.6F	
129 2304002	24.9N 125.1E	LRUH -						-		-	24.8N 125.3E	
131 2305002	25.5m 124.9E	LRUR -						-		-	24.00 121-6E 24.00 121-6E	
132 23053vZ		LHUH - P 3 2	7 ₀ 0MB	ತೆ ತೆ 6∨	_	276	17 14	-		-	24.8N 125.3E	42
	25:3N 125:1E	LRUK -	VV2				• • • •	-		-	24.60 125.3E	
136 2306572	25.2N 125.7E 25.3N 125.0E	5A! 510 X	UIA 4	CaT 3+5				-		-	20.3N 127.8E	
137 2307002 138 2307002	30.621 N1.35	LRUR -	_	_		_		=	:: :	=	24.4N 125.3E	
139 2307072 140 2307152	25.1N 125.3E	P 3 2	700MB	7 _U 6 _U	-	5,16	17 13	CIRC	50	Ξ	26.3N 127.8E	25
141 230745Z 142 2308UUZ	25.0N 124.6E	LHUK - LHUK -						=	:: :	=	20.3N 127.8F 24.0N 121.6E	
143 2308002 143 2308002	25.0N 125.3E	LHUR - LHUR -						-	:: :	-	24-8N 125-3E 26-2N 127-7E	
145 2308152 146 2308302	25.2N 125.7L 24.8N 125.3E	LKUK -						_		-	26.3N 127.8F	
147 2309002	25.00 125.3£ 25.00 124.6£	LHUH -						CIRC	90	-	26.2N 127.7E 24.7N 125.3E	
149 2309002	24.8N 125.3E	LHUK -						-		-	24.0W 121.6E 26.3N 121.8E	
151 2310002	24.9N 125.3E 24.8N 125.5c	LHUK - LKUH -						-	:: :	-	24.7N 125.3E 26.3N 127.8E	
152 231600Z 153 231400Z	24.8N 125.5E	LRUH -						-		-	24.2N 127.7E 24.8N 125.3E	
154 2311002	24.8N 125.5E 24.8N 125.8E	LRUH -						-		-	26.2N 127.7E	
156 2312002	24.8N 125.3E	FKDH -						-		-	24.2N 127.7E	
157 23133uz 158 23140uz	24.9N 126.GE 24.7N 125.9E	FROH -						-	:: :	Ξ	26.3N 127.8E 24.8N 125.3E	
159 2314002 160 2314002	25.UN 125.9E 24.8N 125.7E	LRUK -						-	:: :	Ξ	26.2N 127.7E 26.3N 127.8E	
161 23153u2 162 23160uz	24.BN 125.8E 24.DN 125.8E	LNUH - LNUH -						=	:: :	:	26.3N 127.8E	
163 231600Z 164 231600Z	24.2N 125.9E 24.7N 120.0E	LHDH -						-	:: :	-	24.2N 124.2E	
105 2317002	24.8N 126.JE	LRUK -						-		-	24.6N 125.3E 26.3N 127.8E	
166 231710Z 167 231725Z	24.6N 120.2L 24.5N 126.2L	FKN4 -						_		-	26.3N 127.8F	
160 5319115	24.90 126.4E 25.UN 126.5E	LRUH -						-		-	20-3N 127-8E 24-8N 125-3E	
170 2319002 1 <u>7</u> 1 2319002	24.4N 166.4E	LKUK -						-		-	26.3N 127.8E	
172 2319452	25.UN 126.6E 24.dN 126.3E	LKDH -						-		-	20.2N 127.7E 20.2N 127.7E	
173 2320002	25:00 120:5E	ERUN -						=		Ξ	24:2N 127:3E	
175 2321002	25.JN 126.7E	FROM -						Ξ	:: :	Ξ	24.8N 125.8E 24.8N 125.3E	
177 2322007	25.3N 120.9E	5 10 FROH 5 10	70UMB	75 6u	959	273	16 16	CIHC	- 60	=	26.2N 127.7E	33
179 2323002 180 2323002	25.5N 126.8E 25.4N 126.7E	LRUH - LRUH -						-		Ξ	26.2N 127.7E 24.8N 125.3E	
181 240000Z 182 240000Z	24.50 120.85 25.60 126.85	ERDH - LRDH -						=	:: :	-	24.6N 127.7E	
183 2401002	25.6N 126.9E	LRDH -						-		-	24.8N 125.3F	
184 24010UZ 185 24011UZ	25.60 127.0E 25.70 126.8E 25.70 127.0E	P 5 10	1JUMB	65 -	-	2] 2	16 13	CIHC	50	-	20.2N 127.7F NO V PH DEF 24.8N 125.3E	3ذ
186 2402002 187 2402002	29.7N 127.UE	LRUH -						-		-	20.2N 127.7E	
188 240222Z 189 240300Z	25.6N 126.9E	SAI SIG A	LIA 5	CAF 3.0	_	_		_		_	נשטה ב (אטוצו	
190 240300Z 191 240300Z	24.7N 127.1E 25.7N 127.1E	LKUM -						-		-	24.EN 125.3E	
142 2403452	25.41 127.16	۲ 5 10	TOUMB	70 -	754	564	17 14	CIRC	50	-	MP PK LEF	33
193 2404002 194 2404002	25.8N 127.3E	LRUM -						-	:: :	-	24.88 125.36 20.28 127.76	
195 240500Z 196 240500Z	25.6N 127.4E	LRUM -						:	:: :	=	24.EN 125.3E 26.2N 127.7E	
197 240600Z 196 240600Z	26.2N 127.0E 24.1N 127.4E	SAT T6.0/6.	OPLUS/SO/	24HRS				_		-	24.FN 125.3E	
											·	

FIR PUSITIONS FOR CYCLUME NO. B O JUL - 26 JUL

					FLI	UBS	Cau	MIN	FLT			lakN	F0S11	
FIA			FIA ALLHY	FLT	LVL	>t L	MIN	70uMB	LVL	EYE	UHIEN- EYE	WALL	OF / REMARKS	
737 VO:	IIME	Pubil	CAL NAV-MET	LYL	WNL	MND	SLP	Ht	11/10	ECHH	THI LAW THE	rr9	HAEAR	
200	2406002 2401212	24.10 127.3E	LRUH -							=	:: :	:	26.2N 127.7E	
201	2401402	24.30 12/.SE	٠	7 U UMU	65	-	-	535	13 11	CIRC	30	∠0	WE OPEN NE	34
202	2407002	24.45 127.5E	LHUH -							-		-	26.2N 127.7E	
203 204	2410002	24.3N 127.05 24.3N 127.7E	LHUH - P 3 3	/aves	81	45	-	268	15 13	CIRC	30	15	20.2N 127.7E	35
205	2412002	24.9N 121.75	LHUR -		-				• • • • • • • • • • • • • • • • • • • •	-		-	20.2N 127.7E	
200	2412152	26.7N 127.CE	LHUK +							-	· · -	-	20-3N 127-8E	35
207	2416342	27.00 127.26 27.00 12/.66	P 10 5	/oumb	7∠	-	-	510	15 14	CIRC	- + ³⁰	15	LLSD WC 26+3N 127+8E	35
209	241+002	27.18 121.9E	LHUK -							-		-	4t+4N 129+5E	
210	2414002	27.1N 127.7E	LHUH -							-		-	26.2N 127.7E	
517	241200Z 241000Z	27.3N 12/.ct 27.3N 12/.ac	LHUK - LKUK -							-		-	2t.2N 127.7E 2t.4N 129.5E	
212	2410002	27.4N 121.0E	LKUK -							_		-	26.2N 127.7E	
214	2417002	27.01 12/.0L	LHUK -							-		-	26.4N 129.5E	
215	2411002	27.0H 127.5E	LHUR -							-		_	26.2N 127.7E	
216	2411402		LKUK -							-		-	26.3N 127.8E 26.4N 129.5E	
210	2410002	27.1N 12/.5t	LKUK -							-		-	26.2N 127.7E	
219	2410202	27. IN 127.8E	LRUK -							-		-	26.3N 127.8E	
220	2419007	21.11 127.9E	LRUK -							-		-	26.4N 129:5E 26.2N 127.7E	
221	2414007	27.0N 121.0E	FKDK -							=		-	26.4N 129.5E	
			r 4 10	TUUMB AIG	65	_	y 57	412	15 13	CIHC	45	-	MC DHFV MF-OM	36
223	2501247	52:30 153:8E	SAL SIO A	DIA	5 [1]	3 - 0							ESSA & (RJIZ)	
245	2502002	29.7N 127.9E	r 5 10	7cums	7 u	_	9 56	271	15 12	CIHC	40	:	26.4N 129.5E NC V PH DEF	غ <i>خ</i>
220	250335 <u>/</u> 250490 <u>/</u>	29.9N 121.8C	F P 10	/ UUMB	, 0		,,,,	• . •		-	'-	-	26.4N 129.5F	30
220	2307002	24.3N 127.7t	LHUH -							-		-	86.4N 129.5F	
227	2505072	20.5% 127.5t	SAT T5.0/6.	0/W1.0/	24HRS	_	y 55	271	15 i3	CIRC	40	_	LSSA 9	ەد
230	2500252	24.4% 127.ct	. 5 10	7 UMB	70	-	700	2,1	12 12	CIRC			*C V PK OCF 2t•4N 129•5F	36
752	25000002	24.50 121.0t 24.60 121.7t	LHUR -							=		-	28.4N 129.5E	
230	2507004	30.00 127.0E	LHUR -							-		-	24.4N 129.5E	
234	2210007	30.3H 127.0E	LHUR -	_		_				-		-	26+4N 129+5E ULSD WC	37
230 236	5211605 5210505	31.20 121.3t 31.30 121.5t	LHUR -	TOUND	δų	45	958	273	14 12	CIHC	45	-	26.4N 129.5E	٠,
237	5211005	Jr. ON 127.26	LHUK -							-		-	33.6N 130.4E	
230	2512302	30.00 1ch.26	بر	(UVM0	-	-	-	-		-		-		
234	2513007	10.94 141.25	LHUR -							:	:: :	:	33.6N 130.4E	
241 241	5214005 5217105	31.7N 127.1E	FROK -							_		-	43.6N 130.4E	
242	7012007	31.2h 126.3t	F 5 7	/cumb	45	-	Yoō	277	14 13	CIRC	40	-	WC OPEN S	37
240	5010007	30.50 140.05	LHUK -							=	:: :	-	33.6N 130.4E 33.6N 130.4E	
244	2511072	31.00 125.ct	LHUK -							_		_	33.6N 130.4E	
245	251010Z	31.8K 125.75	LHUK -							-		-	33.6N 130:4E	
c4/	2517002	32.1m 126.4E	LHUH -							-		-	33-6N 130-4E	
246	2517452	37.00 126.3t	LHUK -							-		-	37•1N 127±0E 33•6N 130•4E	
249 250	252000/ 2520052	32.0N 120.2E	LHUK -							_		-	33.6N 130.4E	
251	2520452	32.00 120.3L	LKUK -							-		-	37-1N 127-0E	
256	5251005	13.10 Lco.JE	LKUA -							-		-	3/-1N 127-0E	
253 254	5255007 5251005	37.10 120.35 37.70 120.15	LKUR -							-		:	33+6N 130+4E 33+6N 130+4E	
255	2002102	14.50 144.45	DAI SIU A	DIA	ا ما ا	3.0							LUDA 6	
520	2002152	J5N 164+7E	SAI SIG A	DIA	NA UNT	2.0							ESSA B	
257	2600001	38.00 ISS. <u>2</u> 6	SAT T4.5/5.	OMINUS/	W0.5/2	4HRS			•				LSSA Y	

TYPHOUN SUSAN

Fix PUSITIONS FOR CYCLONE NU 9 9

							FEI	UUS	085	WTW	t t	, [InKN	F051			
Fix			LIV			141	LVL	SEC	WIN	70 vMs	L		LYE	OHIEN-		MALL	ÜF	/REMARKS		
NU.	1100	PU511	CAL	NAY-	ME į	LVL	NUD	MIND	SLP	uč į	117	'Ŧυ	FCRM	TALLOW	DIA	CLD	MACA	H		
ļ	051/50/ 060734Z	14.00 124.6t 15.00 121.5E	SAT	SIO Tl.	5/1.	5/D0.5/	24HRS										ESSA			
3	0/05002	14.5N 120.5c	LHUR		-								-		-	-		120.17E		
5	0706372	14.00 120.5E	SAT	T2.	0/2.	0/											FŽZA			
0	086215Z	17.0N 117.5t	SAT	STC T3.	UNK 0/3.	0/D1.0/	24HRS										ESSA	R (Ajan)		
ė	Ucy9272			LU	5	/LUMB	40	25 4u	985	558	14	12	=	: :	:	-	WED .	IC	43	
1	-	50.00 11H-0F		S 110	, _C+												EDDA	8 (HUUN)		
11	11402027	21. IN 117.1E	Σp'	2	, ,	/UUMB	35	50	-	274	18	16	EL 1P	SHANE	10X 5	-	SEC (NTH LUAS NM SI	m-NE U4	
14		21.2W 11/.KE	SAT	Т3.	0/3.	0/50/24	HRS			-							EDJA			
Ē		20.5m 116.ct	۲	2	2	/ UUMB	52	70	-	530	18	16	-		-	-	HEU I		04	
14	1001382	24.54 115.50	SAT	Т3.	0/3.	0/50/24											LOOA		05	
15	Inlajos	20.16 116.5E	۲	ı	8	700 MB	45	90	-	-	19	-	-		-	-	WEG A	10	•5	
10	1016606	20.4m 116.0E	۲	-		COOME	=	-	-	-	•	-	-		-	-				
17		211.3h 116.jc	Р	-	-	LOAMR	-	-	-	-	•	-	•		-	-				
10	1014102	27.3N 116.4C	5	7	5	700MB	_ ن د	-	-	:	20	-	-	= =	:	-	INEG I		US.	
17		211.31. 110.25			-		-0											Q (HADW)	• • •	
20	1102362	21.81. 117.26	LAC) (°+		/24 LID	c									LOSA			
57	1100427	22.UN 117.E	SAT	510	, 0/3.	0/50.0,	24 nr.	,										ROPM)		
					C/7	0/W0.5,	/24HRS										ESSA			
23		27.34 117.1t	TAS	510	. 3/ 3.		27110											B (RUUN)		

TYPHOON TESS FIX PUSTIONS FOR CYCLONE NU. 10 7 JUL - 24 JUL

						FLT	085	UdS	MIN	FLT				InKN	POSIT	
FIX	77	47.00 T.T	FIX	ACCHY	FLT	LVL	SFC	MIN	700MB	LVL	EYE	JATION	EYE	WALL ULD	OF / REMARKS	
NO.	TIME 0702462	PUSIT 12.5N 173.0E	ŠAÌ	STO B	L VL	MND.	WNU	JLF	nç i	01/11	FURN	; A I LON	DIV	CEU	£55A 9	
2 3	0803452	13.5N 169.0E		Ti.5/2.0			ZAHRS								ESSA 8 (GUAM)	
4	0822292 0902482	13:00 170:0E		\$16 71.5/1.5			AUDC								L354 9	
5	1003472 1102542	14:00 167.0E 13.50 167.0E	SAT	T2.0/2.0 T3.0/3.0	1/D1.0/	24HRS	41110								£55A 9 £35A 9 £55A 9	
7	1203477	13.50 165.3E	SAT 1	T4.0/4.0	0/D1.0/ 700m8	24HRS	-	986	297	10 12	-		_	-	ESSA 9 #C FRMG SE	
10	121510Z 122200Z	14.3N 164.ZE	ь Б 7	10 15 5 5	TOUMB TOUMB	52 50	55	980 981	270 274	16 13 15 10	CTHC		25	=	#L OPEN S AND W	01
11	1223072	13.8N 163.4E	μ	5 5	7DUMB	60	70	980	2>3	15 13	-		-	-	#Ç PRIL FÜHMED	02
12	1303212	13.4N 162.8E		5 10 T5.5/5.5	7ouma PLUS∕D	1.0/24	4HRS	411	270	15 12	-		-	•	635A 9	02
13 14 15	130451Z 131124Z	13.2N 162.5E 13.1N 161.2E		0 10	TUUMB	85	-	-	5ā5 5āŔ	19 15 19 11	CIRC		40 45	-	#C OPEN N CLSD WC	03 03
16	131600Z 140351Z	12.6N 161.1E 12.5N 159.0E		T6.0/6.0			HRS								ESSA 9	U4
17	1421372	13:40 156:3E		18	TOUMB		170	Ξ	261 264	19 15 19 10	EIRC		35	Ξ	WE OPEN N	U4 U4
19 20	150v32Z 15043vZ	13.8N 156.5E 14.7N 155.9E	ρ.	\$16 X	ALU.	90	130	945	262	18 10	CIRC		30	15	ESSÃ 8 (RUDIA) CESD AC	05
21	150448Z 150448Z	14.5N 156.0E 14.5N 156.0E	SAT SAT	T5.0/6.0	MINUS/ DIA	W1.0/2 2 CAT	24HRS 7 3.5								ESSA 4	•••
23	1509102	15.1N 155.7E	Pi		7uumB		-	940	257	19 11	CIRC		25	-	LLSD WC	v 5
24 25	1512252 1513302	15.80 155.2E 16.00 155.4E 18.10 153.8E	AC H						257		-	::	-	-		
26 27	160400Z 160403Z	18.1N 153.8E	P SAT	4 2 T7.0/7.0	7GUMB OMINUS/	110 (D2_0/)	115 24HRS	940	231	50 11	CIMC		25	5	NC OPEN S	U6
28	161nj25	19.3N 153.JE	P	T7.0/7.0			-	945 949	5 6 4	17 14 16 12	CINC		30 25	5 5	NL OPEN S NC OPEN S SEMIC	96 97
30	1610537	20.20 152.0E	SAŢ	₹5.076.0		24HRS	_	,,,	-51	10 12	CINC		23	•	EDDA 9	•,
31 32	170+55Z 171106Z	21.5N 151.5E	P 1	K I NC.1	700MB	ł o	_	746 949	262 2 6 4	20 12 18 13	CIHC		25 25	10	WE UPEN SH	08
32 33 34	171106Z 171501Z 180359Z	21.9N 151.1E 22.1N 150.8E 23.5N 150.5E	P I	io 5 T5.0/6.0	700MB PLUS/S	∫ς :0/24HI	RS -	949	284	18 13	CIHC		25	10	NC UPEN SH-NH ESSA 9	ŮĚ
35	1910jaS	23.0N 149.E	Pi	10 10	LOOMR	75	-	-	215	20 16	-		-	-	HC OPEN SE-NH	09
36 37	181202Z 181522Z	23.8N 149./E 24.2N 149./E		10 10	TOUMB TOUMB	100	=	Ξ	277	19 16	=	::	=	=	NO DEF	09
38 39	1401515	24.9N 148.9E 24.9N 149.0E	Ь Ь 1	10 10	SOOMR	87	90	967	ςēj	17 -	=	= =	:	Ξ		10
40 41	1903252 1904582	25.8N 149.2E 26.UN 149.0E	SAŢ	T5.0/5.0	7 D GMH	IS HRS	85	962	278	16 -	-		-	-	LYMU CLES IN CAIR	10
42 43	191015Z	26.0N 148.3E 26.2N 148.1E		5 5	700MB	50	Ξ	964	279	15 15	=		:	Ξ	SC UNDERCAST IN CATH	41
44	1911430Z 200052Z	26.2N 147.8E 27.2N 149.4E	ρ	3 3	70UMB	54	_	961	276	16 12	-		-	-	SE UNUERCAST IN COTH	11
45	2000522 2004052	27.2N 149.4E	SAT SAT P	\$16 X T4.0/5.0	ĎĺA D/W1.0/	4 Ca' (24HRS	T 2.0								LSSA 8 (HUDII)	
47 48	2005032	27.5N 147.5E 27.8N 147.1E	P	T4.0/5.0	70UMB	20	5Ú	966	274	15 13	-		-	-	DHKN-UVE CI ABY IN CHIH	1 15
49	2006352 2009082	27. BN 146.7E	įρ	5 3	70UMB	7 u	40	907	280	15 13	-		-	-	DHAN-UVC CI ABY IN CATA	12
50 Si	2016142 2018152	28.2N 145.1E 28.1N 146.1E		5 3	100MR	7 <u>o</u>	-	=	جَةٍ إ	16 14	=	: :	=	-	LHG AREA UF L/V	13
52 53	202048Z 202105Z	28.2N 146.ZE	ρ	0 5	OUMB OUT	- 05		900	58.1	17 13	=		-	-	MMER. AND LYDO DELLETT	13
54	210459Z 211000Z	28.2N 146.2E 29.UN 144.5E 29.UN 143.4E	SAI	SIU C			-	900	276		_			_	BHAN AS LYRU IN UNTH	
55 56	5155593 5110005	29.0N 143.4E		2 10 5 5	700MB	21 80	70	4(1	284 282	16 10 14 12 14 13	CINC		40	-	AC OBEN 24 CAC CZ PBA TH CHIM	15
57	5503305	29.1N 139.cE 29.4N 139.UE		3 5	Znowa Znowa	70	50				-		-	-		16
58	3318883	30:18 134:9E		3 3	488WB	97	65	3/8	≨8 ‡	13 12	Ξ		-	=	FOOR P (HOLE)	18
6U	5301 <u>3</u> 07	31.0N 134.UE 31.6N 133.4E	P	516 X 3 5	ANN DIA	4 CA1	7 3.V 50	972	284	15 13	-		-	-	UNIN WIRE AND DIF	18
62 63	23050UZ 230505Z	31.9N 133.1E 31.8N 133.UE	LRUR Sa!	sto x	DIA	1 Cal	T 2.U				-		-	-	33.3N 134.2E	
64 65	23000UZ	31.9N 132.8E	LRUH	:							=	= =	-	=	30.6N 131.0E 33.3N 134.2E	
66 67	230/00Z 230/00Z	31.9N 132.4E	LHUH	-							Ξ	::	-	:	34.3N 132.6E	
68	230 100Z	32.2N 132.5E	LHUK	-							=		:	:	33.3N 134.2F	
69 7u	230800Z 230800Z	32.2N 132.JE	LHUK	-							Ξ		-	-	30+6N 131:0E 34+3N 132-6E 34+3N 134:2E	
70 71 <u>7</u> 2		32.4E 32.3N 132.4E	LRUK	-							-		-	-		
73	530400 <u>5</u>	32.3N 132.3E 32.4N 132.1E	LHUK	=							-		-	-	34-3N 132-6F 30-6N 131:0E	
74 75	231000Z 231000Z	32.4M 131.9E	LKUK	Ξ							=		-	-	34.0E1 NF.CE	
76 77	2311002	32.561 NY.56 33.16 131.76	FKNK FKNK	=							-	::	-	-	33-3N 134+2E 33-4N 130,4E	
78 79	2311102	32.8N 132.0E 33.1N 131.6E	LRUK LRUK	-							-	::	-	-	33.4N 130.4E	
Нu	231200Z	33.14 1J1.5E	FHDH	-							-		-	-	34.3N 132.6E	
81 82	231211Z	33.1N 131.0E	FKD#	-							-		-	-	33.4N 130.4E	
83	7518152	34.4N 130.4E 39.UN 129.5E	FHDH	sio C.							-		-	-	130+4E 130+4E 130+4E	
07	2706662	34. ON 15453E	·	2.0 00											• • • • • •	

				fla D o	TYPH(CACTONE	MO- 13								
					ىل 9€	JL -	9 AUG	_								
Flx			FIX ACCHY	FLT	FLT LVL	0B5 SEC	MTM OR2	70 UMB	FL LV		EYE	URIEN-	FYF	IHKN WALL	POSI1 OF /REMARKS	
NO.	IIME	POSIT	CUI MAN-WEJ	L¥L	MND	MNN	SLP	Hul	11/		FCRM	TATION	DIA	CCD.	HACAR	•
1 2	3004052 310310Z	7.UN 163.0E 12.UN 162.5E	SAT T2.0/2 SAT T3.0/3	.0/D1.0,	/24HRS D2.0724	HRS									655A 9	
3	0102202	15.3N 158.9E	P 10 5	JOUME SPLUS/I	5 y	45	988	299	11	9	-		-	_	NEG NC	01
4	0104142	16.0N 158.0E		.SPLUS/	DU.5/24	HRS	_			_	_		_	_	Ļ <u>3</u> 5A 9	
6	0113157	16.31. 157.6E	P 10 5	EMUUT	44	-	491	300	12	10	CIRC		40	۵5	NO UPEN NW-SSW	02
7 8	0205V82 0205352	17.5N 156.5E	SAT T4.5/4	.5/D1.0/ 700MB	724HRS 5 5	60	978	290	14	13	CIAC		60	_	ESSA 9 #C PH DEF	03
y	0304002	20.0N 155.2E	P 3 2	7uumb	69	70	400	2 <u>ĝ</u> 2	18		-		-	-	NC APPRS FRMG NW	04
1 u	0304132 0307002	21.0N 155.0E 21.3N 154.8E	SAT T5.5/5	.SPLUS/I /uome	01.0/24	нк5	907	-		_	-		-	_	FPPV A	
12	U308152	21.3m 155.0E	P 10 5	700MB	76	70	965	58 j	17	lo	-		-	-	SHIT MC	04
13	U4U1232 U4U3202	24.2N 152.6E 24.0H 151.5E		.5PLUS/											ESSA 9 (ROUN)	
15	U404282	24.4N 151.5E	2 دا ۲	7uvmd	90	75	405	277	16	14	-		-	-	NEG WC	05
10	040845Z 040950Z	25.00 151.1E 25.00 150.7E	P 15 -	7 DUMB BROOF	85	65	904	277	17	15	CIRC		50	- 8	CLSU WC-PH UEF	05
ī.	0410412	25.0N 150.8E	SAI STO UN	K .					• •	••			30	•	OLOD MCGAW OF	•5
19 26	050205Z 050415Z	26.0N 148.6E	SAI SIG 5	7 CUMB	1 CAT	45	971	284	15	-	-		-	-	NEG WC	06
55 51	050618Z 050960Z	27.8N 147.4E 28.UN 146.7E	F 2 6	700HH	70	40	972	285	15	-	-	= =	-	-		
23	0516002	24.6N 145.7E	P 15 10	700MB 700MB	65	-	974		15	-	-		=	-	WEG ADA PRES WK FBS SE	89
24	025j605	29.6N 144.9L	P 5 10	TOUME	68	55	484	5 <u>8</u> 2	14	11	-		•	-	NEG HUR PHES	.07
25 26	060520Z 061200Z	30.5N 143.0E 31.8N 142.1E	SAT T4.5/6	.0/W1.5	/24HRS						-		_	_	ESSA 9 35.3N 138.7F	
27	061400Z	32.1N 141.6E	LHUR -								-		-	-	35.3N 138.7E	
28 29	061500Z	32.4N 141.4E	LRDH -								-		-	-	35.3N 138.7E	
30	06160UZ 061700Z	32.141 NO.SE	LHÚH -					_			-		-	-	35.3N 138.7E	
35	U617052	32.8N 140.9E	P 2 5	300MB	45	-	978	598	14	-	-		=	Ξ	NEG WC 35.3N 138.7E	09
ي ج	062000Z	33.3N 141.0E	FHOH -								-		-	-	35.3N 138.7E	
34 35	062300Z	33.3N 140.7E 33.8N 141.2E	P 2 5	7 J U M H	75	. +5	481	551	15	-	-		-	-	HUH PRES POOR	09
30	0623002	33.7N 141.0E	FHDH -								-		-	-	35.7N 139.8E	
37 3ხ	062300Z 062340Z	33.5N 141.1E	LRDH -								-		=	-		
34	0700002	33.9N 141.2E	LRUH -								-			-	35.7N 139.8E	
4 U 4 L	030100Z 030100Z	34.2N 141.0E	LKUR -								-		-	-	35.7N 139:8E	
42	0301387	34.3H 141.0E 34.6N 141.0E	LKUM -								-		Ξ	-		
43 44	0702002 0702002	35.0N 141.3L 34.7N 140.9E	LRUR - LRUR -								=	= =	:	:	35.7N 139.8E	
45	u7u359Z	34.9H 140.9E	P 5 10	TOUMB	75	35	984	296	14	9	-		-	-	NEG KUR PKES	10
47	0/0400Z 0/0400Z	34.8N 141.1E	LRUM -								-		-	-	35.7N 139.8E	
46	0/04222	J4.0N 141.DC	SAT T4.0/4	.5/W0.5	/24HRS						_		-	_	E35A 9	
4 y 5 u	070452Z 07050UZ	35.4N 141.2E	P	700 HB	-	-	-	-	-	-	Ξ		=	:		
51	0705002	35.21 141.2E 35.5N 141.6E	LKUR -								-		-	-	35.7N 139.8E 35.3N 138.7E	
52	∪70600 <u>Z</u> ∪70 <u>7</u> 00Z		LKUK -										:	-	35.3N 138.7E 35.4N 140.5E	
54	0707002	35.4N 141.8E	LRÚH -								-		-	-	35.7N 139.8E	
55 56	0706002 6706002	36.2N 141.8L	LKUH -								-		-	-	35.3N 138.7E	
39	070690Z	36:4% 141:3E	LRUK - =	70UMB	-	-	-	-	-	-	Ξ	= =	=	Ξ	36.3N 140.9E	
58 59	070900Z 070900Z	36.2N 141.8E 36.4N 142.0E	LKUK -								-		-	:	35.3N 138.7E 36.3N 140.9E	
60	0/09002	36.5N 141.9E	LKUK -								-		-	-		
62 61	071000∠ 071100Z	34.60 141.66 34.80 141.7E	P 5 10 LHUH -	(OUMB	40	35	987	297	-14	-	-		-	-	38.3N 140.9E	10 .
63	0/11007	37.04 141.9E	LHUK -								-		-	-	35.3N 138.7E	
64 65	0/1500Z 080526Z	37.7N 142.9E	LHUK -	L							-		-	-	35.3N 138.7E	
66		43.0N 158.5c			/24HRS										135A 9	

TYPHOON BETTY FIX POSITIONS FOR CYCLUNE NO. 14 8 406 - 17 AUG

				F. 5			£ . 7				T	P0511	
FIX			FIX ACCHY FLT	FLI UBS	MT/A 0R2	70vMH	FLT	EYE FCRM	URIEN-		MALL	OF / REMARKS	
NO.	0802JJZ 1[4Ē	POSIT	CA! NAV-ME! LVL SAT T1.0/1.0/D1.0 P 3 10 700MB	/24HRS	SLP	H⊈Ţ	11/10		TAITUN		LLD	HACAR LSSA 9	
ž	0809062 0822357	12.0N 154.0E 11.5N 150.5E 11.7N 149.8E	P 3 10 700MB P 5 10 700MB	20 - 30 30	1005	11F nře	10 -	ELIP	 ĕ#-VĔ	20x10	-	NÃU CNTH NG PSBLY FRMG SE WUAU	01 02
4	0900012	11.8N 149.5E	P - 10 700HB	e5 30	1003	310 310	11 10 12 10	-		-	-	WE BENG ONG S SEMIC	02 02 02
3	090300Z	12.1N 149.5E 12.0N 149.5E	SAT T2.5/2.5PLUS/			-		_		_	_	NEG HUH PHES	03
8	091230Z 0916052	13.10 148.4E 13.30 148.3E	P 3 15 700MB P 3 10 700MB	40 -	993	306	12 -	Ξ		Ξ	Ξ	WER HITH BHFS	U3
10	092130Z	14.2N 147.7E	P 5 2 700MB	+0 50	993	300	14 10	=	= =	Ξ,	Ξ	NEO WC FB E SEMIC	
11 12	1003492 1005192	15.4N 146.8E	P 2 2 700MB SAT T4.0/4.0/D2.0		905	SāŘ	17 13	EFIb	N-S	40X35	-	MC PH WEF S AND LPEN N LISSA 9 MC WPEN SM	U4 05
13 14	1009307 1015302	16 0N 1+6 0E 16 7N 144 8c	P 2 2 700MB P 2 10 700MB		986 987	298 297	13 11	CINC		20	:	FAE ANONG	45 45
15 16	110035Z 110422Z	17.7N 144.7E 17.4N 144.3E	SAI SIG A DIA SAT T4.5/4.5/DO.5	4 Ca7 2.0		•						ESSA 8 (RUDN) ESSA 9	
17	1109457	17.8N 142.3E	P 5 15 700MB	57 -	48 6	538	13	:		-	-	SEC CHTH 15HM UIA	46
18 19	1112152	18.6N 141.1E	P 700MB P 3 15 700MB	4 11 -	986	294	11 14	CIRC		5	7	MC OPEN SM	06
20 21	120405Z 120520Z	18.6N 139.IE	P 2 5 TOUMB	2 CAT 3.5	401	536	16 -	-		•	-	ESSA 9	
21 22 23	1206152 1208482	18.5N 138.5E 18.6N 138.7E	P 700MB		-	-		_		-	-		
24	1210002	18.8N 138.1E 18.7N 137.8E	P 2 5 700HB P 3 3 700HB	70 50 100 -	457 454	272 269	16 12 19 10	CIRC		30 30	5	KNY ETE EKWA KANTA	07 08
25 26	121600Z 121745Z	18.9N 136.6E 18.9N 136.3E	P 3 3 700MB	75 -	955 949	269 266	14 10 26 -	CIRC		3ŭ 30	5 5	CLSD WC CLSD WC	80 80
27 28	121920Z 122045Z	19.0N 136.1E 19.1N 135.9E	Б — — <u>З</u> помя		-	- 20	-	-		-	Ξ,		
29 30	122135Z 122205Z	18.6N 135.5E	AC R - 700MB	105 85	948	265	21 13	CIRC		40 20	:	5227 R (8004)	09
31 32	1300242 130620Z	19.0N 136.0E 19.0N 134.0E	SAT T6.0/6.0/S0/2	4 CAT +.U 4HRS								ESSA 9	
33 34	1309102 1310532	19.0N 134.1E 19.2N 133.6E	P 5 2 700MB P 700MB	100 85	933	253	55 14	CIRC		20	5	ÇLSD MÇ	10
35 36	131520Z 131722Z	19.1N 133.1E 19.4N 132.8E	P 4 2 700MB		923	243	26 13	CIHC		20	-	CEPO MC	1 7
37 38	140118Z	19.4N 132.0E	SAT STG X DIA P 5 5 700MH	4 CAT 4.0	916	237	23 13	CIRC		25	4	<u>ΓΓ20 4C</u> Ε <u>22</u> 9 8 (4004)	12
39	1404052	19.9N 131.JE 20.2N 130.JE 20.4N 130.DE	P 10 5 700MB		450	225	20 13	CIRC		17	<u>.</u>	CLSO WC	13
40	141203Z 141520Z	20.4N 130.0E	P 60 UMB P - 5 7 70 UMB	100 -	923	242	21 13	CIRC		20	5	CLSU MC	14
42 64	14220UZ 142345Z	21.2N 128.4E	P 1 2 700MB		426	244	18 15	CIRC		50	-	CLSU #C	15
44	142345Z 150207Z	21.1h 127.7£ 21.5h 128.1£	SAI SIG X DIA	5 CAT 4.U				CIRC		19	_	F324 8 (HANU)	
45 46	150250Z 150415Z	21:5N 127:3E 21:1N 127:0E	'P 3 3 700MH	97 115 /25HRS	920	536	17 16	CIRC		15	3	FERN AC	16
\$7	1585552	21:2N 127:0E	A LOOMR		-	-		-			- 5	CERD MC	17
49 50	1510052 1511+7Z	21.7N 126.8E 21.9N 126.6E	P 15 3 700MB	95 - 	270	550	20 14	CIRC	- , -	12	-	CESO MC	• •
51 52	151200Z 151300Z	21.6N 126.2E 21.9N 126.5E	SCF LROR -	_				-		-	-	24.8N 125.3E	
53 54	151400Z 151410Z	22.2N 126.4E	LRUR -					-		<u> </u>	-	24.3N 124.2E 24.8N 125.3E	_
55 56	1515002 1515002	22.5h 126.3E 22.4h 120.2E	P 10 5 700MB	100 -	915	234	18 14	CIRC		15	5	24.6N 125.3E	17
57	1515002	22.4N 126.2E	LROK -					-		-	-	24.3N 124.2E 24.2N 125.3E 24.2N 125.3E	
58 59	151505Z	22.7N 126.3E 22.6N 126.0E	LKÚK -					-		•	-	24.8N 125:3E 24.3N 124.2E	
6) 6)	151645Z	22.5N 126.1E 22.8N 126.1E	LKUK - LKUK -					-	- . -	-	-	25.UN 12155E 24.EN 125.3E	
62 63	15170UZ 15170UZ	22.7N 126.0E 22.7N 125.9E	LRUR -					=		-	-	24.3N 124.E	
64 65	151800Z 151800Z	22.9N 125.8E 22.9N 125.8E	LRUR - LRUR -					-		-	=	24-8N 125-3E 34-81 NE-45	
66 67	1519002 151900Z	23.0N 125.7E 22.9N 125.7E	LRDA - LRDA -					:	= =	:	Ξ	24+6N 125-3E 24-3N 124-2E	
68	152030Z 152100Z	23.3N 125.5E 23.2N 125.4E	LRDH -					-	= =	-	:	25.0N 121.5E 24.21 NE.+5	
70	15210UZ	27.3N 125.4E	LHDA - LRDH -					:		:	-	24.6N 125.3E 24.6N 125.3E	
71	152150Z 152200Z	23.4N 125.4E 23.4N 125.2E	LHUR -					-		-	-	24.3N 124.2E 24.8N 125.3E	
73 74 75	15220uZ 152230Z	23.4N 125.JE 23.5N 124.JE 23.5N 125.JE	LADA -					-	::	:	-	24.8N 125.3E 24.3N 124:2E	
75 76	152300Z 152300Z	23.5N 125.1E 23.5N 125.1E	LHDR - LHDR -					-		-	-	24-8N 125-3E	
†7 78	160000Z 160100Z	23.7N 125.0E 23.9N 124.9E	LAUK - LRUK -					-		-	-	24.6N 125.3E 24.6N 125.3E	
79	100\$00Z	23.9N 124.9E	FMDK -					-		-	-	25.0N 121.5E	
80 81	1605007 1605001	24.UN 124.7E 24.UN 124.8E	LADR - LADR -					-		-	-	24-8N 125-3E 24-3N 124-2E	
82 83	160300Z 160300Z	24.2N 124.0E 24.2N 124.7E	LRUR - LRUK -					=		-	Ξ	24-UN 125-3E 25-0N 121-5E	
84 85	160400Z 160400Z	24.3N 124.4E 24.4N 124.5E	FROK -					Ξ	= =	Ξ	Ξ	24.8N 125.3E	
86 87	160546Z	24.2N 124.3E	SAT T6.0/7.0MINUS/	W1.0/24HRS				-		-	-	25.1N 121.5E	
85 89	160500Z 160600Z	24.4N 124.3t 24.6N 124.3E						:	= =	=	:	24.6N 125.3E 24.6N 125.3E	
90	1606002	24. /N 124.2E	LRUK -					-		:	-	24.3N 124.2E 25.1N 121.5E	
91 92	160700Z 160700Z	24.9N 124.1E 24.5N 124.1E	LHUK -					-	::	-	-	24.EN 125.3E	
93 94	1608002 1608002	24.9N 124.0E 25.0N 124.0E	LADR - LADR -					-		-		24.5N 125.3E	
95	160900Z	25.1N 123.8E 25.2N 123.8E	FHOK -					-	::	-	-	24.3N 124:2E	
97	1610002	25.3n 123.7E	LHOK -					-		-	-	24-3N 124-2E	

TYPHOUN BETTY FIX PUBITIONS FOR CYCLUME AUG 14 B AUG - 17 AUG

			_	FLI	082	065	MTM	FLT				IHKN	POSIT	
FIX NO.	lint	PuSII	FIA ACUNY FLT CAI NAV-MET LVL	LYL	SFC	MIN SLP	70 umd Hg 1	TI/TU	FORM	TALLUN		HALL	OF /REMARKS	
98 99	161000Z 161000Z	25.2N 123.7E	LRUK - LRUK -					,,,,	Ξ		=	-	24-6N 125-3E 24-0N 121-6E	
100	1010152	24.2N 123.6E	P 5 10 700MB	65	-	937	253	16 -	ELIF	うまーかた	30×20	3	AL PH DEF	T A
102	161100Z 161100Z	25.3N 123.3t 24.0E	LKUK - LKUK -						=		=	Ξ	24.6N 125.3E 26.2N 127.7E	
103	1611007		LRUR -						-		-	-	24.0N 121.6E	
104	161200Z		LKUR -						-		-	-	24-3N 124-2E	
105	1612002	25.3N 123.2E	LRUK -						-		-	-	24.8N 125.3E	
106	1612002		LKUK -						-		-	-	25.1N 121.5E	
107	16130uZ	25.5N 122.9E	LRUK -						-		-	-	24.8N 125.3E	
106	1913307	25.5N 122.7E	LKUK -						-		•	-	25.1N 121-5E	
109 110	1614002	25.5N 122.6E	LRUK -						=	::	=	:	24.3N 124.2E 25.1N 121.5E	
111	1615002	25.8N 122.2E	LRUK	_					- ·		-	-	25-1N 121 <u>-</u> 5E	
112	1616342	25.7N 122.3E	P 5 5 700MB	60	-	937	254	17 14	CIRC		12	-	CLSD WC -	19
113	1618002 1620002	25.8N 122.0E	LKUK - LKUK -						=	= =	= '	Ξ	25.1N 121.5E 25.0N 121.5E	
115	1621002	25.8N 121.7E	LHUK -						-		-	-	25.0N 121.5E	
110	1622007	26.1N 161.5E	LRUK -						-		-	-	25.0N 121:5E	
117	1701002	26.5N 121.5E 26.5N 121.4E	LRUR LRUR -						Ξ	= =	=	-	25.0N 121.5E	
119 120	170230Z 170300Z	56.00 151.0E	SAI SIG X EIA LHÚR -	6 CAT	2.0				-		-	_	25.0N 121.5E	
121	1/06302	27.3N 120.6E	LHUR -						-		-	-	25.0N 121.5E	
122	1707002	31.051 NE.75	LHOK -						-		-	-	25.0N 1215E	

TYPHOUN CURA Flx POSITIONS FUH CYCLUME NU. 16 23 AUG - 28 AUG

				FLI	QB2	055	MIN	FLT				THKN	FOSIT	
F1×			FIX ACURY FLT	LVL	SEC	MIN	70ºMB	LVL	EYE	ORTEN-	EYŁ	#ALL	OF /REMARKS	
NO.	11mg	PUSIT	CAL NAV-MET LYL	WNO	wND	SLP	ne j	11/10	FCRM	MOITAT	DIA	CLD	HADAH	
1	2306302	19.8n 114.0E	SAT T2.0/2.0/D0.5/2										F228 A	
2	2407282	19.5w 118.gE											£35A 9	
3	2506002	19.1N 116.5t	P 5 3 1500FT	40	30	991	-	27 -	-		-	-	3ºC CNTR CKLM+15KM UIA	42
4	2506327	19.0N 116.UE	SAT T3.0/3.0/D0.5/24	4HRS									E224 9	
5	2507402	10.0x 116.0E	AC R -						-		-	-		
6	2523202	18.8H 115.1E	P 5 5 700MH	40	35	488	299	15 12	-		-	-	FO FM SONM TO NW	0.3
7	2606562	18.8n 114.6L	P 5 8 (00MB	35	55	484	299	19 13	-		-	-	WK FU FRMU SE	04
8	2007302	18.5N 114.5E	SAT T4.0/4.0/D1.0/2	4HRS									E55A 9	
ÿ	2609552	18.7N 114.5c		45	55	A81	296	18 14	-		-	-	CNIH BHKN-FIL W/ SC	04
10	2621007	10.8N 113./L	LRUK -						-		-	_	22+4N 114+1F	
ĬĬ	2622002	18.7N 111.3E							-		-	-	22+4N 114-1E	
10	2100007	18.7N 111.3E							-		-	_	22.4N 114.1F	
13	2700502	18.8N 113.5E	P 5 5 700MH	-	60	976	290	15 13	-		-	5	NEG DEF	US
14	2/03002	18.6N 113.3E	P 5 5 700MB	55	60	y76	289	15 13	CINC		20	10	EC OPEN N	05
15	2706322	18.5N 114.0E	SAT T3.0/3.5/D1.0/2										LSSA 9	• •
16	2712002	19.1N 111.2E							_		-	-	22.4N 114.1F	
17	2715004	19.2N 111.9E							-		-	-	22.4N 114.1E	
10	2807324		SAT T4.0/4.0MINUS/D	1 0/241	TDC								ESSA 9	
10	2001327	20.0M 108.3E	3A1 14.0/4.0M1N03/D	1.0/240	ING								-244 3	

TYPHOON ELSIE FIX POSITIONS FOR CYCLONE NO. 17 31 AUG = 3 SEP

				,	FLT	0B\$	0R2	MIN	FLT				IHKN	F051T	
F1x	7	n.u. • •	FIX ACCRY	⊁LT L	LVL	SEC	MIN	70VHB HGT	LVL T1/10	EYE	URIEN-	EYE	#ALL	UF / REMARKS	
₩0. 1	310628Z	12.00 117.01	SAT T2.0/2.0	/DO.5/24	HRS					FCHM	ivitor	UIM	CLD	HADAH ESSA 9 Wh CIRC SFC AND FL	
2	310845Z 311030Z	13.00 117.8t 13.30 117.5E	F 5 20 F 7 25	7 в умь 700мв	40 45) UE	1005	100	A 8	-	= :	-	:	CINC ANA DECNE WITH ME	05
5	312225Z 312331Z	14./n 115.2E 15.0N 113.5E	P 2 2 SKUR -	7 U V M H	-	45	987	294	13 10	-	= =	Ξ.	-	SEC CNIE ZOHM DIA	03
6 7 8	010310Z 010313Z 010314Z	15.2N 115.1E 15.1N 114.2E 14.5N 114.2E	SAI STO UNK	700MB	65	65	483	295	14 8	CIHC		20	3	ESSA 8 (HUUM) BC OPEN NW ESSA 8 (VIBU)	04
ن ان	010330Z 010445Z	15.30 113.8E	SHUR -							=	::	<u>-</u>	:	16.0N 108.2E	
11	010500Z 0105J5Z	15.90 113.75 15.40 114.05	SHUK -							=	::	:	Ξ	15.4N 114.0E	
13	0103332 0107002 0107272	15.4N 114.4E 15.5N 113.5E	SHUK -	9	7 u	.	in.e		16.19	-		-	-	• -	
15	010747Z 010736Z	15.5N 113.5E	SAT T3.5/3.5			75	985	ςžŘ	14 12	CINC		12	-	UPEN H-NH ESSA 9	4
16	0108002	15.5N 113.7L	SHUR -							-		-	-		
17	0110447 0110447	15.6N 113.2E	# 3 2	7 CUMB	65	65	780	538	16 9	CIRC		20	-	AALL SE-SM	US
28	8111512	12:6N 113:4E	380k -							-	::	-	=		
55 51	011290Z	16.7N 113.2E 16.7N 113.2E	SRUH -							Ξ	= :	=	:		
23 24	011244Z 011400Z	15.8N 113.0E	P 3 5	OME	55	-	490	533	17 10	=	::	=	:		05
25	0114102	15.4N 113.0E	экик - Р 5 5	700MB	45	_	-	298	13 B	CIRC		20	5	UPER N SEMIC	u6
27	0118002 0118332	16. IN 112.7E 16. IN 112.7E	SRUH - SRUK -					-		-	::	=	-	- an it series	•0
29 30	011845Z 011900Z	16.UN 112.0E	SHUR -	700M8	45	_	_	298	14 8	CIRC		20	- 5		
31	0119482	16.1N 112.1E 16.1N 112.1E	SHUR -		75	_		-10		-		=	-	NAÈM M REMIT	46
32 33 34	011945Z 012001Z	16.1N 112.1E 16.3N 111.7E	SRUK - SRUK -	_						_		_	-		
34 35	0202102	15.5N 111.5E	P 5 5 SAI SIGUAK	jenwa	-	-	-	538	14 10	CIRC		20	-	FOR R (AIRO)	96
36 37	v20 445 2	16.0N 110.JE	ERDH -							-		-	-	Je•CN J08•5E Je•ON J08•5E F>28 R (AIRA)	
38 39	020615Z 020643Z 020715Z	16.1N 111.2E 15.7N 111.0C	GAT T4.5/4.5	/D1.0/24	HRS					_				EDDA 9	
4ú	0509005	16.1N 111.3E 15.9N 111.3E	P 4 15	700MB	-	-	-	-		CIHC		15	=	16.0N 108.2E	
41 42	02U930Z 021045Z	15.8N 111.1E 15.9N 110.8E	P 4 15 LRUH -	700Mb	-	-	996	-		CIHC		15	=	MU STG KE NUK PRES PUUN 10-ON 108-2E	47
43 44	021047Z 021220Z	15.4N 110.8E 15.9N 110.5E	LRUH - SHUH -							-	= =	:	:	16.0N 108.2E	
45 46	0213252 021400Z	15:78 111:9E	P 5 5	TOUMB	50	-	403	553	14 10	ELIP	N-5	50412	Ξ	#L OPER N# AND SE	68
\$7 46	021426Z 021452Z	15./N 110.7E	SRUR -							-	: :	=	:	15.7N 110.8E	
49	0215452	16.4N 110.3F	LRUH -	_						_		-	-	16.0N 108.2E	
5u 51	0216102	15.7N 110.5E 15.8N 110.4E	P 5 5	LUVMR	98	-	-	292	14 10	ELIP	ŽĘ-NW	50 50 x 1 2	-	PC DAEW NE WAN 2	98
52 53	021745Z	15.5N 110.4E	LKUH -	100MB	b5	_	978	284	14 1i	CIHC		- 28	10	FC.ON 148.SE	
53 54 55	021815Z 021912Z	15./N 110.2E 15.4N 110.5E	P 5 5 SHUH -					- 1	• • • • • • • • • • • • • • • • • • • •	CIHC		25	-:	16.0N 108.2E	9.0
56	021945Z 022006Z	15.4N 110.4E	SHUK -							-		-	-	• -	
5 <i>1</i> 58	022045Z 022114Z	15.6N 110.4E 15.4N 110.4E	SHUK -							-	= =	Ξ	Ξ	16.0N 108.3E	
59 60	U22245Z U22315Z	15.00 110.4E	FHUK -							CIRC		23	=	16.0N 108.2E	
61 62	0223452 0300152	15.8N 110.3E	LHUK -							CIRC		35 35	-	16.0n 108.2E	
63 64	0300452	15:60 110:3E	LRUK -							CIKC		35	-	14.00 TO8:5E	
65	030130Z	15.5N 110.3E	P 5 3	10 nmm	65	90	976	568	16 8	ELIP	SEMAN	30750	3	AC OLEV NA	u 9
67	0301452	15.7N 11v.2E	LKDH -							CIRC		35		16.0N 108.2E	
68 69	0302152 0302452	15.00 110.2E	PKNK -				_			-		•	-	16.00 108.2E	94
70 71	030+002	15.5N 110.0E	P 5 5	LOOMB	us	фэ	978	287	15 10	EL 1P	N=5	30220	3	10.00 108.2F	
72	U3060UZ	15.5N 109.8E 15.5N 109.9E	P 5 5 SAT T4.0/4.5	700MB :/WO 5/24	D5 HRS	65	474	284	15 9	ELIP	N-2	30425	•	かとし まじ	49
73 74	030730Z 030745Z	15.4N 110.9E	FHOH -	,, 11015, 21						-		-	-	16.0N 108.2E 16.0N 108.2E	
75 76	030910Z 031115Z	15.4N 109.6E 15.7N 109.5E	LHUR -							-		-	-	16.0N 108.2F	
77	8315152	15:00 103:6E	LHOR -							=	::	=	=	16:00 108:3F	
79 80	0317152 0317452	15.5N 109.4E 15.5N 109.4E	LHUK - LHUK -							-		:	-	16.00 108.2E	
87	031845Z 032005Z	15.4N 109.4E 15.1N 109.3E	LHUH - P 3 10	7 o u M ts	b.j	-	_	291	13 13	:	::	:	=	16.0N 108.2E	
83 84	032115Z 032145Z	15.2N 109.2E 15.9N 109.1E	P 3 lo	/JUMB	53	-	-	291	15 10	:	::	:	=	16.00 108.2E	11
85 86	0321452 0323452	15.4N 108.8E	LRUR -							=	::	=	Ξ	16.0N 108.3E	
86	U32395Z	15.3N 108.7E	ERUR -							-			-		

TYPHOON FLUSSIE FIX POSITIONS FOR CYCLONE NO. 18 10 SEP - 16 SEP

					FLT C	e5 085	MIN	FLT			FHKN	POSIT	
flx Nu.	lint	11604	FIA ACCHY CAI NAV-MET	FLT LVL		FC MIN	700MB Húl	LVL T[/]0	EYE F:CRM	ANTEN- E.		OF /REMARKS	
1	1021052 1022182	14.8N 119.8E 14.40 117.9E	ACH -	700M8	35		307	9 8	:		:	AS DVC ABY IN CHIR	u 3
3	110248Z 1104142	14.8N 118.46 14.8N 118.7E	F 1 8	PU DWR PU DWR	35	20 1004	310	7 7	:	= = :	CALM SE	C AREA EXTDS 90NM SW OF 700	CNTR 03
5	1110102	15.1W 117.8E	P 3 10	YUDMB	20	25 1004	305	9 8	-		-	ILU ALGOS-SI CLUS DUF	04
7	1115302	14.80 117.5E	P 2 5	7µ0MB 7µ0MB	30 40	: :	JÚ9 VÝL	8 11 10 10	Ξ.			SEC CNTA 2UNM DIA SEC CNTA 3UNM DIA	05 05
8	1203522	15.UN 116.2E	r 2 5	TUUMB	30	30 1003	309	10 9	-		• -	SEC CNTR BNH DIA	U 6
lu.	1209222	14.9% 115.4E	P 2 4 SAT T3.5/3.5	700MB (D1.0/2	35 4HRS	25 999	305	11 10	-		-	FBS S ESSA 9	06
11	1215112	15.0N 115.0E	P 5 5	700MB	25 30	- 995 - 992	303 300	12 10	=		: :	AUR PRES POUR	07
13	1300202	15.4N 114.6E	Ρ	700MB	-		-		-			SEC COTE 200M DIA	80
14	130204Z 130400Z	15.3N 113.8E	5A) SIG X	TOLA !		.0 20 991	3011	13 0				ESSA 8 (RUUN) SEC CNTR BUNM DIA	09
15	1308302	15.80 113.5E	P 5 10	DOME	35 35	- 990	300	13 19	-		:	SEC CNTA BUMM DIA	09
17	131557 <u>/</u> 132215 <u>/</u>	15.5N 113.0E 15.3N 112.8E	P 2 2 P 5 5	700MB Soumh	40 45	- 985 - 984	295	12 13 3 -1	CIRC	2:- 2:	- 2 3	NO ORG ON HUK WC UPEN W-N	10 11
19	1403002	15.3N 112.8E	P 3 3	700MB	66	60 982	565	16 Îŭ	CIRC	2		MC UPEN W-N	ii
2u	1406252	15.1N 111.5E	SAT T4.5/4.5	/D1.5/2/ ?oums		65 975	288	19 13	CIRC	2	, 5	ESSA 9 WC OPEN N-L	12
25	1222532	15:00 111:3E	5 5 5	7онив	58	= 378	288	lš ti	_	-	-	SEC CATH SOMM DIA	15
24	1422302	14.9N 110.9E	FROR -	700MB	05	- 9/6	200	12 11	CIRC	3) 3)		CLSD WC	13
25	1423002	14.9N 110.6E	LKUK -	_					ČÍŘČ	3	i -		
26 27	1423432 1500002	15.0N 110.8E	P	JOOMR	-		•		-	:	: :		
28	1501312	14.9N 110.5E 15.0N 110.5E	LHUR -						-		-		
30	1502152	15.1N 110.5t	LHUK -						_			16-1N 108-2E	
31 32	1502452 1503102	15.1N 110.5E	£RUR - ₽ 1 2	\00MB	75	70 978	259	15 12	CIRC	34	20	ic.in 108:2E mc upen w	13
33 34	1505452	14.9N 110.1E	LAUK -	. 00110	. 3	,,	-=:		-		-	16.1N 108.2E	
35	1506452 1506452	15.10 110.2E 14.30 109.9E	LHUK -						CIHC	*!	: -	16-1N 108-SE	
36	1507532 1508002	15.00 109.0E	SAT T4.0/4.5	MINUS/WO).5/24HR	S			CIRC	51		rása a	
36	1509454	14.6N 110.0E	P 4 5	700MB	60	- 978	551	18 15	CIRC	3(MC OPEN E	14
34 40	151045Z	14.7n 104.6E 14.7n 104.8E	LHUK -						-		_	16.1N 108.2E	
41	1512152	14.2N 109.7E	LHUR -						CIHC	2		16-1N 108-SE	
42 43	151230Z 151245Z	14.8m 109.5E 14.7m 109.7E	P	700MB	-		295		CIHC	2.		16.1N 108.2E	
44	1513452	14.8N 109.JE	LHUH -						CIRC	25	· -	16.14 108.5E	
45 46	15150UZ 15150UZ	14.8N 109.4E	LHUH - P 2 5	700MH	70		295	19 -	CIRC	30		wi well off w-S	14
47		14.5N LUY.1E	LHUH -					•	CIRC	ī		16-1N 108-2E	
45 47		14.5N 109.1E 14.5N 109.0E	LRUH -						CIRC CIRC	16 16		16.1N 108.2E 16.1N 108.2E	
5 v	1517152	14.5N 108.9L	LHUH -						CIRC	N=5 1	x10 -	14.1N 108.2E	
51 51	151/45Z 151815Z	14.5N 106.7E	LRUK - LRUK -						CIRC	15		16.1N 108.3E	
53 54	1218527	14.4N 109.0E 14.5N 108.9E	LKUR - LRUR -						CIRC	19		16.1N 108.2E 16.1N 108.2E	
55	1520452	14.5N 106.8E	Lkuk -						CIRC	i		1c.1N 108.2F	
56 57	1600452	14.50 108.6E	LRUK -						CIRC	14		}6•ÎN 108 <u>-</u> 2Ē }c•]N 108-2E	
58		14.5N 108.6E	EROR -						ĔĹĨĔ	N-5 2.	×16 -	16.1N 108:2E	

TYPHOON HELEN FIX POSITIONS FUR CYCLUME NO. 20 13 SEP - 17. SEP

						fLI	UBS	085	MIN	FL1				1HKN	*F051T	
FIX NU.	TIME	11204		ACURY	FLT	FAL	SFC	MIN	70VMB HGT	LVL T1/T0	EYE	ORIEN-	EYE	MALL	OF/REMARKS	
1	130300Z 130914Z	15.7N 136.3E 16.5N 135.9E	, in	5 5	100MB	56	50	978	298	16 12	FCRM CIRC CIRC	ĬŸĬIÓN	30 25	CLD	RADAR NC PR DEF NC OPEN NN	02
3	140054Z 140500Z	18.IN 134.RE			A DIA	MA Ca		,,,	-::	10 13	CINC		23	•	ESSA B (ROUM)	٥٤
5	1409302	20.UN 133.0E 19.8N 132.7E 20.UN 132.5E		2 5	ZOOMB ZOOMB	90	35	965	278	18 15	CIRC		40	.8	MC OPER SE-W	03
7	1414402	20.4N 132.3E	P		700MB		-	-	-		-		-	-		
ه ب	1415152	20.6N 132.2E 22.UN 132.4E	SAT T	2 5 516	700MB X DIA 5/D1.0/ 700MB	90 2 Ca 2 AHRS	r 4.0	963	277	18 11	CIRC		30	10	NC OPEN NL-S LSSA B (ROUN) LSSA 9	03
îï	1505592	23.5N 131.8E 24.9N 131.9E		5.3/3.			-	957	273	17 13	-			. •	# OPEN E-M	04
12	151245Z	25.ZH 131.9E	ę.	3 3	700MB 700MB	55 85	-	958	2 <u>7</u> 3	20 13	CIRC		40		CLSD WC	05
14	151700Z	26.7h 132.3E	LHUH		.0000		-	750	-15	20 13	CIRC		40	=	26.4N 129.5E	VJ
15 16	1518002 1522002	26.9N 132.5E 28.8N 133.0E	LRUR LRUH	=							=		-	=	28.4N 129.5E 35.9N 139.6E	
17 18	152320Z 160000Z	28.86 133.2E 29.50 133.8E	LKUK	-							-		-	-	35-9N 139-6E	
19	1001002	29.5N 133.5E	LHUH								-		-	_	35.9N 13976E 35.9N 139.6E	
20	160200Z	30.0N 133.8E	LROR	-							-	**	-		33.3N 134 <u>.2</u> E	
22 21	160200Z 160300Z	29.8N 133.8E	LRUK LRUK	-							-		_	-	35-9N 139-6E	
23	160300Z	30.2N 134.1E	LRUR	_							-		_	-	35.9N 139.6E 33.3N 134.2E	
24	1604002	30.3N 134.3E	LKUK	-							-		-	•	35.9N 139 <u>.</u> 6E	
25 26	160400Z 160449Z	30.6N 134.4E 31.4N 134.5E	EHUR P	2 5	700MB	_	80	959	274	14 17	•		-	-	33.3N 134.2E	
28	1605002		LKUK		/ OUND	_	-	,,,	•;•	14 11	-		-	-	TE WAN CHIR SUNM BIA	07
		31:50 135:8E	LHUH	-							-		•		33:3N	
2 y	1606302	31.0N 134.9E	LHOK	_ =	700 m B	_	_	_	-		-		-	=	35.4N 138.7E	
31	1607002	37.4N 135.0E		2 5	(00HB	100		963	273	18 11	-		-		NUR PRES POUR	U 7
32	1607002	32.4N 135.1E	LHUH		. •					••	-		-	-	33-3N 134-2E	
33	1607002	33.UN 135.5L	LHDR			0=			-11		-		-		35.2N 137:0E	
35	160800Z	32:8N 135:3E	LHUH	2 5	700MB	85	65	963	274	17 -	Ξ		=	-	35.4N 138.7E	
36 37	1608002	32.8N 135.6E	LHUR	-							-		-	-	33.3N 134.2F	
36	160800Z 160800Z	33.4N 135.6L 33.2N 135.5E	LHDH	-							-		-	-	35.2N 137.0E	
39	1609002	33.4N 135.5L	P	2 5	700MB	65	-	958	273	14 -	Ē		-		TT AND CULH SOUM DIV	07
40 41	160900Z	33.JN 135.7L 33.IN 135.6E	LKUK	-							· <u>-</u>		-	-	33.3N 134.2E 35.4N 138.7E	
42	1009002	33.4N 135.0E	LKUK	-							-		_	-	34.6N 135.7F	
4 5 4 4	1610002	33.7n 135.7E	LRUK	-							-		-	-	34.6N 135 <u>1</u> 7Ē	
45	1610002	33.5N 135.5E	LKUK LKUK	Ξ							Ξ	= =	=	Ξ	35.4N 138.7E 33.3N 134.2E	
40	161100Z 161100Z	34.2H 135.9E	LKUK	:							:	= =	=	=	36.2N 136.2E	
40	1011005	34.0N 135.5E	LHUR	-							-		-	-	35.4N 138.7E	
49	1611002	34.1N 136.0E	LAUH	-							-		-	-	34.14 136.0E	
50 51	1015007	34.8N 130.4E J4.6N 1J6.8E	LRUK	-							-		-	-	35.2N 137.0E	
52	1012007	34.3N 135.6E	FKDH	-							-		-	-	36.2N 136.2E 35.4N 138.7E	
54 54	1613VUZ 1614VUZ	34.7N 136.2E 36.0N 136.6E	LKUK LKUK	=							=		:	-	35.4N 138.7E 34.6N 135.7E	
55	1014002	35.3N 1J6.6L	LHUH	-							-		-	_	24-04 132-16	
56 57	1614002	35.1N 136.4E	LHUH	-							-		-	-	35.4N 138.7E	
56	1615002	35.6N 136.3E 35.5N 136.8E	LKUK LKUK	=							=	: :	=	=	36.2N 136.2E 35.4N 138.7E	
59 60	1015002	35.7m 136.5E	LRUK	-							-	- /-	-	-	34.6N 135.7F	
61	1616002	34.0N 137.3E	LHUK	-							-		-	-	35-4N 138:7E	
62	1021002	3p./N 138.7E	LHUR	-							-		-	-	35.4N 138.7E 39.7N 140.1E	
63 64	1622002		LHUK	-							-		-	-	39.7N 140.1E	
04	1/04002	41.4N 140.4E	LHUK	-							-		-	-	41-8N 140-7E	

TYPHOUN IDA FIX POSITIONS FOR CYCLONE NO. 22 16 SEP - 24 SEP

							FLT	UBS	065	MIN	FL	7				THKN	POSIT		
F1x		100.018	FIA	AC!	CHY	FLT	FAF	SFC WND	MIN SLP	70UMB HGT	TI/		EYE FORM	TATION-	EYE	MALL	OF :RACAR	/REMARKS	
:NO.	11ML 160502Z	POS11 15.5N 155.5E	SAT	T2.	.0/2.0)/D1.0/	24HRS				• • • •						£55A 9		
2	170358Z 170505Z	17.5N 154.5E	SAT	T3,	.0/3.0 15	0/D1.0/ 7uum8	/24HRS	35	293	304	15	12	ELIP	SHENE	20x10 15	-	ESSA 9	DEF	02
3	1708002	17.0N 155.1E	þ	ŢÛ	15	70 UMB	+ 7	40	993 991 984	300 294	13		CIAC		15 35	5	MC V PH		62 80
5 6	1718152 1721302	16.1N 156.7E	P P	10 10	10	700MB 700MB	45 60	55	966	297	13 13 18		CIRC		40	-	LLSU WE		03 04
7	1804062	16.0N 157.5E	P	ĬÒ	20	700MB	50 65	60 70	-	292	18	13	CIHC		50	5	MC OPEN	Wm-H	. 04
ÿ	180 905 2	15.4N 157.7E	þ	5	5	700MB	65 68	-	977	290	19		EL 1P	F-#	30X25	7	#C OPEN		U4
10 11	182000Z	15.4N 158.1E 15.3N 158.3E	4	10	10	70UMB	80	=	969	294	19	-	CIRC		-	Ξ	NC UPEN AC OPEN	N SCHLC	05 05
12	182120Z 190404Z	15.3N 158.5E	P SAT	10 T5.	1 0 .5/5.5	70UMB 5/D3.0/	48HRS	80	969	283	18	13	CIRC		25	-	155A 9		
14	1904302	15.8N 157.3E	P	15	10	700MB	•	100	96 8	284	18	12	ELIP	ž#⊸VĒ	20×10	:	₩Ĉ UPEN	W#-N-F	46
15 16	190608Z 190918Z 200350Z	15.8N 157.3E	و	20	20	700MB	-=	-	970	284 296	18 16	ĘŞ	CIRC	>w-AE	20X10	· -	MC OPEN		06 07
17 18	200 35 02 200 50 32	15.8N 156.8E 16.7N 153.3E 16.5N 153.0E	P SAT	10 T4		70UMB 5/W1.0,	55 /24HRS	50	985	230	To	12	CIRC		34	-	MC OPEN	24-144	V r
19	2006052	16.8N 152.9E	Ρ	-	-	700MB	-	•		280			- -		30	10	ML OPEN	Maria	67
31	381 3 585	17:80 138:3E	F	2	5	SOME	25	Ξ	372	288		13	3413		38	-	WE OPEN	Ma	08 08
22 23	202145Z 2101052	17.8N 148.7E 18.0N 148.5E	P SAT	3 51	, 2 x	700MB	55 MA Ca1	100	965	277	16	15	CIKC		17	-	FZZV R	(K0PH)	
źś	2103132 2104632	18:50 1:7:3E	SAT	10	12	700MB	70 D1.0/24	70 LHRS	953	569	18	16	CIRC		15	-	CLSU WC		09
26	210+572	18.2N 146.8E	်၉	-	-	/DOME	-	85	-	:	- 19	-	ELIF	SE-NE	- 17X1U	-	LLSD WC		U9
27 28	5501127 5500007 5100007	19.8N 146.5E	ĕĄ?	10 51	G x	700MB	3 CA1	- - 4.y	-					ār-wa	•	5	ESSA 8	(RUUN)	09
25 30	5509525 5509125	21.8N 1+3.9E 21.6N 1+3.7E 22.3N 1+3.3E	AC I	. 5	5 "	LOOMR	100	85	-	5è j	17	14	CIRC		18	-	CCSD #C		47
31	2210402	22.3N 143.QE	SAT	Т6		0/D0.5	/24HRS 75		932	251	19	12	CIHC		20	-	CFPD AC		11
32 33	2212107	23.4N 142.6E	AC I	10	10	\00MA	15	•	732		1,2	12	CINC			-	, LOD WC		•••
34 35	2215472 2215492	24.8N 142.4E	P	-	8	700MB	65	-	933	251	17	15	CIRC		20	Ξ	LLSD WO	>	11
36	2306v82 2310152	27.4N 142.0E 25.0N 141.8L	SAT	T6	.026.	0/S0/2	4HRS	_	933	250	20	14	CIRC		30	15	FPPA 9		12 13
36	2312152	28.6N 141.6E	P	5	5	/ GUMB	100	-	937	255	-	-	CIRC		20	7	CESD #C		13
39 40	231420Z 231515Z	29.2N 141.7t	P	-	5	700MB		-	940	256	-	-	CIRC		18	12	CLSU #0		13
41	531A005	29.4N 141.8E 30.9N 142.2E	LRU		-				-				-		-	-	35.4N 1		
42	535100X 535000X	31:31 142:3E	LHU		=		_						Ξ.		-	-	35:4N 1		14
44	232130Z 232200Z	31.5N 142.2L 31.6N 142.6E	LRU		5	400MR	76	100	942	259	10	14	CIRC		50	:	35.4N 1	S SEMIC 38:7E	
46	2323002	31.9N 142.7E	LKU	ĸ	-								:		-	=	35.4N L		
47 45	240000Z 24003vZ	32.1N 143.0E 32.3N 142.7E 32.5N 143.3E	P	5	5	790MB	86	85	949	265	17	13	CIRC		50	:	ST. 4N 1	S	14
49 50	240100Z 240200Z	32.5N 143.3E	LRU		-								-		-	-	35.4N 1	38.7E	
51	240300Z 240300Z	33.1N 143.3E 33.1N 143.5E	P LRU	5	5	700MR	88	100	-	566	17	14	CIRC		50	-	SE OPEN	5 5EMIC 38:7E	14
53	240400Z	33.5N 143.8E	LRU		-								Ξ		-	Ξ	35.4N 1		
54 55	240500Z 240600Z	34.0N 144.0E 34.2N 144.2E	LRD	H	-								-		-	-	35+4N 1	38.7E	
56 57	240700Z 241025Z	34.6N 144.6E 36.1N 145.7E	LRD	н 5	- 5	700MB	68	_	750	272 274	19	-	CIRC		10	:	35+4N 1	•	15
58	2412302	36.6W 146.SF	Þ	5	5	7 0 0 MB	30	-	3e3	274 276]6 16	-	CIRC		10 10	-	#C OPE		15 15
59	2415002	36.9N 147.0E	۲	5	5	7UUMB	30	-	703	2,0	10	-	CINC			-	-5 -V (,,,	13

TYPHOON LURNA FIX POSITIONS FOR CYCLONE NO. 25 27 SEP - 3 OC.

Fla Nu _t	(let	P0511 _	ĒLA .	AV-MET	FL7	FLT LVL WND	OBS SFC MND	OBS M1N SLP	Haj Loows Win	FLT LYL T1/TO	EYE FORM	OHIEN-		THKN WALL :CLD	PUSIT OF /REMARKS GACAR	
2	2/0608Z 300713Z	15.UN 124.0E	SAT	T3.0/3 T3.0/3	.0/D1:5	/24HRS /24HRS									F224 8	
4	0103087 0105197	17.0N 113.0E 17.1N 114.3E	SA!	STG UNI O 3	- ZOOME	50	60	995	304	13 10	_		-	_	ESSA B (VTBU)	03
5 6	010600Z 010740Z	17.4N 113.6E 18.1N 108.2E		5 2	COOMB	55	80	990	300	15 12	-		:	-	PHIL WC S	03
7 8	011400Z 011500Z	17:3H 111:1E 17:7N 111:0E	SRUH SRUH	:							=		=	-		
9 10	011700Z 011800Z	19.00 110.8E 17.90 110.9E	SKUK SKUK	=							=		:	:		
15	011 6 302	17.7N 110.6E	ÜRUR SRUR	-							=	= =	Ξ	=	16-0N 108-2E	
13	011915Z 012000Z	17.9N 110.7E 17.9N 110.5E	SKUK SROK	=							:	= =	=	=		
15	012100Z	17.9N 110.3E	SKUR	=							-		-	-		
17 18	015300X	17.9N 110.0E 18.0N 109.8E	SHUR SRUR	-							-		:	-	•	
. 19 20	0501005	17.9% 109.7E 18.0% 108.3E	LHUK SHUK	-							=		-	=	16.0N 108.5E	
55 51	020210Z	18.1N 106.9E 18.3N 109.1E	SRUH AC H	=							=	- :-	:	-		
23	0202512 0203002	17.7N 108.7E 18.1N 108.8E	SAT S	ST⊍ X	ULA	2 CAT	4.0				-		_	_	ESSA B (RUUN)	
25 25	0203302 0204002	18.2N 108.9E 18.3N 108.6E	AC H SRUH	-							=		-	-		
27 28	020400Z 020430Z	18.0N 108.7E 19.1N 108.4E	SRDH AC H	:									:	-		
29 30	020600Z 020615Z	1e.1n 108.3E 1e.2n 108.3E	SKUR SKUR	-							-		-	-		
31 <u>3</u> 2	020630Z 020700Z	18.1N 108.2E 18.1N 108.1E	LRUK Skuk	-							-		-	-	16.0N 108.ZE	
33	020718Z 020800Z	14.5N 107.4E 14.2N 108.0E		rs.o <u>/</u> s,	0/D1.0/	24HRS					_		_		£55A 9	
35 36	020900Z	19.1N 107.7E 19.2N 107.8E	LADK SADK	:							-		:	-	16.0N 108.2E	
37 38	020900Z 021000Z	18.2N 107.8E 18.2N 107.6E	SHUR SHUR	-							-		-	-		
39	0211002	10.2N 107.5E	SHUK	-							-	4 -	:	-		
41	0211002	19.1N 107.4E	ENUR	-							:		-	:	\$6.0N 108.2E	
43	021200Z 021300Z 021300Z	10.4N 107.2E 10.1N 107.1E	SRUH	-							=		Ξ	=	16.0N 108.2E	
44 45	0214002	10.20 107.2E 10.10 106.9E	CHUH SRDH	Ξ							=		Ξ	=	16.0N 108.2E	
47	0215002 0215002	1a.2n 107.0E 1a.1n 106.7E	CRUH	=							-	1:1	Ξ	=	16.0N 108.2E	
79 50	0216002 0216002	18.2N 106.9E 18.2N 106.7E	SKUH SKUK SKUK	Ξ							Ξ		-	:		
5) 52 53	0518002	18.2N 106.5E	SHUR	-							Ξ		:	• =		
53 54	0219002 0221402 0222402	18.1N 106.2E 18.0N 105.8E	SHUR LRDR	=							=		:	-	17.4N 104.7E	
55	0553115	14.0N 105.8E 14.0N 105.7E	LHOR	=							=	= .=	=	-	17.4N 104.7E 17.4N 104.7E	
56 57	0300402 0301102	17.9N 105.3E	LHUK	=							Ξ	= :=	Ξ	-	13:4N 184:7E	
58 59	0301402 0305152	17.8N 105.0E 18.0N 105.3E	LHDH	=							=		=	-	17.4N 104.7E	
60	0305402	17.5N 1U4.DE	LRUH	-							-		-	-	17.4N 102.8E	
					flx POS	SAULTIONS	ON MAI FOR (T = 1	CYCLONE	₩0. \$6							
FIX			FIX A	CCHY	FLT	FLT LVL	OBS SFC	OBS Min	MAN 70VMB	FLT .	EYE	ORIEN-	EAR	ĬHKN WALL	POSIT OF /REMARKS	
NO.	TIME	POSIT	CAL NA	V-ME 1	LVL	WND	WND	SLP	Hō Ĭ	11/10	FORM	MULIAL		CLO	RADAR	
1 2 3 4	050330Z 050423Z	15.0N 168.0E 14.4N 168.3E 14.0N 167.4E 14.5N 164.5E	SAT T	T2.5/2. 5 10 3.5/3. T4.0/4.	700 MB 5/D1.0/ 0/D0.5/	30 24HRS	40	768	297	14 12	-		•	-	ESSA 9 ESSA 9 ESSA 9	01
5 6	0609J5Z	13.9N 164.7E	P 5	10	TOUMB	60 -	50	97U 971	265 264	16 14 16 15 17 15	CIRC		10	-	UNTA FIL W/ CLUS	05
,	u10402Z u10423Z	15.4N 158.6E 15.2N 157.JL	SAT I	5.0/5.	0/D1.0/		70	962	274		CIRC		10	5	#C OPEN NE-SE	03
10	0709142 0803152	16.7N 152.5E	P 00		100MR	75 62	70	954 -	500 541	19 11 17 16	CINC	• •	40	5	OAC WAN WUD BED IN CUL	05
11	080453Z 0805202	16.8N 152.2E 16.5N 152.0E	SAT I	. <u>.</u> [4.5/5.	700MB 0/W0.5/	24HRS	•	-	•		•		-	•	LSSA 9	
15 14	V80606Z V809052	16.9N 151.6E 17.2N 150.8E	ρ -	· -	70UMB	50	-	. :	267	16 12	CIRC		60	10	*L PA DEF	05
15 16	081519Z 081751Z	17.3N 148.6E 17.6N 148.3E	h 10	15	700MB	Ξ	-	- 946	Sē3	19 -	-		-	-	UNIR FIL W/ SC. AS ABY	06
17 18	085030Z	17.8N 147.8L 17.8N 147.6E	4 TO		70UMB 70UMB	-	100	941	259	17 -	-		-	-	NC BGNG TO FHM	06
19 20	090110Z 090425Z	18.3N 148.2E 18.0N 146.0E	SAI 5	iTυ χ	ula				• •	•					ESSA 8 (HUUN)	•••
55 51	0905352 0907002	1p.8N 146.9E		6.0/6.	700MB	80	75 -	937	255	15 14	CIHC		10	-	#C PH DEF	07
23 24	0909002	14.8N 146.3E 14.9N 145.9L 21.0N 143.7E	P 1 SAI S	ilia A	7UUMB	90 3 Cat	-	936	254	16 13	CIHC		10	• .	NC PR DEF LSSA B (RODN)	07
25 26	1000102 1003102	21.0N 143.7E 20.9N 144.1E 21.2N 144.4E	h 10		YOUNE	80	4 <u>6</u> 0	946	5ē0	19 14	CIRC		15	15	MC OPEN W SEMIC	80
27 20	1005267 1005262 1009217	21.2N 144.2E 21.7N 144.0E 21.9N 144.1E	SÁT T	6.576.5 5	5/Do.5/ 700MB	24HRS	60	942	258	16 14	CONC	-	10-25	-	ESSA 9 WC PH DEF	98
29 30	1017482	24.0N 143.6E	h 10		TOUMB	75	-	741	259	17 14	-		-	-	NEP MC	09
31 32	1021142	24.5N 144.0E 24.7N 144.0E 26.8N 144.2E	P 10		700MB 700MB	75 89	6Ü 7u	945 951	262 266	16 15 17 13	=		-	-	PRIL MC TO NE	09 10
33 34	1100087	27.6N 144.4E	P =	• -	700MB 700MB	100	-	-	560 560		-		-	-		
35	150010X 110400X	28.5N 145.5E 37.5N 148.8E	h 10		700MB	40	70 70	950 905	266 278	18 11	=	::	-	=	NO KOH PRES NO KOH PRES	11

TYPHOON NANCY FIX POSITIONS FOR CYCLONE NU. 27 16 OCT - 24 OCT

FIX NO	11MF 1607325	POSI6 15.6N 170.5E	F1X ACCRY FLT CAT NAV-ME! LVL SAT T2.0/2.0/D0.5/	FL1 OBS LYL SFC WND WNU /25HRS	MIN SLP	MIN 700MB Mg I	FLT LVL TI/TO	EYŁ FORM	TALLON DIA	THKN WALL ULD	POSIT UF /REMARKS HADAH	
2 3 4 5	1604302 1621302 1701402 1703302	15.7N 169.6E 15.7N 167.1E 15.7N 166.6E 15.9N 166.1E	P 5 10 70 UMB P 2 2 70 UMB AC H - P 2 2 70 UMB	40 45 50 80	998 993 985	306 302 295	12 - 12 12 15 11	CIRC CIRC OCNC	3 5 	-	#C OPEN E-SE	02 01
6 7 8	1704347 1709252 1712037 1715002	16.0N 105.5E 16.0N 104.9E 16.1N 104.4E 16.3N 103.6E	SAT T4.5/4.5/D2.0/ P 4 5 700MB P - 700MB		975 972	268	14 10	CIRC	- 15-25 20 	-	EZE HHWED PL FB	02 03
10 11 12	180340Z 180357Z 180600Z	17.3N 161.gE 17.0N 160.5E 17.4N 160.8E	P 10 2 700MB SAI 516 X DIA P 700MB	80 130 2 CAT 4.0	954 -	269	16 9	CIRC	15	-	F224 A CF20 MC FAF RCWG DIL	U3 U4
15	190900Z 190340Z 190436Z 190630Z	17.7N 160.5E 20.3N 158.2E 20.7N 158.0E	P 10 2 TOUMB P 10 3 TOUMB SAT T5.5/5.5/50/24	90 - 110 130 IHRS	945	-	17 B 21 -	CIRC	20 30	15	FZZY A AC AK-OLEN 2F CF2D AC	04 U5
17 18 19 20	1909002		P - 700MB P 10 10 700MB P 15 10 700MB P 7 5 700MB SAT SEG C-	100 - 55 - 55 85	958	299	19 12 19 12 18 15	=		=======================================	FL CNIH APPRS LIKE IF MED HUH PHES MED HUH PHES ESSA 9	05 06 06

TYPHOON ULGA FIX POSITIONS FUN CYCLONE NO. 28 21 OCT - 29 OCT

							FL1	QBS	oBS	MIN	F	LT				1 HKN	PUSIT		
FIX NO.	TIME	POSIT		NAV	CRY	FLT	LVL	SFC	MIN	700MH H <u>ù</u> T	ΤĹ	VL /TO	EYE FORM	URIEN-	EYE	WALL	UF /	REMARKS	
1	2102342	7.5N 177.0E	5AT			:							. •••••	2.1.2.5.7.1	01		4 ACC3		
3	211953Z 212339Z	7.9N 174.9E 8.1N 174.5E	P	10	10 10	700MB	50 55	700 700	-	303 203		11	-		-	-		EU WITH 7/8 AS	
4	220335Z 2208302	9.0N 172.0E	SAT		.0/3.	0/D1.0/ 700 MB	24HRS	100	-	303	10	14	-		•	-	#L FHMG S	SEMIC	01
6	2209102	8.2N 174.2E 8.1N 174.1E	ē	5	2	700MB	50	-	=	294	14	14	ELIP	N-S	ax s	Ξ	WC PR DEF		U2
7	251050Z	8.9N 173.6E 9.2N 172.3E	P	Ş	12	ZUOMB	30	.=	993	304		10	-		-	-		TO FHM SW SIDE	
•	222230Z 230445Z	9.2N 172.3E	P Sai	5 ST	e c	PMO Ú Š	45	65	-	306	10	¥ T	-		-	-	MEG RUH PI	HE2	U4
lú	2303032	9.5N 172.0E	- P	5'	ັນດີ	700MB	35	65	•	303	15	14	CIRC		20	-	ESSA 9 WC UPEN N	Shale	04
12	2315152 2315502	10-1N 169-8E	P	-	٠. ٦	700MB	.=	-			. =	-	-		-	-	WC OFER R	Dente	••
13	2400507	10.4N 169.8E	P	1	10	700MB	37 4u	30	994 999	304	17	-	-		-	-	HYT ISTM		05
14	2403052	11.4N 168.2E	P	5		1500FT 1500FT	40	3u	996	-	25 26	-	-		-	-	NEG HUH P		υ6 υ7
15	240432	10.5N 164.5E	SAT		.0/4.	0/D1.0/										_	ESSM 9	D AI CHIR	0,
16 17	2409252 2415452	12.2N 166.3E	. b	. 3	10	700MB	50	-	993	305	14	-	-		-		NEU HOR P	KES	U &
iá	2422232	11.8N 164.5E 12.3N 163.0E	ě	10	20 10	700MB 1500FT	30 55	50	995 994	305		13 25	:					M SYSTEM 30NM WII	
19 20	2504412 2505302	12.9N 162.0E 13.5N 161.5E	SAT			5/D0.5/		55	987	296		14	_		/UUMB C	MIK IME D	ESSA 9	OVERING ENTIRE CM	TRO9
21	250730Z	13.6N 159.9E	į	01	3	700MB	55	-	989	298		15	_		_	-	TOU NH CH	TH-FRHU WC	10
22	251825Z	13.7N 157.9E	P	10	10	700MB	Sü	-	982	292	15		-		-	-		MA WELLA VERSON	11
23 24	252115Z 260045Z	13.80 157.5E 14.JN 156.9E	AC F	10	7	700mB	60	65	979	535	16	-	-		-	-	THE CH AT	"EXACT CATA	Ιî
25	2603442	14.1N 156.1E	ÿυ.	5	-	700MB	60	100	974	287	16	13	CINC		20	:	Mr. 2011 11==		
26	2605352	14.6N 155.6E	۴	-	Ξ	700MB			-		• •	-=			-	-	Mr bu DEE		15
27 28	260718Z 261023Z	14.4N 155.3E 14.9N 154.1E	4	15	10 10	700M8 700MB	65 40	150	981 972	289 285	14	13	CIRC		20	-	WU PR DEF		15
29	2612302	15.2N 153.6E	ė	-	••	700MB	51	-	7/2	203	13	14	-		_	-	WC PH DEF		13
30	2615322	15.7N 151.9E	₽	5	2	700MB	4ô	-	967	279	17	15	CINC		10	-	WL FHMG A	LLuS	14
31 32	5651007 5650305	16.1N 150.9E 16.1N 150.6E	₽.	5	;	700MB 700MB	70	65	961	277		.=				=	1 mio x		
33	2703182	17.UN 148.4E	į.	10	10	7 aumB	65	55	901 948		16 19		CIRC		30 15	7 5	WELL DEF		14
34	2705452	17.5N 147.9E	P			700MB		72	943	264	12	+=	CINC		13	-	with per		
35 36	271025Z 271220Z	17.9N 146.9E	P	5	5	TOUMB	85	-	94 U	257	16		CIRC		10	2	LESD WC		16
37	2712002	18.4N 146.3E	- 4	-	2	700MB 700MB	75		-	283	16	16	CIHC			•			
38	2721102	19.9N 144.5E	P	2 5	5	700MB	70	120	434	256	18		CIHC		12	8	にしかり その		16 17
39	2723002	20.3N 144.JE	٩	=	=	ZUUMB	=	-	-		-	-	-		-	-	0200 #0		-
40	2814125 5801305	22.1N 143.5E		5	5	70UMB	85	60	· ·	262	17		CIRC		20	-	NATH M SE		18
42	2826302	25.30 143.1E 25.50 143.6E	ē	-	10	TUUMB	40	Ξ	9 51	568	51	=	CINC		+ 0	:	●C PH DEF		19
43	5851005	25./N 143.3E	. P.	5.	10	PHOUS	35	80	452	268	21	18	CIRC		40	-	ME PH DEF		19
44	29045UZ	29.5N 145.5E	SAT		.0/5.0	0/W1.0/				-			-		•		ESSA 4		
45	<u> </u>	38:54 No:8E	P	5	zō	TUOME	75	60	964	279	14	13	=	2 . :	=	=		on the Table of	- 0
47	2908042	31.2N 146.2E	۲	-	-	TOOME		-	-	-	-	_	-		-	-	MO IN CAT	M-COM MD F M	0 ء
48	24090UŽ	31.7N 146.5E	P	3	5	COMP	50	•	404	₹ēυ	14	16	-		-	-	KŅK PKES	NIL	

TYPHOON PAMELA FIX PUSITIONS FOR CYCLONE NU. 29 30 NOV - 8 NOV

FIX	î [Mt	PuSIT	FIX ACCRY FLT	FL1 LVL WND	OBS SFC	MIN DB2	MIN 70 JMB Hol	FLI LYL TI/TO	EYE FORM	URIEN-	EYE DIA	THKN WALL LLD	FOSIT UF /REMARKS RADAR	
i	300347Z 310450Z	10.50 159.5E 14.50 153.5E	SAT T1.0/1.0/D0.5 SAT T2.5/2.5/D1.0	/24HRS			••			•			£55A 9 £55A 9	
 4	0103492	18.00 150.0E 12.90 130.0E	SAT T2.0/2.5/W0.5	724HRS ◆8	70	1004	308	13 11	-		-	-	ESSA 9 CALM SEC CNTR 40A65NM	02
5	0400492 0410252	12.5N 129.5E 13.0N 128.0E	SAT T2.5/2.5/D1.0	/24HRS					-		-	-	£55A 9	
7	U41300Z U41300Z	12.76 127.7E 12.76 127.8E	AC R = AC H =						:	::	-	-		
ý	U41450Z	13.0N 127.0E	ACR -						-	<u> </u>	_	-		
10	041900Z 042300Z	12.5N 125.0E	ÁC H =						-		•	-	13.04 125-0c	
12	0423002 0501202	12.5N 125.0E 11.0N 124.1E	AC R -						-		•	_	13.0N 125.0E	
14 15	U502282 U50430Z	11.9N 124.7E 12.3N 123.2E	SAT T4.0/4.0/D1.5		-	-		-17	-			-	ROR PRES POUR	03
16	050013Z	12.0N 123.0E 12.3N 122.5E	AC H -						-		:	-		
le	050900Z 05090UZ	15.40 155.30	AC R - LRUR -						-		-	-		
20	050900Z	15.90 155.1F	LRUR -						-		-	-	13-eu 154-5E	
57	051030Z	12.3m 122.2E 12.5m 122.1E	AC K - LRUK -						=		-	=	13.6N 124.2E	
23 24	051200Z	12.0N 121.7E 12.7N 121.4E	LKUK - LKUK -						=	= =	-	Ξ	13+9N 121-1E	
25 20	0512152 0513002	12.70 121.4E 13.00 121.3E	AC H - LKDR -						=		-	-	13.9N 121.1E	
21	051300Z 051400Z	12.8N 121.4E	LKUK -						:		:	-	13.9N 121.3E	
37	051610Z	13:8% 149:4E	P 5 10 500ME	60 50	=	989 985	:	-5 -4 -6 -6	CIRC		12	:	WC CLSD	04
35 31	0518107	13.0N 119.8E 13.5N 120.0E	ACH -						-	. : :	:	=	∍ř CCSD	94
33	0251007	13.10 118.6£	P 1 3 700ME	55	-	984	295	12 9	CIHC		15	5	MC OPEN N SEMIC	05
3+ 35	052300Z	13.2n 118.6t	SRUR - 700ME	_	_	, .	_		-		-	-		
36 37	052345Z 0600032	13.00 118.9E	AC H - P 1 5 700ME		60	-	296	15 12	CIRC		20	-	MC OPEN S	05
36	U6U2052	13.20 118.1E	SAT T5.0/5.0PLUS/	DO.5/24	HRS	987		18 11	CIRC		30	_	ĖŠSA 8 (RUUN)	
39 40	060300Z	13.40 117.3E 13.00 120.1E	P 5 5 700M8		65	701	295	10 11	0140		3.	-	ESSA 8 (ROUM)	
41 42	060310Z 060400Z	11.8N 119.4E 13.0N 120.0E	SAI STG X DIA	9 Cal	1 3.0				-		•	-	TANK B (MODUL	
د 4	060500Z	13.50 119.6E	P 5 2 700ME	65	65	980	251	17 14	CIRC		20	=	WC CLSO	96
45	000000	13.80 116.8E	AC H -						:		:	-		
41	0606502 0608002	13.20 116.2E	SAT T4.5/4.5/D0.5	/24HRS					_		-	_	F224 9	
49	0003725	14.0N 116.2E	AC H = 700HE		65	970	284	16 10	CIRC		25	-	MC CLUB	07
50 51 52	0610052 0610452 0611452	13.8% 115.8£ 14.0% 116.0£ 14.0% 115.4£	ACR -	•	05	710	204	10 10			=:	-	WC CLSD	٧٠.
53	1212190	14.IN 115.7E	P 3 10 709ME		-	968	283	16 9	CIRC		25	•	MELL DEF HUN-ENE SEMIC	97
5+ 55	0013007	13.5N 116.6E 13.5N 116.6E 14.4N 115.4E	5808 - 5806 -						-	-:	-	-		
50 57	061420Ž 061515Z	14.4N 115.1L	P 3 10 700ME		-	965	280	16 13	ELIP	N-5	25x2u	-	MC OPEN WSW SEMIC	07
58 59	061615Z 061653Z	14.5N 115.1E	AC H - 700ME	88	_	964	277	18 17	CIRC		20	5	WC OPEN W	08
60 61	0651307 065050 <u>5</u>	14.7N 114.5E 14.9N 114.4E 14.9N 114.0E	AC R - 700ME		_	958	274	20 17	CIRC		25	10	NC OPEN W	08
62	0700202	15.0N 115.5E	AC H -		100	952	269	20 19	CIAC	• •	30	7	NC OPEN S	89
64	0700352 07010U∠	15.3N 113.4E	5HUH -	80	100	752	209	20 19	CIRC		-	-		
65	070200∠ 0702552	15.5N 113.2E 13.5N 113.5E	SAI STG X DIA		T 3.0				•		•	-	ESSA 8 (RUDN)	
67 66	070300Z 070300Z	14.9N 113.2L 15.6N 113.0L	SAN STG X DIA	5 CA	1 4.0				-		-	-	ÉDOK 8 (MODIL)	
69 70	0/0400Z 0/0425Z	15.7N 112.9E	P 80 00 700ME	90	7υ	948	265	20 16	CINC		23	5	MC SML. OPEN S	09
71 72	0704302 0705002	14.00 113.0E	AC H - SHUH -				_		:		-	-	_	
13 74	1400007 7219010	14.8N 112.6E	SROR - AC H -						:		-	-		
75	0/06452	14.00 112.5E	E 00 00 Yount	105	75	442	260	19 11	CIHC		23	5	WE CLSD	09
77	0707002	14.10 112.2E	SAT TS.5/5.5/D1.0	/24HRS					-		_	_	ESSA 9	
76 79	0/09862	16.20 112.1E	AC H -						-		-	5 5		
R1 Pr	0/09002	14.30 112.14 14.40 111.9E	5KDX - 5KDX -						-		-	-		
82	0/09002	14.30 112.15	SKUK -						-		-	-		
83	0/10002	14:50 111:7E	SKUR -						=	==	-	Ξ		
80	0/12/5/ 0/12/5/	16.80 111.6t.							CIRC		20	:	15.4N 111.8E	
8/ 80	0112005 7005170	17.10 111.3E	SHUR - AC R 5 5						CIRC		30	š	16.5N 110.8E	
87 90	0122301	17.5% 110.6E	AC H I BU						CIRC		25	-	16.5N 110.8 _E 16.4N 110 <u>.</u> 4E	
47	0806577	17.56 112.0E	SAT T4.5/5.5/W1.)/24HRS									ESSA 8 (VÎDU)	
													• = · · ·	

TYPHOON RUBY FIX POSITIONS FOR CYCLONE NO. 30 11 NOV - 19 NOV

				FLT	065	OB2	MIN	FLT				HKN	+usi1	
FIX	TIME	0	FIX ACCRY FLT	LVL	SFC	MIN	70088	LYL	EYE	ORIEN-		WALL	OF /REMARKS	
NO.	1102027	PuSIT	CA! NAV-ME! LVL SAT T1.0/1.0/D0.5	WND /24DDC	AND	SLP	н <u>ё</u> Т	TI/IO	FORM	TATION	DIA	CLD	HACAH	
ş	1302092	6.0N 175.0W 9.5N 177.0W	SAT T1.5/2.5MINUS										ESSA 9 LSSA 9	
3	140-06Z	12.0N 178.5W	SAT T3.5/3.5/D2.0				-00						ESSA 9	
•	1404432	11.9N 179.6W	P 10 3 700MB	58	70	-	293	17 13	CIAC		30	5	SAL OPENING IN WC NW	61
5	140641Z 150111Z	11.9N 179.7E	P 10 5 700MH SAT T4.0/4.0/D0.5/	50 (24HRS	60	-	294	19 15	CIHC		25	-	CLSU BC ESSA 9	61
7	1502112	14.0N 177.0E	SAT T4.5/4.5/D1.5		(NESS)							ESSA 9 (NESS)	
8	1506422	13.6N 174.9E	AC H -						-		-	-		
9	151352Z 151601Z	14.3N 174.1E	P 20 20 700HB	8g 6g	-	-	257	20 11	-		-	•	NEG DEF	63
10	1523152	14.4N 173.8E 14.5N 172.3E	P 2 2 700MB	110	100	944	262	21 11	CIRC		20	-	CLSD #C	03
12	1651382	14.7N 171.9E	5 4 5 50VMB	110	100	774	202	21 11	CIMC		20	Ξ	CESD WC	U4
13	160304Z	14.7N 171.5E	SAT T5.0/5.0/D1.0	24HRS	ornan)								E354 9	
14	160310Z	14.5N 171.3E	SAT T4.5/4.5/S0/2		(NESS)	-	242	2 12	4		2		ESSA 9 (NESS)	
15 16	160400Z 16060UZ	14.8N 171.7E 15.0N 171.6E	P 2 2 700MB	Ξ	130	945	262	20 12	CIRC		50	15	MC UPEN SE WUAD	05
17	1609002	15.3N 171.0E	P 2 5 TOUMB	-	_	-	270	20 12	CTRC		20	12	WC OPEN F-SE	u5
18	1015572	15.5N 170.0E	P 20 10 (UUMB	-	-	401	217	21 18	CIRC		20	_	#Ŭ ⊬H DFF	v6
28	1621357	15:00 104.2E	P 2 2 700MB	100	130	Ξ	294	51 10	CIFC		30	=	WE OPEN S SERIC	47
21	1703302	16.10 168.0E	P 2 5 700MB	80	65	986	298	20 13	-		-	-	C USPIC NE-S-NW	u 7
22	1704082	15.8N 167.9E	SAT T5.0/5.0/S0/2				•						E55A 9	
23 24	170409Z 170650Z	16.00 168.01 16.10 167.0E	SAT T4.0/4.5/W0.5	/24HRS	(NESS)	994	343	22 20	_		_	_	E55# 9 (NE55)	
25	1709302			55	_	-	345	19 11			_	_	STE CATA FIL SC STE CATA FIL SE	80 80
26	1715322	16.1N 106.5E 16.2N 105.1E	P 10 15 700MB	40	-	994	304	15 11	_		-	_	APHNI WE HEHAINS NE	49
27	172244Z	15.8N 163.3E	SAT T3.0/4.0/W1.0/	24HRS	(NESS) ·		•					E35A 9 (NES3)	•,
28	1722442	15.5N 163.5E	SAT T3.0/S.0/W2.0					_						
29 30	180430Z 180933Z	15.4N 161.9E 15.3N 161.1E	P 3 2 700MB	25 20	30	1002	1 ا ا د 14 ق	15 - 16 13	-		Ξ	-	APRRI CATE DONA LIA	10
31	181503Z	15.4N 160.0L	P 3 1 700mb		_	999	309	10 13	_		_	_	STC CNTH 400M ULA	12
žž	1821742	16.00 161.0L	SAT T3.0/3.0/W0/24			•••	2,7		_				NAM 2	•
33	1821442	15.8N 158.7E	SAT T3.0/3.07W0/24		(NESS)		200						NUAR 2 (NESS)	
34	1903152	16.1N 157.9E	P 15 1 700MB	18 24	20	985 989	299 302		-		-	-	PIX MADE AT SEC CREE	13
35	190740Z	16.2N 156.3E	P 10 1 700MB	24	25	769	302		-		-	-	HAUF HI SIC CHIN	
			•											

1 NEC - 8 DEC 17FHOUN SALLY

FIX NO.	DIOIDRY INF	P0511	CHI MAY-WET	FLT FLT LYL LYL WHU	##D 24.0 082	085 085	Hōj Juomp Win	FLT L¥L 11/10	EYE FORM	JAITON OKTEN-		I _M KN WALL CLO	FOSIT OF /REMARKS HACAH	
ž	0101102	7.00 110.5E	SAT T3.0/3.0/ SAT T3.5/3.5/	S0/24HRS	(NESS)								NUAA 2	
3	010150Z	7.1n llu.jt 6.5n lu8.0£	P 10 5 7	00MB 55	65	989 984	301	18 10	CIRC		5	10	MU OPEN NE	04
5	0112302	6.6N 107.1E	P 15 10 7	DUMB 70	55	707 986	299 298	16 y	CIRC		25	3	MC DEEN NW	U5
6	011560 <u>7</u> 020144 <u>7</u>	6.80 107.4E		05 BH00	-	905	297	Ĭ6 10	CIRC		50 52	10	UESD WC WG OPEN N	υ5 05
b	0202032	7.1n 106.gE 7.0n 106.3E	SAT T4.0/4.0/1	01.0/24HRS	(NESS)	968	301	16 12	CINC		25	3	UPEN N HALF	v6
1 v	0202052	7.0N 105.5E	SAT T4.0/4.0/1	01.0/24HRS	• •								S AAUN	
11	020240Z	7.5N 105.5E		DUMB 55	90	990	343	16 12	CIHC		25	3	MC OPEN N SEMIC	u 6
13	0205152	7.2N 105.1E		UMB 85	75	767	303	15 10	CIRC		52	-	AC UPEN N SEMIC	v6
14	ú21235Ž	7.9N 104.8E		JUMB 45	45	999	310	16 15	CIM		15	Ξ	W AND S VRY PH DEF	07
15	0215152 0218002	9.2N 104.4E 7.9N 103.8E		00MH 50	=	773 787	302 298	16 10	cc			3	ME WE-SM	07 07
17	0222302	A.Un 103.0E	1 1 1 1 1 1	- BMV	_	767	300		CIRC		15	-	CLSU WC	07
	0300302			0 MB 70	75	987	JUZ	78 15	o I Ko		53	=	#L OPER E SEC CNTH CIRC 20AM	08
19 20	030258Z 030300Z	9.UN 102.5E	SAT T4.5/4.5/1 P 5 2 70	JU.5/25HKS IOMB 6u	85	990	305	18 -	_		_		MUAA 2	••
21 22	0303142	8.0N 103.0E	SAI 516 C				•	-				-	SEC CATH CINC 20MM ESSA 8 (VIBU)	Vн
23	0309202	A.BN 102.1E		094R TS	95 50	990 989	1 V E E V E	15 -	-		-	-	STE CATE CIRC 25KM	u9
24	0312052	8.84 101.4E		IUMB 35	20	990	305	14 - 18 15	CIHC		20 20	:	SEC CUIE CINC SPVW	ú9
25 26	031030Z 0318452	9.IN 101.4E 9.4N 101.4E		INNE 55	-	-	347	15 11	-		-	-	NEO WC	10
27	0310425	9.4N 101.4E		IVMB 50	-	995 992	305 304	15 12 16 10	-		-	-	NEG WC	10
26	0400002	9.6N 101.3E		10MB 45	5v	998	304	14 10	-		Ξ	Ξ	NEG MC	10
29 3ú	0401572	9.UN 101.0E	SAT T4.0/4.0/5	0/24HRS	(NESS)							_	NEG WC	10
31	0409102	10.10 100.5E		0 MM 35	50	995	الأواد	10 -	-		-	-	SEC CHIE BONM UTA	11
32	0414152	9.5H 100.BE		0 MB 35	50 -	776	306	17 -	_		-	-	SEC CUTH 8 - MEG MC	11
33	0415052	9.8N Y8.9E	P 2 2 50	0 MB ∠5	-	-	-	-13	-		_	-	NEU WC	15
34	0412107	10.0H 49.8E		0 MB ∠0	-	-	-	-23	-		-	-	FL WND CNIK ADM DIA	12
35 36	050200 <u>2</u> 0502532	9.9N 99.0E	F 1 10 70	0MB 40	-	-	-	15 à	-		-	-	UVC AS IN CITIE	13
37	ひちひょうひと	9.40 Yhagh	P 1 Lu 70	10Mb ∠u	/ U	_	-	12 4	_		_	_	NUA 2	
38	0503522	11.5N 97.9E	SAT STG X	IA 2 ČA				,	_		_	-	UVL AS IN CHÌK	13
39 40	0506502 0604452	10.0N 98.5E	F 1 15 78	กผล วถ)0พล รล	45 15	1009	5 آ د	15 15	•		-	-	UVC AS IN CHIK	13
23	0702492	10.5N 95.0E	SAT T2.0/2.0/I	0.5/25HRS		,	•		-		-	-	BRKN AS IN CHIR	14
				UMB 20	20	-	ببلد	8 12	-		•	-	OAC 42 VBA	15
44	0801462 0801482	13.3N 95.0E	SAT T2.5/3.0/W SAT T3.0/3.0/Y	0.5/24HRS	(NESS)								HUAA 2	
	_			, 201110									NUAA 2	

1454000 IHPHEPF

Fix POSITIONS FOR CYCLONE NO. 32

											_						
F1A			FIX AC	Chy	FLT	FLT LVL	UBS SFC	WTV OR2	700MB	+ L		EYE	UHIEN-	FYE	MALL	FUSII UF /REMARKS	
₩U	300v137	PO511 6.0N 145.0L	CAT NAV	-MEI	LVL 0/D1.0/	MINU	WIND	SLP	HC I	11/		FCRM	LATIUN		CLU	HALAK	
2	3023132	6.5N 138.5L			0/50/24											S AAUN S AAUN	
4	0500085 0155547	7.30 134.0E 7.00 134.0E	SAT T3	5,0/3.	0/D1.0/	24HRS	7υ (NES	5) (8	305	13	11	CIHC		50	•	HURA 2 (NESS)	
9	020009 <u>/</u> 0202342	7.0N 133.0E 7.3N 133.3E		2.0/2. 2		SHRS +u	75	991	JV5	15	13			_	-	NUAA 2 WNU CIKC 204M DIA	u 1
7 8	U301152	9.0N 128.0E		10	/UUMB 0/D2.0/	05 25HRS	65	445	302	16		CIKC		40	10	#C PR DEF	n5
10	030105Z 030210Z	7.5N 127.5E	SAT T4	5/4.	5/D1.5/	24HRS	(NES	5S)								MUAA 2 (NESS)	
11	030407Z	9.0N 140.3E			500MB 5/S0/24			<u>-</u>	-	-	-	_		-	_	MNU CN]2 4044 ÚIA	٥5
13	040000Z 040003Z	12.00 122.0E 12.00 121.5E 10.30 122.1E	SAT T3	.5/4.	5/S0/24 0/W0.5/	HRS 23HRS	(NES									HUAA 2 (NESS)	٧.
14 15	040100Z 040210Z	10.3N 122.1E	P 5 SAT TS	30 0/6	OU UMB OMINUS/	20 W10//	- RHDC	1006	-	6	Þ	-		-	-	MNU CNTH 201M UI,	
16	0403202	10.4N 121.7E	r 5	10	PONMA	"10"	35	•	-	7	7	-		-	-	#MD CNIF SOMM UIF	4
iέ	0404152 0406002	10.3m 121.3E 10.7m 121.1E	ħ 10	10	PUNNE	45	=	1004	Ξ	6	5	-	::	-	-	WND CNTS lunm als	
19 20	0412102	11:40 128:8E	\$ 3	15	600MB	0 ک 0 ک	Ξ	=	Ξ	3	19	CIHC		30	Ξ	NEU WC	04 05
22	041830Z 042210Z	11.80 120.4E 12.30 119.6E	P 5 LKVK	15	600MB	33	-	-	-	-	-	CIRC		25	:	FEON WE AK NET	05 05
23 24	050010Z	12.30 119.8E		٩Ė۶	7,00MB 5/D1.0/	24HRS	45	997	304	14	14	CIKC		2u	-	WE NW GUAD	u6
25	0501597	13.0N 119.6E	SA] SI				2.0									FORM S (AIRM)	
26 27	050245Z 050300Z	12.3N 119.5E	AC K	3	/ UUMB	40	5 5	787	274	15	15	CIRC		10	-		
28 28	050600Z 050922Z	12.3n 119.3t 12.4n 119.3E 12.4n 119.3E	P 5	3 3	700MB 700MB	25 40	J Š	988 988	259	15 18 14		CIHC		30	-	ETTE OF DEVELO HE ALE	
30	0510302	12.5N 119.3E	į - <u>-</u>	-	700MB	-	-	-	296	•	-	-		15	6	₩Ľ UPEN N-SE	07
32 32	U512102 U514302	12.4n 119.3E 12.4n 119.1E	P 3	3	700MB	- 60	-	780	550	14	=	CCNC	,	10	15		
33 34	051530Z 051700Z	12.4N 119.1E	ř 3	3	700MB	Þ.	=	480	556	13	11	ELIP	V-7	35765	10-35 0	UTER WC OPEN NE INNER BARELY	DEF 07
35 36	052130Z	12.4N 119.0E 12.4N 118.9E	P 3	3	700MB	75 80	-	8BT	292	15 15	10	CIRC		30	8	LLSD MC	07
37 38	060030Z	12.4N 118.7E 12.5N 118.5E	7 5	5	700 Mb	-	-	-	-	-	-	CIRC		25	-	CESO MC	บ8 บช
39	0604302	11.0N LLH.RE	AC H	5	700Mb		100	-	-	-	•	CIRC		43	-	CT2D MC	68
40 41	0009107	12.6N 118.4E	P 5 AC H	5 -	700 HB	65	100	-	-	-	•	ELIP	N-5	24X20	-	CESD MC	08
42 43	0609102 061015Z 06120UZ	12.70 118.1E	иС н Р 5 'Р 5	3	OUMB	75 50	-	463	278	10		CIHC		30	5	ML OPEN SE	U9
44	0013105	12.60 118.0E	AC K	2	(O O MR	50	•	_	561	16	13	CIEC		30	=	MC S SENIC	49
45	8814882	13:42 113:8E	AÇ K	10	(DOME	75	-	צסל	543	15	ij	CIRC		40	:	FAIR MC MM PEWIC	u9
47 48	0018407	13:78 11/:5E	AC K	10	7 UUMd	75	-	707	545	15	13	CIRC		40	=	MC FRMG ALUUS	60
49 50	U620452 U6214UZ	12.8N 117.3E	AC H	-								CIRC		40	-		
51 52	0621452 0623192	12.5N 117.2L 12.9N 117.1E	P 2	2	TOVAU TOVAU	75	-	967	280	17	13	CIRC	_	40	-	LLSD MC	10
53	0700302 0701002	13.4N 114.0E	AC H	-					· · ·	-				-	-		
54 55	0/01222 0/012302	12.80 117.0£ 13.00 110.8E 13.50 117.0E	P -	5 -	700MB	80	100	461	276	20 .	15	CIRC		40	10	LLSD WC	10
56 57	07u338z		AC H	U UNK								CTHC		30	_	ESSA 8 (AIDN)	
56	0703502	13.UN 117.GE 13.LN 116.7E		-	7	Вu	140	45.4	471	21	• •	CIRC		35			
50	070355Z	13:00 116:3E	F 18	5	COMP	ម័ព្	100	353	521	31	tš	SHES		30 30	10	CESO MC	10 10
95 61	0706502 0709202	13.3N 116.1E	AC H	Ξ								Ξ	= =	:	:		
63 64	U710522 0711402	13.3N 116.1E	AC H	3	\00MR	80	-	744	262	22	11	CIMC		30	ļū	CLSD WC	11
65 66	D712002 U712002	13.3N 115.VE	AC R	3	700Mb	-	-	244	563	55	-	CIRC		30 35	10	CESO MC	11
67 68	8715282	13:50 115:4E	⁵ нок 3	3	YOUMB	75		95 5	272	اے	16	CIRC		30	5		
96		13:50 113:3E	SHUR	-	,004			733	-;-		•0	-		-	-	CLSD MC	15
71	071850Z	13.7N 115.2E	P 18	10	JOOME	190	-	957 960	273 274	20	16	CIRC		25	-	1) No. 40	1.3
73		13.7N 115.2E	P 5	5 .t	LOOWR	70 110	65	760 760	274 275	20		CIHC		25 30	5	CESD MC	15
74 75	0800 <u>3</u> 02	13.9N 114.9E	AC H SAT T6	0.74		-		, •••	-:5		.,	- THE		-	-	CLSD WC	15
76	u80230Z	14.UN 114.5E	AC K	-	3M1NU3/	HU. 3/2	41113					-		-	-	NUAA 2	
77 78	0803152 0803302	13.9N 114.3E 13.9N 114.4E	SA! S10	UNK 5	TOUMB	105	100	757	274	21	14	CIRC		25	5	CESO #C	13
79 80	0805142 0807002	14.0N 114.3E 13.9N 114.2E	P =	5	700MB 700MB	100	100	- 754	271	22	-	CIRC		30	5		13
87	0808052 0809302	13.9N 114.1E 13.9N 114.0E	7 5	5	700MB 700MB	100	100	960	276	21	-	-		25	-	CLSD WC	
83	080950Z	13.9N 113.9E 13.9N 113.8E	SHUK	-				,00	-;•		• •	CIRC		-	5	CF20 %C	13
84 85	0810222 0811352 0812002	13.9N 113.8E 13.9N 113.7E 13.9N 113.9E	P -	5	TOUMB (UUMB	100	-	- 965	239	19	14	CIRC		25	. -	CLSD WC	13
86 87	08120UŽ 0812552	13.9N 113.9E	SRUH	-	,				•			-		-	-	2-30 MC	1.3
86 89	0813602 0813352	13.4N 113.8E	SRUH	-								-		-	-		
90	081400Z	13.9N 113.6E	ŞKUK	Ξ								=	= =	=	=		
91	081600Z	13:50 113:4E	SHUK	Ξ								:	::	Ξ	:		
93 94	0816252	14:00 113:3E	AC K 2	5	7uvmb	70	-	470	565	15	10	CIHC		55	ᄩ	CESD MC	14

TYPHOUN THERESE FIX POSITIONS FOR CYCLUME NO. 32 30 NOV - 10 DEC

					FLI	UBS	UHS	MAN	FLT				EHKN	FUSIT	
FIX NO.	IIML		FIX ACCRY	FLT	LVL	SFC	MIN	70VMB	LVL	EYE	OKIEN-		MALL	UF /REMARKS	
95	ng 18212	11:3% 113:3E	CAT NAV-MET	LUONA FAF	WNL 70	MND	SLP	₩.T.	T1/T0 13 9	FORM	TATION	25 25	CL0	HACAH CLSD WC	14
97	0820002		SKUK =							-		-	-		• •
98	0951005	13.50 112.8E	P 2 5	700MB	86	-	971	282	13 10	CIRC		25	10	CLSD WC	14
100	7522280	13.8N 112.6E	AÚ H -							Ξ	: :	=	:	··· •	•
101	0400462 0400482	14.UN 112.UE 14.UN 111.8E	SAT T5.5/6. SAT T6.0/6.			(NE	SS)							NUAA 2 (NESS)	
103	0903302	13.8n 112.1E	SAL SIG UNK											F224 A (AJRA)	
104 105	υ γυ5 00∠ 0γ0600Ζ	14.UN 111.6E	5кик — 5кик —							-		-	-	,,	
106	U5U652Ž	14.UN 111.3E	P 1 4	700MB	80	100	962	276	18 -	CIHC		30	8	CLSD WC	15
107 106	090700Z 090800Z	14.UN 111.4E 13.9N 111.3E	5HUH - 5HUH -							=	::	=	=		
109 110	0909002	14.UN 111.3E	SHUK -							-		-	-		
111	0410007	14.2N 111.5E	ACH +							-		-	-		
112	0411005	14.00 110.8E	ŞRDK -							-		-	-		
113	0215197 021500X	13:30 118:36	P 5 5	70UNB	90		971	284	21 15	CIRC		30	Ξ	LLSD WC PR DEF	16
115	0913002 0913052	14.0N 110.6E	AC H -							CIRC		30	:		
117	0913392	13.9N 110.5E	P	70UMB	-	-	-	· -		-	::	-	-		
118	091400 <u>7</u> 0914352	14.1N 110.5E	5KUK -							-		-	-		
120	0715002	14.1N 110.2E	Sкин -	3	14.1		975	287	20 15	-		-	-	WE	
157	0.41000T	14.00 110.3E	F 5 5	ZOOMB	100	-	713	201	20 15	=	::	-	Ξ	MC NOT DEF	16
123	0917002	14.10 109.1E	SKUK -							=		:	-		
145	0918002	14.11 109.9E	P 5 5	70 VMB	65	-	485	288	20 15	-		•		■L NOT DEF	16
126 127	0.450007	14.2N 109.8E	SRV4 -							-		_	_		
126	092000Z	14.3N 104.3E	SKUK -							-		-	-		
139	0455007 0451007	14.2N 109.3E 14.3N 109.1E	5KUH - 5KUH -							Ξ		=	-		
131	0922252	14.1m 109.2E	P 1 5	70UMB	70	-	-	292	15 10	CIRC		25	10	UPEN TO N	17
132		14.4N 108.9E	5KUH - 5KÚK -							-		-	-		
134	1001432	14.8N 108.3E	SAT T5.0/6.	0/W1.0	/24HRS									NUAA 2	

CHAPTER V - SUMMARY OF FORECAST VERIFICATION DATA

1. COMPARISON OF OBJECTIVE TECHNIQUES

a. GENERAL:

Verification of objective fore-casting techniques has been continuous since 1967, although year-to-year modifications and improvements have prevented any long period comparisons of more than a few of the techniques. None of the objective forecasts used now go beyond the simple steering cocept of a point vortex in a smoothed flow field with adjustments based on past movement. Intensification and its important relationship to movement are excluded in all objective forecasts.

- b. DISCUSSION OF OBJECTIVE TECHNIQUES:
- (1) EXTRAPOLATION Past 12-hour movement is extrapolated to 24 and 48 hours.
- (2) ARAKAWA (1963) Grid overlay values of surface pressure are entered into regression equations. Previously hand computed, computations were computerized during the latter half of the 1972 season.
- (3) HATRACK 700 mb, 500 mb (Hardie, 1967) Point vortex advected on the 700-mb and 500-mb analysis or prognostic SR (space mean) field in six-hour time steps out through 84 hours (without bias correction).
- (4) MOHATT 700/500 A modification to HATRACK. It computes the previous 12-hour forecast error and applies a bias correction to forecasted positions.
- (5) TYRACK Tropical cyclone movement forecast on FLEWEACEN Pearl tropical fields (Herbert, 1968). This technique was lost on 23 September 1972 when the FLEWEACEN Pearl tropical fields were replaced by FLENUMWEACEN Monterey's global band upper air (GBUA) progs.

- (6) TSGLOB Modification of the basic TYRACK to use the FNWC Monterey GBUA progs. Further modifications by the JTWC provided forecasts out to 72 hours. Due to the similarity between the two programs, TYRACK and TSGLOB results have been combined under TSGLOB.
- (7) TYFOON-72 Modified version of the basic TYFOON program (Jarrell and Somervell, 1970). The program outputs forecast positions as the centers of probability ellipses out to 72 hours based on a group of analog storms which occurred within a time/space envelope centered about the date and position of the storm being forecast. Ellipses are based on the analog population weighted according to similarity to the existing storm.

c. TESTING AND RESULTS:

Table 5-1 presents a homogeneous comparison of all techniques used. The official JTWC forecast is included for comparison. The comparison reveals that the TYF00N-72 program was, on the average, superior to all existing techniques, yet inferior to the official JTWC forecasts. Research continues in an effort to improve the objective techniques used by the JTWC.

2. SUMMARY OF TROPICAL CYCLONE FORMATION ALERTS

The Tropical Cyclone Alert message, in its third year of use, provided JTWC with a means to adequately warn DOD activities of potentially dangerous tropical disturbances which normally had not reached the tropical depression stage.

During 1972 there were 41 tropical disturbances in the western North Pacific for which alerts were issued. The total number of alerts, including extensions was 72. Twelve alert systems were not subsequently placed in warning status. Twenty-eight of the 32 tropical cyclones placed in warning status during 1972 were initially covered by formation alerts.

SUMMARY

		. 01 LERT STEMS		WHI	CH B		E	NUI TRI	OTAL MBERI OPIC CLONI	ED AL		LOPMENT ATE
1970 1971 1972		32 48 41			18 33 29				27 · 37 32			56% 69% 71%
				MONTI	HLY :	DIST	RIBUT	ION				
J 1	F 0	M 0	A 0	М 1	J 4	J 8	A 5	S 9	0 8	N 3	D 2	

TABLE 5-1. 1972 OBJECTIVE TECHNIQUES VERIFICATION

									24	-HOL	JR										
	آذ	WC.	A1	HP	AH	Kw	н	451	н	54	#H	jн	HH	5 x	ļs	õя	TY	FN			
Jinu	11/	117																			
ХІнг	126	117	499 126	130								i	MBER OF	TEC	AXIS HNIQUE						
ARNA	123	121	115	125	Ť5À	3 30						C/	ASES	ER	ROR						
	130	15	134	•	136	v							AXIS		ROR	.					
H17r	61	117	54	144	au.	35R	ьi	264					INIQUE RROR		ERENCE -Y	٠					
	26*	148	260	146	268	140	264	·				<u> </u>		ــــــــــــــــــــــــــــــــــــــ		_					
יילוא	66	117	50	140	31	131	26	263	62	277						/					
	211	160	271	13/	100	164	210	7	277	b					/	/					
8676	1 è	104	<u> 1</u> +	110	1	90	9	301	10	603	10	50ē			- /						- 1
	ζÜĎ	97	320	74	\$2 T	123	دِه ز	-144	146	-97	200	v									
AH5~	20	115	11	140	0	114	14	304	13	284	14	STā	20	518	/						1
	210	103	200	65	301	186	117	-131	148	-76	221	ē	518	0	/						ı
1500	460	116	43v	124	114	134	5/	262	58	202	17	51÷	18	229	465	130					- 1
	130	52	134	у 1	161	22	1/1	-92	172	-110	155	-5ċ	152	-/8/	138	U					
TYF	424	118	343	130	İŧo	136	っち	260	55	273	lo	50ċ	19	518	395	100	423	160			
	126	10	121	-3	128	-10	154	-120	139	-133	134	-0/	150	-68	120	-11	128	Ú	 	 	

									48	-HOU	R								
	- Ji	#C	A I	HP	A	(KW	H	7 P	н	l Sr	M	17M	H	15#	15	ρĎΠ	F1	+N	
JTHL	₹ 4 2 401	245 0										<u></u>	'WC - C	PEFICI	AL ITH	ic sur	JECTIV	E FOREC	AST
ATHP	363 673	245 27	345 261	261								X T	RP - E	XTRAP	OLATIC)N		2 10.20	
AHKu	70	257	15	664	74	264									K 500				
	66U	3	244	-20	564	v									ED HAT				
eT/r	41	243	44	696	27	309	49	524							ED HAT		SOU ME		
• •	525	261	520		564		544								(WEIG		CLIMO)		
HIDY	40	249	44	305	21	33+	40	514	48	470		<u> </u>							
	497	250	491	194	581		486	-	498	; v									
мн7и	14		y		6	373		547		465	is	420							
EUIN	404	215 190		244	384	11		-140	80 +		440								
нсни	10	216		194	-	434		541	8		8	415	10	+03					
n,,an																			
	ڊ 40	145	407	215	-	-115		-165	+01	-64	378		403	0					
ไว้ชอ	33¢	539	334	264	7+	271	40	527	45	21+	11	40č	8	+37	376	307			
	103	70	といと	• •	381	110	عود	-176	Eat	-15]	323	دِه-	330	-107	307	u			
TYPH	د ٥٥	244	313	260	7.5	266	42	514	41	474	13	420	9	373	320	305	341	256	
	ووغ	14	255	-13	261	+6	207	-225	310	-184	271	-147	258	-116	255	-54	256	υ	

						72-H	OUR					 		
	٥Į١	wc .	1568	İYEN										
JTMC	ani Spå	381 0												
	51 441	376 66	50 41 414											
TYFN		355 35	26 -2	12 3 14	u U									
										_	_	 		

3. ANNUAL FORECAST VERIFICATION

Forecast positions for the 24-, 48-, and 72-hour forecasts are verified only as long as the best track analysis estimates winds in excess of 35 kt for tropical cyclones which reach typhoon intensity.

In addition to this method of verifying absolute error distance, a computation of closest distance to the best track (right angle error) has been included to indicate the demonstrated ability to forecast the path of motion without regard to speed.

The following tables and figures are presented to graphically depict the distribution of forecasting error in JTWC forecasts.

TABLE 5-2. JTWC ANNUAL AVERAGE FORECAST ERROR

	24 HR	48 HR	72 HR
1950-58	170		
1959	*117	*267	
1960	177	354	
1961	136	274	
1962	144	287	476
1963	127	246	374
1964	133	284	429
1965	151	303	418
1966	136	280	432
1967	125	276	414
1968	105	. 229	337
1969	111	237	349
1970	98	181	272
1971	99	203	308
1.972	116	245	382

*Forecast positions north of 35N were not verified.

MEAN VECTOR ERROR




FIGURE 5-1. Mean vector error.




FIGURE 5-2. Right angle error.

4. SUMMARY OF INDIVIDUAL TROPICAL STORM VERIFICATION

TABLE 5-3. 1972 JTWC ERROR SUMMARY

(Average errors are given in nautical miles)

		POSIT	WARNING RT ANGLE		FCST	24 HOUR		FCST	48 HOUE		TANK	72 HOUR	
	CYCLONE	ERROR	ERROR	WRNGS	ERROR	ERROR	CASES		ERROR	CASES	FCST ERROR	RT ANGLE ERROR	CASES
	TY KIT	29	18	15	114	76	11	218	172	5			-
	TD 02	85	72	5	207∻	207	1						
	TY LOLA	19	13	26	127	84	22	356	211	17	7842	461	7
	TS MAMIE	27	16	5	92 ·	52	1						
	TS NINA	44	2.3	3						<u>'</u>			
	TY ORA	21	16	19	107	61	15	241	96	8	404	128	4
	TY PHYLLIS	23	16	38	137	82	34	3311	204	27	524	327	23
	TY RITA	20	12	79	118	80	75	260	183	69	386	222	61
	TY SUSAN	40	28	29	148	108	2.5	216	186	13	416	399	2
٥.	TY TESS	27	18	64	114	68	60	237	139	47	346	208	43
١.	TS VIOLA	52	35	7	222	151	3						
2.	TS WINNIE	29	27	7	107	7.2	3						
3.	TY ALICE	23	14	26	116	48	22	224	78	17	397	132	11
4.	TY BETTY	15	10	35	87	66	31	179	147	24	296 -	236	20
6.	TY CORA	32	12	15	97	33	11	120~	46	6	178-	66	2
Š.	TS DORIS	25	12	12	118	99	8						
7.	TY ELSIE	16	ĩĩ	16	108	85	12	لا302	270	6			
8.	TY FLOSSIE	20	14	25	75-	44	21	99	72	ğ	125~	106	5
9.	TS GRACE	31	17	īĭ	165	96	ŝ						
ó.	TY HELEN	20	13	15	95 **	45	11	328 -	68	6	623-	118	2
ĭ.	TD 21	112	70	7	980	66	3						
Ž.	TY IDA Y	21	9	29	1562	68	25	353	121	18	634-	207	14
3.	II IDA		•			IFIC HUR			121	10	0342	207	14
4.	TS KATHY	38	19	19	1997	109	15	334	194	11	448	279	5
5.	TY LORNA	14	12	8	128	117	4					273	
6.	TY MARIE	22	15	27	122	60	23	255	109	16	289-	130	12
7.	TY NANCY	25	14	22	135	98	18	282	197	13	422	246	9
8.	TY OLGA	21	12	30	136	71	26	263	123	22	420	156	18
9.	TY PAMELA	27	15	18	121	86	14	161	104	10	155	48	6
ó.	TY RUBY	18	11	23	84 ~	45	19	161	112	15	279	194	11
i.	TY SALLY -	21	15	16	90~	42	12	178-	129	8	287-	250	4
2:	TY THERESE	16	10	36	89~	60	32	161-	84	25	252-	126	21
3.	TS VIOLET	36	23	30	83	53	26	193-	145	9	330	250	9
	FORECASTS	25	16	717	117	72	588	245	146	401	381	210	289
TYP	HOONS	22	14	601	116	70	519	245	145	377	382	207	272




FIGURE 5-3. 1972 average vector and right angle errors of 24-hr forecasts.

5. TROPICAL STORM AND DEPRESSION DATA

TOUPTICAL GEPRESSIUM 02

	000	NZ 31 HAN 10 0000	. Ul APR			
BEST THACK #4	HMING	ca HUUH FUKE	LAST	48 MOUR FORE(CAST 72 4	HOUR FUNECAST
POSIT WIND PUSIT	ERHORS WIND UST WING	PUSIT WIND	FHHUHS	FOSIŢ WIND	EMMORS UST WIND POSIT	ERRORS WIND DST WIND
3112002 4-80 159-16 30 4-90 158-86 3112002 4-20 159-96 30 4-50 158-76	30 JO U	5-8N 155-9E 50	247 30			
3110002 3.7N 159.0C 25 4.9N 158.9E				-,		
0100002 3.4N 159.1E 25 5.0N 159.0E 0100002 3.3N 158.3E 20 4.0N 156.0E	70 AP 2	,,	 0	::: :::::: ::		:: :: ::
	í	QUPICAL STURM MAR	I E			
		02 02 JUN 10 0000				
Mr. a. a. cada						
	EHKUK2 ONT 4H	24 HUBH FONE	ERRORS	48 MUUH FOREC	AST 72 F ERMURS	OUR FUNECASI
0200002 15.4N 111.1C 45 15.0N 110.5E	40 45 041 WILL	GATA TICON	UA4 # TZU 0 SP	FOST! WIND	UST WIND MCSIT	MINI 121 WIND
0212002 13.6N 109.9E 45 15.5N 109.7E 0212002 13.4N 109.0E 50 15.7N 109.0E				-;;		•
0300002 10.01 nf.6c 45 16.1N 108.JE	45 42 U					
0300002 15.5N 106.9E 40 16.5N 107.3E	Ju 23 -10		7	-,,	,+	·
	l,	OPTICAL STURM NIN	A			
	Ů u u	02 U4 JUK 10 1<004	04 JUN			
HÉGT IMAUK WA	HV TUQ	24 HUUR FORE	LAST	48 МООН ТОНЕС	GAST 72 a	OUR FURECAS!
	EHNUKS WIND DST WIND	POSIT WIND	ERHUHS UST # BAD	_	ERHURS: UST WIND MCSIT	ERRURS
0400002 10.30 153.55 45 10.00 153.55 0400002 10.50 154.45 40 10.00 154.05	+0 i8 -5					MIND DE MINE
0412002 11.2N 155.3E 40 10.2N 154.5E	30 76 -10					
	T	ROPICAL STORM VIC	LA			
	120	NZ 24 JUL 10 DUDUA	e6 Jul			
BEST TRACK #A	HHING	24 HUUH FORE	CAST	48 MUUN FOREC	A5T 72 I	OUR FURECAST
POSIT WIND PUSIT	CRUMJEU UNIB UNIBIEU UNIB	PUSIT WIND	ERRUMS USI WIND	FUSI! WIND	ERMURS UST WIND MCSIT	MIŅŲ DSĮ MIKŲ EMRORS
2412002 23.5N 160.6E 55 23.9N 159.8E 2418002 24.5N 162.1E 60 24.7N 160.1E	30 50 -25	27.2N 161.7E 50				
2500002 44.7n 163.3c b0 25.3n 103.8t 2500002 45.7n 164.9t 60 25.3n 104.0t	50 45 -10 60 39 0	30.4N 170.2E 40	103 -10	::: ::::: ::		
2512002 23-74 164-92 60 23-34 164-92 2512002 29-74 167-62 55 28-94 167-62						
2600002 31.9N 169.2E 50 32.4N 168.3E						
			0			
	1,	OPICAL STORM WIN	hit			
	140	7 31 JUL 10 00004	UZ AUG			
BEST IMAUN WAI	EKNORS ON LAN	24 MUUH FOHÇ	LAST ERRUHS	46 HOUR FOREC	AST 72 F	OUR FORECAS!
1112004 4.10 11704 11709 1128-11 128-11 128-11	UNIW TEU UNII	PUSIT #1NU 26./N 123.9E 40	124 -15	FOSIT WIND	UST WIND POSIT	MIND DET MINE
3110002 24.8N 125.5E 40 25.0N 125.5E	35 12 -5	58.00 118.9F 52	125 -35			
0100002 25.3N 124.0E 40 25.0N 124.4E 0100002 25.9N 122.7E 45 25.0N 122.4E	35 28 -5 35 17 -10	28.UN 116.0E 25	72 -20			
0114007 50.4W 151.6F 22 50.0W 151.0F	J5 40 -20					
0200000 41-34 114-45 45 21-34 119-DE		,		,		•
			1			
	_					
		OPICAL STUHM DUM OZ 25 AUG TO DUDUŁ				
- ,,	LRHURS	24 HUUN FORE	ÉRKGH5	45 MOUR FOREC	ERRURS	IOHR FUHECAS!
5200007 50.50 165.AF 52 50.50 165.AF	מאוש לב ה הדי	SR-JU JEA-AF 42		FOSIT WIND	UST WIND ROSIT	AINT OST MINE
2512002 27.8N 162.5E 30 27.8N 162.0E 2518002 27.8N 161.8E 30 27.8N 161.3E	30 56 N	30.8% 156.4E 45 31.3N 158.1E 45	102 5	-,,		·
2600002 20.00 161.1t 35 29.20 100.2E	4u 59 5	34.5N 158.1t 45	231 0	-,,		
2600001 29.3N 160.6t 40 29.7N 160.4t 2612001 30.1N 160.2t 40 30.1N 160.2t	45 26 5 50 0 10	34.4N 159.1E 40 33.1N 159.3E 40		-,,		
2618002 JU-BN 160-2E 40 30-7N 160-2E	50 6 1V	34.10 154.2E 40		-,,		
2700002 31.1N 160.3E 45 31.3N 160.2E 2700002 32.3N 160.5E 45 31.7N 160.3E	45 13 U 40 37 -5	35.4N 160.Jt 40				
2712002 33-1N 160-8E 50 32-8N 160-4E 2718002 33-9N 161-4C 55 33-9N 160-6E	45 27 -5	;;		-,;		
280000Z 34.6N 161./E 55 34.6N 161.IE		,				·
		•	3			

TROPICAL STORM GRACE

0600Z 12 SEP TO 1200Z 17 SEP

		_						060	oZ 12 :	SEP 10	1200Z	17 S	£Ρ										
	•	EST THA	ICK		WAR	in I ng		≀oas		24 HOUH	FORE				48 MOUR	FORE				72 HOUR	ŁÓŬĒ		
	POS	IT W	UNI	PO:	517 w	ΙNυ		AIND	Po	SIT	WIND		ioas B ia d	·F0	SIŢ	¥1ND	DST	ORS	Bo	SIT I	IND	DST	ORS WIMB
1206002	15.3N	125.BE	45	15-4N	125.7E	30		-15	15.9N	123.7E	50	61	-5										
121200Z 121800Z	12.54	125.5t	50		125.3E	30		-20	-	123.0E	-	83	10		,-								
			20	12.34	164.75	40	13	-10	12.54	122.9E	55	i53	10		,-				,-				
130000Z 130600Z	15.1N	124.45	45	15-34	124.4E 123.9E	45	12	ů	15.80	122.4E	60	415	20		,-								
1315007	14-98	124.425			124.4E	45 45	6	5	15.60	121.7E	60	344	20										***
1316002	14.9N	124.9E			123.9E	45	58	ű	,-	,-					;-						==		
1400002	18.60	126.Gr	4.0	14 . ON	125 65	30	4.3	-10		_					_								
1400002	14.3N	127.5L	40	13.8N	126.6E	30		-10 -10	,-						,-								
	-								-	_				•	=				- •	•			
1706002						30		-10							,-								
1712002	ičetk	152.15	35	10+5M	127.15	30	61	-5				~	-										
												2											
								Ŧ	POPICA	L DEPRE	SSION	21											
									-	-													
		_						000		SEP 10			iEP										
	E	EST THA	CK		WAR	NING	ERH	nes.		24 HÜÜR	Ę OKĒ		GAS		ея йоли	FORE	CAST			72 HOUR	FUKE	CASI	
	POS		1No	P05	i 1 i	1ND	_	WIND	Pos	SIT	wlwb		# BND	·FO:	C I T	QM1M	UST	URS	Đ.	C7T .		ERR	-
130000Z	À+ IN	160.3L	25	9+8N	159.YE	30	48	- 150	10.3N	156+8E		773	20			- 140	031	# TWD		SIT	IMD	ו בַּבּיִם	MIND
131200Z 131800Z	8.9N	159.5E	25	9.80	159.JE 158.5E	30	55	5	10.6N	156-1E	55	97	30							,-			
1310002	Ösbu	158 · B£	30	A• >14	130.35	30	68	٠	10.34	155•2Ł	55	124	30	,-	,-					,-			
1400002		157.7E	30	8 - BN	157.4E	30	19	U		,-				,-	,-				,-				
1406002 1412002	3. jn	156 . bt	25	8 - BN	158.1E	30	90 200	5		,-				,-									
1418002		154.BL	25		158.1E 158.1E	30 30	305	5					~~	,-					,-				
2.10002	-,-10	133.16	23	9.50			203	-				2		,-									
												4											
								•	-00164	e Tilou	-41	.											
										L STURM		-											
								000	0Z 01 1	DCT 10	14002	05 0	CT										
		EST THA	CK		HAH	AING				24 HOUR	_				48 MOUR	FORE	CAST			72 IHOUR	FUKE	CASI	
						-		ORS			-	ENR	ICHS			_	ERN	URS			•=	EŘR	ORS
0100002	POS	IT W	ıŢÑĎ		517 ∎ 155•7€	1ND 55	05T	WIND 5	PO:	SIT 152.2E	#1ND	05T 173	# END 30	PO	51 <u>7</u> 145.86	MIND 90	DST 181	WIND 35		SIT 2	IND		WIND 50
0100002	16.8N	154.3t	50	16.7N	154.5E	90	13	10		150.96		189	25		14/.6E		150	30		146.2E		306 262	
0112007			50	17.4N	153.0E	60	īš	Ĩŭ	19.6N	148.3E	ãů	ĕá	20	22.IN	144.45	95	ěį	15	24.4	145.0E	112	216	55 55
0118002	16+1N	151.95	45	18• ?N	151.9E	60	0	15	22.5N	147.9E	80	<u>)</u> 54	25	35 -6N	140.1F	85	345	5					
02 00002	20.1N	150.5L	45	19.7N	150.8E	60	29	15	24.2N	147.4E	80	238	25	2F - 7N	147.2E	80	559	20	34.34	153.9E	55 (1063)	-5
0200002	20.4N	148.3L	55	21 - IN	149.3E	60	70	- 5	26.2N	146.8E	70	343	10	3G.7N	148.85	60	7+1	ŏŭ			11,		
0215007 0215007	20.4N	147.1E	60	20 - 4N	146.3E 146.7E	6 U	45 22	9	20.4N	140.35	75 75	208 93	15 15	21.2N	136.1E 140.3E	80	138	20	53.14	132.9E	80	394	30
4210002	÷4.44	140.36	53	50. ju	14011	ΦU	22	•	20.4N	144.2E	73	*3	13	24.4N	140.3E	80	268	20					
0300002	∠V.5N	145.Bt	55	20.4N	145.7E	00	8	5	20.5N	143.2E	75	98	15	:20.6N	139.3E	80	394	20					
0305002 0312002	€0.7N	145.UL	60	20.5N	145.4E	50	25 50	-10	20.6N	144.8E	50	300 302	- k0	21.0N	14% . IE	55	497	5	,-				
0315005	₹0.8N	144.05				55		-05 -05		143-2L				3E.2N	143.16	60	316	7.0					
0210005	÷ à s OM	142.00	40 U	essin	144.1E	55	114	-,05	24.3N	143.1£	60	353	-00	,-	,-				,-	,			
0400002	40.9N	141.5E	60	20.BN	141.4E	55		-05	22.ZN	136.6E	55	246			,-					,-			
0406002					140.UE 138.5E	60	28 34	.00		138.1E		91											
041200Z 041800Z	23.5N	137.95			137.56	50	38	00	29.4N	139.16	50	118	-0										
	-								-	-				-	-				- •	-•-			
0500002	50+5N	135.5L~	-60	25.5N	135.26	60	45	0	,-	,-					,-								
0506002 0512002	26.5N	136.45	50	28.UN	136.1E	60 50	102	10	:-														
		-3,							-	- •		4			•		5			•-		2	
												,					3					2	
								1	ROPICA	L STURM	A10	LET											
								180		DEC TO			JEC										
	ŧ	EST IRA	CK		WAH	NING	504	IOR5		24 HUUH	LOHE		RURS		48 GONE	FORE		URS		72 HOUR	LOWE	CAST ENR	005
	POS	IT W	1ND	POS	-11 w	INU		MIND	PO	SIT	wind		APND (ON2	·F0	SIT	MIND	UST		n Ac	SIT	1140	บริรัก	WIND
1118002					171.6E		69	5		170.3E		59	15	,-									
1200002	· -	170.25	- 21	. 341	171.0E	ں د	83	5	7 44	170.7E	45	70	10										
1500005		170.0E				30	98	5		170.2E		57	10	,-									
1212002	7.5N	170.6t	25	7-1N	169.8E	30	53	5	8.1N	168.1E	55	143	0										
1518005	(•BN	171.3L	30	7+9N	170.UE	30	77	Ü	9.3N	168.65	55	.83	0		,-								
1300002	8.5N	171.1E	35	8.3N	169.9E	30	72	-5	9.7N	168.5E	50	94	-5		,-								
1300002	8.9N	170.56	45	9.0N	170.JE	Su	13	5		169.7E		75	25	11-6N	160. It	65	157			166.1E	70	558	45
1312002					170.3E	50	12	-5		170.0£		54	10		168.95		169	25		167.4E	65	198	40
1310002	¥ • 3N	170.05	22	9+3N	169.9E	50	13	-5	10.5N	168.3L	30	90	50	11.0N	165.66	. 65	227	35	11.4	161-5E	ΪÞ	36!	50
1400002 1406002	9.8N	170 - 1L	45		169.9E	50	21	5		169.0E		25	25	10.8N	160.32	65	173	40	11.24	162.3E	75	349	50
1406002	9.4N	170.3L	35		169.9E	45	24	10		164.5F		51	20		165.9E		1+0	35			70 80	341	40
141200Z 141800Z	9.6N	170.0L	35	9.2N	170.3E 170.3E	45 40	19 43	10	9.5N	169.2E	50 45	135	20 15	10-2N	160.26	65 50	147 165	40 25	11.9	162.2E	55	386 281	50 25
	,	••,,,,,		•						•••										_	•		
1500002					169.1E		21	15		166.7E		89	40		163.5t		249	50		160.1E	55	400	55
1506002 151200Z	8-1N	168.25	30	9.5N	168.0E 168.7E	45 30	30 17	15	9.7N	166.2E	65 45	105	20	10.1N	164.1E	75	312	45	10.91	159.2E	ğ5	410	55
1518002					168.2E	30	8	ō		165.8L		55	35										
	-						-			•••				•						•			
1600002 1600002	8.2N	167.6t	25	8+1N	167.8E 167.2E	3u 25	13	5	8.1N	166.0E	40 35	63 139	15	;-	:								
1612002						25	25	ő		165.12	35	i 39	.5	,-									
1619005	7.UN	166.7L	25	B+2N	166.6E	30	25	5	8.2N	165.0E	45	Ĭži	ŀŠ										
170u00Z	7-46	166.8L	25	7.AN	166.5E	Δu	30	5	7.54	. 165.0E	45	84	15	,-					,-				
170000Z	5.8N	167.2t	30		167.0E	30	27	ō		165.4L		97	15										
1712002		167•2t 166•8t			166.7E	30	36	Q	7.1N	165.1E	40	Î01	15		,-								
1716002		166•1t			166.3E	30	55	Ü	7+1N	164.7E	40	â8	20		,-								
1800002	6.1N	165•2t	30	7.0N	165.0E	30	55	Ų	7.0N	163.4E	35	21			,-								
1806002	5.0N	165.2L	30	6+8N	164.0É	3u	53	Ü	,-						,-								
1815007 1815007	0.3N	163.6L 163.3L	25 20	6.7N	164.1E 163.6E	3U 3U	38 19	10	==:=	;-				;-	:-								
														-									
1900002	ē•6N	163.1£	20	6.7N	163.1E	30	6	10							,-		,						
												19					6					3	
										٠.		•										_	

ITPHOON KI!

	BES	T lea	ALN		#A	HN EW	•			24 HUUH	FONE	CAST		4	a muus	FORE	CAST			72 HOU	R FUNE	CASI	
	OSII	, ,	W LIND	Po:	TIC.	WIND		KURS WIND		>1T	# £ feu		M TWD	FUS				HURS					RORS
			-	-											-	MIMD		= INO	P	51T	MIND	02	AIVE
0215005 30	N 13	35•2L 33•9L	40 50		135.46 133.46					158.10			-25 -50		:		==		:-		==		
0000007 10.	'n 13	32.8E	60	10.2N	132.86	35	v	-25	11.JN	12/.35	50	54	-70	12.7N	144.36	. 30	173	-5 0	,-				
0000004 10.	N 13	11.8L	65					-3v		127.65			-55	13-4N	143.46	40	155	-30					
0015005 1j*	IN 13	0 · / E	70	11.30	130.75	40	17	-30	13.JN	126.56	50	111	-40	35 - IN	142.4	45	258	-10		;-			••
0010005 11.4	N 15	9.6	75	11•\W	159.4E	45	55	-5 U	13.00	125.7E	- 50	145	-35	}5 .5N	147.18	40	278	0		,-			
0700062 11.5	N 12	3> - K	120	11.50	148.4E	95	12	-25	12.40	123.5E	. 15	133	-5	33.en	416.3	60	226	30		/-			
0700002 11.5							30			121.6L		209	5		:			30					
0712002 11.9	N 12	6.UL	90	11.7N	126.UE	165	12	35	12.BN	121.VE	60	180	5										
0719007 11.	N 12	5.3L	85	īī•iu	125.21	¥υ	8	5	10.5N	121.4E	5,0	63	7 0										
080000Z ij.(N 12	4.76	80	10.5N	124.JE	75	36	-5	9.70	120.UL	5ų	147	20	,-					,-				
0800004 10.9					143.00			-10		,-					,-								
0812002 10.9	N 12	3.45	25	11-00	124.5E	50	65	->							,-								
0919005 10.4	N 15	2+45	40	11.UN	164.5E	4 U	123	U							,-					,-			
DANNANT Tİ*S	N 12	1.6L	30	11• ć N	lelest	JŲ	ЭŁ	u												,-			••
					TYPHOU	45 mF	ILE I	IND A	VER 3	ъкT5				ALL FO	DE CAST	s							
								48-		/=HK			HNING				2-HH						
AVERAGE FURE	CAST	EHK	JH		281	, M	line	216		MM			24AM	114NM			ONH						
AVENAGE MAGE					17:		MAUS NOE	1281		JNM JKTS			19k12	ZENM ZEKÎ	1 12h		ONM ON IS						
AVERAGE DIAS	UF	AIND				is -		-23x	75 (JK15		•		-22KT			0K15						

TYPHUON LULA

NUL EU 10000 UI YAM UE SOUDO

	. 1	BEST 1	MACK		₩.	AND INC				24 HUU	H FOHS	CAST			es Mone	FORE	CAST			72 HOUR	FUN	CASI	
	PO.	SIT	. #INL	, 10	siT	wlap		40K2	۲۵	ъIТ	MIND		RUMS W LND	- Fo	SIT	MIND		×uRS ⊕IND	Ar	SIT	AIWD		RORS
3000002		159.7			160-16		24	-15	B.dN	157.8	E 60	85	0								#1ō	02.	MIN.
3006002		159-5			159.50		-	-5		150+8		119	-5		125.46			-10					
3015007	3.5W	159:4	t 5	3.UN	159.2	L 45	15	-10 -10	10.1W	157.0	£ 65	109	-15	10.2N	123:85	75 75	25.j 25.j	-20	11.14	149.36	85	580	-50
3100002		159.0			158.68		17	-1 u	11.ZN	150.3	£ 65	70	-20	11.5N	154.76	75	297	-30	12.24	148.76	. 85	654	-5
3100002		158 - /			159.20			-15		158.4				11-EN			277	-30					
3112002					158.40		-	+15	-	150+4				11-4N	-			-20	-	150.5E	• •		
3110002	10.44	128+1	£ 8(10+\$N	128.08	- 65	13	-15	11.5N	156+1	Ł 85	130	-10	11.7N	123.45	95	+15	5	,-				
0100002 0100002	12.5M	157.5	E #=	11-1N	157.50	- /0			NU.SI NS.EI			179		12.6N	151.7E		496	5		148.5	95	912	30
0112002								-	14.4N			276		-	150.15		031	10	_	146.4	90	1004	35
0119002	13.3N	156-7	£ 95	13.IN	156.46	85	Ξĩ	-10	15.00	153.5	E 90	294	ő		150.66		65B		16.84	147.4	ąį	986	45
0200002							0	-15	16.4N	157.6	Ł 75	93	-15	18+1N	155.9t	70	J96	5	19.3A	153.98	70	615	25
0515005 0500005	15.98	157.7	£ 105	15.UN	157-06	Tuo			17 - 7N			108	è		155.46		420	30					
7008120							8 25	-10	18.0N			102	- 5		161.91		141	25					
0210002	*****	120.3	. ,,	10+24	130.40	- 70	23	٧.	TÀ.AM	160 • 4	t 65	126	15	51+¢N	162.56	. 80	239	35	,-	,-			
0300002 0300002	17.7N	158-5	L 40		159-16		36 21		21.9N 22.4N			45 92	15 15		104.76 163.76		108	35 10	,-	;-			
0312002							19	ű		166.9		60		03.2N	105010		101	10	,-				
0318002	5 j • 9 N	160.7	2 70	21.3N	160.76	70	ĺŝ	ŭ		164.8		132	-5	,-	:	==			:-	;-	==	==	
0400002	64.PM	161.2	E 65	22.30	101.26	בכ ב	Ú	-10	25.8N	165.4	£ 30	145	- 15	,-									
0406002	43.7N	161.7	£ 60	23.0N	161.5	25	12		27.6N				-15						,-				
0412002								-10		,-													
0410002	E3.0N	102+*	. 45	25+3N	102.30	40	8	-5							,-								
0500002	45.7N	162.7	E 45	27.UN	162.56	40	78	-5						,-									
0500002	₹ j • 9N	163.7	E 45	58• in	102.98	35	48	-10							;-								
4.44					TYPHUL	ins am	1LE =	1 UNI	NVER 3:	KTS		₩,	AHNIN	ALL F(HE CAS		2 - nR						

| TYPHOUNS #MILE #INU OVER 358TS | MAKINING 28-MIN 90-MIN 72-MIN | MAKINING 28-MIN 90-MIN 127M 35MTS | MAKINING 28-MIN 90-MIN 127M 35MT 74-MIN 90-MIN 127M 90-MIN 127M 90-MIN 127M 90-MIN 127M 90-MIN 127M 90-MIN 127M 90-MIN 127M 90-MIN 127M 90-MIN 127M 90-MIN 127M 90-MIN 127M 90-MIN 127M 90-MIN 127M 90-MIN 127M 90-MIN 127M 90-MIN 127M 90-MIN 127M 90-MIN 127M 90-MIN 127M 90-MIN 127M 90-MIN 127M 90-MIN 127M 90-MIN 127M 90-MIN 127M 90-MIN 127M 90-MIN 127M 90-MIN 127M 90-MIN 127M 90-MIN 127M 90-MIN 127M 90-MIN 127M 90-MIN 127M 90-MIN 127M 90-MIN 127M 90-MIN 127M 90-MIN 127M 90-MIN 127M 90-MIN 127M 90-MIN 127M 90-MIN 127M 90-MIN 127M 90-MIN 127M 90-MIN 127M 90-MIN 127M 90-MIN 127M 90-MIN 127M 90-MIN 127M 90-MIN 127M 90-MIN 127M 90-MIN 127M 90-MIN 127M 90-MIN 127M 90-MIN 127M 90-MIN 127M 90-MIN 127M 90-MIN 127M 90-MIN 127M 90-MIN 127M 90-MIN 127M 90-MIN 127M 90-MIN 127M 90-MIN 127M 90-MIN 127M 90-MIN 127M 90-MIN 127M 90-MIN 127M 90-MIN 127M 90-MIN 127M 90-MIN 127M 90-MIN 127M 90-MIN 127M 90-MIN 127M 90-MIN 127M 90-MIN 127M 90-MIN 127M 90-MIN 127M 90-MIN 127M 90-MIN 127M 90-MIN 127M 90-MIN 127M 90-MIN 127M 90-MIN 127M 90-MIN 127M 90-MIN 127M 90-MIN 127M 90-MIN 127M 90-MIN 127M 90-MIN 127M 90-MIN 127M 90-MIN 127M 90-MIN 127M 90-MIN 127M 90-MIN 127M 90-MIN 127M 90-MIN 127M 90-MIN 127M 90-MIN 127M 90-MIN 127M 90-MIN 127M 90-MIN 127M 90-MIN 127M 90-MIN 127M 90-MIN 127M 90-MIN 127M 90-MIN 127M 90-MIN 127M 90-MIN 127M 90-MIN 127M 90-MIN 127M 90-MIN 127M 90-MIN 127M 90-MIN 127M 90-MIN 127M 90-MIN 127M 90-MIN 127M 90-MIN 127M 90-MIN 127M 90-MIN 127M 90-MIN 127M 90-MIN 127M 90-MIN 127M 90-MIN 127M 90-MIN 127M 90-MIN 127M 90-MIN 127M 90-MIN 127M 90-MIN 127M 90-MIN 127M 90-MIN 127M 90-MIN 127M 90-MIN 127M 90-MIN 127M 90-MIN 127M 90-MIN 127M 90-MIN 127M 90-MIN 127M 90-MIN 127M 90-MIN 127M 90-MIN 127M 90-MIN 127M 90-MIN

TYPHOON URA 6000Z 23 JUN TO 12004 27 JUN

BEST THACK	WARNING ERHORS	24 HOUR FORE	AST 48 HOUR	R FORECAST ERNORS	72 HOUR FUNECASI
POSIT WIND POSI 2300002 11.0N 131.3E 35 10.4N 1		POSIT WIND 11.0N 127.7E 50	OST WIND FOSIT	WIND DST WIND F	ROSIT WIND DST WINE
2306002 10.9N 130.3L 40 10.9N L	30.3E 30 0 -10	12.2N 126.7L 55	34 -15	,-	
2312002 10.9N 129.1E 45 11.2N 1: 231800Z 10.9N 128.1E 60 11.2N 1:		12.4N 125.5E 55 12.6N 124.4E 55	72 -10 14-1N 120-26	50 250 -25 15.2	OA 117.1E 55 396 OH
		15.04 154445 33			an 117.1E 55 396 OU
240000Z 11.2N 127.3L 75 11.2N 1 240600Z 11.9N 126.2L 70 11.4N 1		11.9N 123.3E 70 12.5N 121.5E 70	155 10 35.4N 117.16 179 25 14.0N 117.46		AN 116.0E BU 444 35
2412002 12.7N 124.9E 70 12.3N 1	24.8E 70 25 00	13.7N 119.8E 70	157 10 ME-ON 115-56	85 292 ¹⁵ 16.4	A 112.0E 85 368 50
2418UOZ 13.3N 123.4E 65 13.2N 1	23.2E 70 13 05	14.7N 117.8E 80	133 5 16.2N 113.50	85 229 30	== -1= 11
250000Z #4.1N 121.9E 60 13.9N 1	21.8E 70 13 10	15.5N 116.8E 80	159 00 17.3N 112.26	85 205 40	
250600Z 15.3N 120.4E 45 15.1N 12 251200Z 16.1N 118.7E 60 16.0N 1	20.5E 65 13 20 19.3E 70 35 10	16.5N 115.7E 80 19.0N 114.3E 80	157 05 \$8.2N 112.UE		
2518002 16.7N 116.8E 75 16.6N 1		18.5N 111.1E 75	96 20	65 63 30	
- · · · · · · · · · · · · · · · · · · ·		al 20 140 55 40	128 15	Ī	•
260000Z 17.6N 115.1E 80 17.9N 1 260600Z 16.3N 113.7E 75 18.6N 1		21.3N 109.5E 60 21.3N 109.4E 60	103 20	,-	
2612007 19-1N 112-7E 70 19-1N 1	13.2E au 28 10	21.3N 109.8E 60	76 25	,-	
2618002 19.8N 112.1E 55 20.0N 1	11.6E 70 21 15				
2700002 24.7N 111.7E 45 20.8N 1		,,	,-	,-	
2706002 21.7N 111.2E 40 21.5N 1 2712002 22.4N 110.5E 35 22.2N 1	11.3E 85 13 45 10.9E 35 25 0	,,			
2111111		•			•
T	YPHOONS WHILE WIND O	VER 35KTS	ALL FORECAS	ıs	
ANGULAG LANGELE COUNTY	WARNING 24-HH 48-		WARNING 24-HR 48		
AVERAGE FUNECAST ERHUR AVERAGE MIGHT ANGLE ERROR	31NM 107NM 241N		2 prm 107NK 241# 16NM 61NN 90#		
AVERAGE MAGNITUDE OF WIND ERROR	12KIS 12KTS 25K	TS 34KTS	IZKTS ĮŽKTS ŽŠI	CIS 34KTS	
AVERAGE BIAS OF WIND EHRUR MUMBER OF FORECASTS	6KIS 7KIS 19K	TS 34KTS	6KTS 7KTS 191	cīs 3+KTS	
manage of interests		•	7 1	Ô	

0000 00 JUL 10 15004 12 JUL

	BEST THACK MARKING					24 HOUR FORECAST				48 HOUR FORECAST					72 HOUR FUNECASI								
				000				UR5 WIND	POS		MIND		W BAD	FOS	τT	MIND		ORS WIND	Act	SIT	MIND		MIPL
8404083	POSIT	•	1ND 35		158.2E	UNI W 25		-10		154.9E		136	_			2400							
060600Z 061200Z	7.3N 15	58.1E	40	7.2N	157.8E	25		-15	7.5N	155.0E	40	159	-5	,-	:-								
061800Z	é.3N 1€	57 - 1£	40	7.ÊN	156.8E	3ψ	35	-10	8.4N	153.7E	45	134	-5	4-					,-				
07 0000Z	8.9N 15	E4 . 26	40	0.18	156.2E	45	12	5	10.BN	153.7E	60	91	10	12.1N	150.1	. 70	275	5	13.QN	146.2E	80	454	
0706002	9.3N 1	55.BL	40	9.3N	155.9E	45	-6		10.9N	153.46	60	88	-5	12.2N	149.6	70	284	5		145.8E		471	
071200Z	9-6N 15	55.5t	45	9.6N	155.5E 154.8E	50	29	5	11.40	152.9£	60	112	5	12.3N 12.5N	149.3	70	307 329	-15	13.20	145.3E	80	500 541	-30
071 8002 .	10.0W 15	55.35	20	10.00	134101	30	-,	•	121011	1,2000	•-		•								~.		
0800002	10.4N 19	55•2Ł	50	10.5N	154.3E	50	53	Ų	_	151.5E		199		12.EN			379			143.2E		624	
080600Z			55	10.8N	155.0E	50	24	-5 -5	12.3N	153.8E	50 50	167	-15	33.4N	150.7	60	360 186			146.7E		421	
081200Z 081800Z					154.4E		50	-5		151.4E		171		13.5N			378			143.1E		601	
4010005	••• • × 1 :	74.76		_				-	_			•		-	•		•						
090000Z	12.5N 15	54 · 85	65	12.4N	154.6E 154.3E	55	13	-10	14.3N	151.4E 151.3E	65 70	175		15.7N 16.3N	147.9		358 404		18.76	144.1E 143.2E	85 85	484 454	
090600Z		-			154.4E			-15				106		16 -EN			213			146.5E	85	228	-15
091200Z 091800Z	13.2N 1	54.3E		13.5N	154.4E	60		-25	15.UN	153.3£	70		-45	16 -5N	120.4	80	140	- 25	17.91	147.4E	85	511	-10
1000002		-, 01	100	12.36	164.2F	**	12	-20	13.5N	152.16	100	112	-20	14 -5N	148.4	E 110	306	5	16.54	145.4E	120	360	30
							13	-5	•	152.16	-	142		14 -EN	149.0	E 140	313	35	16.5N	145.4E	145	426	50
100600Z	13.5N 1	54.0E	110	13.6N	153.8E	115	13	5	14+1N	152.3E	135	142			149.5		347	45		145.6E		577	40 60
1018U0Z	13.7N 19	54•0L	115	13.7N	153.8E	120	12	5	14+3N	152.2L	140	113	35	14 +8M	149.7	150	403	55	15.46	145.0E	120	63 į	80
1100007	14.2N 10	53.9L	120	14.1N	154.1E	120	13	U	15.0N	152.8L 152.6E	140	191	35	35-4N	149.0	E 150	481	60	16.94	146.08	150	739	70
110000Z 110600Z	15.0N 15	54.0E	110	15. IN	153.9E	120	ă	10				202	25		150.1		491	45	_	146.9E		770	70 25
111200Z	49.9N 15	53.9E	105	16.9N	153.7E	120	13	15	17.8N	152.24	110	211 287	10	36.7N	149.5	E 80	520 575	05 -10	20.1	147.0E	70	763	05
							• • •	-	_			•							0.		0.0	-14	20
120000Z							42	-5	-	147.1E	•	171	10 00	51.5N			376 292	10 20		138.1E		.51 <u>4</u>	30 30
120600Z	19.4N 19	51.2E	105	19.2N	151.3E	100	13 57	-5	22.4N	146.5E	95 95	127 206	00	25 -EN	142.7		326	25	27.56	139.35	85	474	45
1218002							13	5		142.5E		77		27.5N			158	20					
					_	•	_			36		72	00	20 41	137.0	E 75	174	15					
130000Z	22.6N 1	46.lt	90	23:1N	146.0E	95	8	00	27.0N	139.45	80	105	15	29.5N	136.3	È 60	176 274	25					
131200Z	24.9N 1	43.2L	951	24.9N	142.8E	75	22	00		137.6E		83	25		134.4		293	45					
1318002	26.1N 1	42.UL	90	25+?N	141.9E	95	24	05	29.UN	137.0£	90	93	25		,-					,-			
1400002	27.4N 1	40.HE	80	27.6N	140.6E	95	16	15	33.7N	138.8E	90	145	30	,-						;-			
140600Z 141200Z			70	28.7N	139.7E	85	16	15	33.8N	138.9E	. 75	39	20						:-			==	
					138.5		19 17	15 10	35.UN	139.16	70	İSS	30	,-									
1419007	30.4N 1	37+8E	63	30.5N	137.5E	. 15	11	10							•				- •	•			
150000Z	31.5N 1:	37.6E			137.4€		21	10						,-					••••				
1506002					137.38		111	15 -10						,-									
1512002	55+1W 1	36+6E	40	35.1M	137.1E	. 30	24	-10							•				•	•			
					7 40440	e	411 C -		-1150 3					ALC F	ORLLAS	15							
					TYPHUO				OVER 3: -HR 7:			₩.	ARNIN	ALL F			12-HR						
AVERAGE	FURECAS"	T ERKO	н		23	NP .	137NM	341	NM 52	4 N M		_	23NM	137N	# 33 P	h# 5	MMAS						
AVERAGE						NF	BZNM 18KT		SE MA	7NM UKTS			16NM 8KT	82N 5 lek			27NM 30K1S						
AVERAGE						KŢS KŢS	UKT			DKTS			-2KT	-		•	5KIS						
AVEHAGE Number o			CHHI	•	38		34	27	kTS 2	3'''3			38	34			23						
		-												9	4		2						

0000Z 07 JUL TO 1200Z 26 JUL

POINT 1970 1971 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972 1972
Common 1
##
STATE 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5
0900002 [1-2-3] 190-81 [10] 13-35 [10] 14-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35 [10] 12-35
9010002 1-20 139-12 100 1-10 130-12 100 1-20 130-12 100 1-20 130-12 100 1-20 130-12 100 1-20 130-12 120 130-12 120 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12 130-12
0912002 19-00 130-11 120 150-50 137-151 130 23 31 17-00 130-50 150 21 130 162-50 130 23 14-00 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50 130-50
1000000 10-00 17-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13-01 13
1016/002 1/- 10 135-06 140 17-50 140 17-50 150-06 17-50 130-06 150 150 150 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50 12-50
11 12 12 13 13 15 16 17 18 15 15 15 15 15 15 15
12 12 12 12 12 12 12 12
12 12 12 13 14 15 15 15 15 15 15 15
130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130 130
1312002 133.11 93 141 132.51 100 46 10 18.00 128 20 128 131.11 100 20 224 13 224 10 20.00 224 13 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 124 1
131-002 19-9h 133-9c 90 19-6h 134-9c 190 3 5 21-1h 135-7c 90 8 5 23-6h 135-7c 80 179 15 26-5h 133-5c 60 20 23-7ch 135-7c 70 141-10 27-1h 135-7c 80 21-1h 135-7c 80 81-1h 135
1400002
14160002 21.0h 135.0t 80 21.0h 135.0t 80 22.3h 136.0t 70 64 52.3h 136.0t 65 134 70 27.3h 135.2t 60 120 27.3h 136.0t 70 70 70 70 70 70 70
1500002 21.1h 135.7t 85 21.1h 135.6t 80 6 -> 21.6h 136.0t 70 64 5 24.6h 139.1t 65 134 0 27.1h 135.2t 80 209 1500002 20.9h 135.4t 85 21.6h 134.8t 80 13 0 21.3h 135.8t 70 71 5 23.1h 135.1t 65 117 00 26.1h 133.8t 80 120 1512002 20.9h 135.4t 80 20.9h 135.1t 80 21.3h 135.8t 80 21.3h 135.8t 80 21.3h 135.8t 80 21.3h 135.8t 80 120 1512002 21.6h 134.9t 65 21.6h 135.8t 80 21.3h 135.8t 80 21.3h 135.8t 80 21.3h 135.8t 80 21.3h 135.8t 80 21.3h 135.8t 80 21.3h 135.8t 80 21.3h 135.8t 80 21.3h 135.8t 80 21.3h 135.8t 80 21.3h 135.8t 80 21.3h 135.8t 80 21.3h 135.8t 80 21.3h 135.8t 80 21.6h 135.8t 70 79 8 .5 21.6h 136.8t 80 20.2h 135.8t 80 23.8h 135.8t 80 23.8h 135.8t 80 23.8h 135.8t 80 23.8h 135.8t 80 23.8h 135.8t 80 23.8h 135.8t 80 23.8h 135.8t 80 23.8h 135.8t 80 23.8h 135.8t 80 23.8h 135.8t 80 23.8h 135.8t 80 23.8h 135.8t 80 23.8h 135.8t 80 23.8h 135.8t 80 23.8h 135.8t 80 23.8h 135.8t 80 23.8h 135.8t 80 23.8h 135.8t 80 23.8h 135.8t 80 23.8h 135.8t 80 23.8h 135.8t 80 23.8h 135.8t 80 23.8h 135.8t 80 23.8h 135.8t 80 23.8h 135.8t 80 23.8h 135.8t 80 23.8h 135.8t 80 23.8h 135.8t 80 23.8h 135.8t 80 23.8h 135.8t 80 23.8h 135.8t 80 23.8h 135.8t 80 23.8h 135.8t 80 23.8h 135.8t 80 23.8h 135.8t 80 23.8h 135.8t 80 23.8h 135.8t 80 23.8h 135.8t 80 23.8h 135.8t 80 23.8h 135.8t 80 23.8h 135.8t 80 23.8h 135.8t 80 23.8h 135.8t 80 23.8h 135.8t 80 23.8h 135.8t 80 23.8h 135.8t 80 23.8h 135.8t 80 23.8h 135.8t 80 23.8h 135.8t 80 23.8h 135.8t 80 23.8h 135.8t 80 23.8h 135.8t 80 23.8h 135.8t 80 23.8h 135.8t 80 23.8h 135.8t 80 23.8h 135.8t 80 23.8h 135.8t 80 23.8h 135.8t 80 23.8h 135.8t 80 23.8h 135.8t 80 23.8h 135.8t 80 23.8h 135.8t 80 23.8h 135.8t 80 23.8h 135.8t 80 23.8h 135.8t 80 23.8h 135.8t 80 23.8h 135.8t 80 23.8h 135.8t 80 23.8h 135.8t 80 23.8h 135.8t 80 23.8h 135.8t 80 23.8h 135.8t 80 23.8h 135.8t 80 23.8h 135.8t 80 23.8h 135.8t 80 23.8h 135.8t 80 23.8h 135.8t 80 23.8h 135.8t 80 23.8h 135.8t 80 23.8h 135.8t 80 23.8h 135.8t 80 23.8h 135.8t 80 23.8h 135.8t 80 23.8h 135.8t 80 23.8h 135.8t 80 23.8h 135.8t 80 23.8h 135.8t 80 23.8h 135.8t 80 23.8h 135
150000 20.48 135.4c 65 21.48 135.4c 60 13.0 21.48 135.4c 70 71 5 23.18 135.4c 65 126.5c 25.48 133.4c 60 13.0 150000 21.48 135.4c 70 71 5 23.18 135.4c 65 126.5c 25.48 135.4c 60 10 10 21.08 135.4c 70 70 70 70 70 70 70 7
16000002 21.3n 134.9c 65 20.5n 133.7c 75 82 10 21.4n 131.4c 65 171 0 22.6n 129.2c 55 208 -25 24.4c 126.7c 55 431.6c 1600002 21.7n 134.0c 65 21.7n 135.4c 65 21.7n 135.4c 65 21.7n 135.4c 65 21.7n 135.4c 65 21.7n 135.4c 65 21.7n 135.4c 65 21.7n 135.4c 65 21.7n 135.4c 65 21.7n 135.4c 65 21.7n 135.4c 65 21.7n 135.4c 65 21.7n 135.4c 65 21.7n 135.4c 65 21.7n 135.4c 65 21.7n 135.4c 65 21.7n 135.4c 65 21.7n 135.4c 65 22.7n 136.0c 65 39 0 23.7n 132.1c 55 100 -15 26.0n 131.5c 50 169 -35 28.4n 131.6c 50 67. 1700007 22.4n 134.3c 65 22.7n 134.6c 65 23.1n 133.7c 70 130 22.3n 132.7c 70 101 -20 27.7n 132.7c 65 102 -20 30.1n 133.2c 66 77. 1710007 23.4n 133.9c 70 23.1n 133.7c 70 130 22.3n 133.7c 70 101 -20 27.7n 132.1c 65 102 -20 20.1n 133.2c 60 173. 1710007 23.4n 133.9c 70 23.7n 133.8c 75 19 5 24.9n 133.9c 70 100 -10 24.6n 133.2c 65 101 -15 26.1n 133.7c 60 22.1n 133.7c 60 22.1n 133.7c 60 22.1n 133.7c 70 100 -10 24.6n 133.2c 65 101 -15 26.1n 133.2c 60 173.1c 60 100 -10 20.1n 133.2c 60 173.1c 60 100 -10 20.1n 133.2c 60 173.1c 60 100 -10 20.1n 133.2c 60 173.1c 60 100 -10 20.1n 133.2c 60 173.1c 60 100 -10 20.1n 133.2c 60 173.1c 60 100 -10 20.1n 133.2c 60 173.1c 60 100 -10 20.1n 133.2c 60 173.1c 60 100 -10 20.1n 133.2c 60 173.1c 60 100 -10 20.1n 133.2c 60 173.1c 60 100 -10 20.1n 133.2c 60 173.1c 60 100 -10 20.1n 133.2c 60 100 -10 20.1n 133.2c 60 100 -10 20.1n 133.2c 60 100 -10 20.1n 133.2c 60 100 -10 20.1n 133.2c 60 100 -10 20.1n 133.2c 60 100 -10 20.1n 133.2c 60 100 -10 20.1n 133.2c 60 100 -10 20.1n 133.2c 60 100 -10 20.1n 133.2c 60 100 -10 20.1n 133.2c 60 100 -10 20.1n 133.2c 60 100 -10 20.1n 133.2c 60 100 -10 20.1n 133.2c 60 100 -10 20.1n 133.2c 60 100 -10 20.1n 133.2c 60 100 -10 20.1n 133.2c 60 100 -10 20.1n 133.2c 60 100 -10 20.1n 133.2c 60 100 -10 20.1n 133.2c 60 100 -10 20.1n 133.2c 60 100 -10 20.1n 133.2c 60 100 -10 20.1n 133.2c 60 100 -10 20.1n 133.2c 60 100 -10 20.1n 133.2c 60 100 -10 20.1n 133.2c 60 100 -10 20.1n 133.2c 60 100 -10 20.1n 133.2c 60 100 -10 20.1n 133.2c 60 100 -10 20.1n 133.2c 60 100 -10 20.1n 133.2c 60 10
1000007 21-5N 134.0t 65 21-2N 135-5E 70 38 b 21-0N 135-0E 50 120 -05 33-2N 135-3E 55 09 -35 25-3N 134-1E 50 10100007 22-2N 134-3E 65 22-1N 133-0E 65 39 U 23-7N 132-1E 55 100 -15 24-2N 133-3E 50 60 -45 27-3N 133-1E 50 67 70 1010007 22-2N 134-3E 65 22-1N 133-0E 65 39 U 23-7N 132-1E 55 100 -15 24-2N 133-3E 50 100 -35 28-2N 131-3E 50 67 70 100007 22-3N 133-3E 65 22-1N 133-7E 70 13 05 25-4N 132-2E 67 100 -15 24-2N 133-3E 65 100 -15 24-2N 133-3E 65 100 -15 24-2N 133-3E 65 100 -15 24-2N 133-3E 65 100 -15 24-2N 133-3E 65 100 -15 24-2N 133-3E 65 100 -15 24-2N 133-3E 65 100 -15 24-2N 133-3E 65 100 -15 24-2N 133-3E 65 100 -15 24-2N 133-3E 65 100 -15 24-2N 133-3E 65 100 -15 24-2N 133-3E 65 100 -15 24-2N 133-3E 65 100 -15 24-2N 133-3E 65 100 -15 24-2N 133-3E 65 100 -15 24-2N 133-3E 65 100 -15 24-2N 133-3E 65 100 -15 24-2N 133-3E 70 100 -15 24-2N 133-3E 65 100 -15 24-2N 133-3E 65 100 -15 24-2N 133-3E 70 100 -15 24-2N 133-3E 65 100 -15 24-2N 133-3E 65 100 -15 24-2N 133-3E 70 100 -15 24-2N 133-3E 70 100 -15 24-2N 133-3E 70 100 -15 24-2N 133-3E 70 100 -15 24-2N 133-3E 70 100 -15 24-2N 133-3E 70 100 -15 24-2N 133-3E 70 100 -15 24-2N 133-3E 70 100 -15 24-2N 133-3E 70 100 -15 24-2N 133-3E 70 100 -15 24-2N 133-3E 70 100 -15 24-2N 133-3E 70 100 -15 24-2N 133-3E 70 100 -15 24-2N 133-3E 70 100 -15 24-2N 133-3E 70 100 -15 24-2N 133-3E 70 100 -15 24-2N 133-3E 70 100 -15 24-2N 133-3E 70 100 -15 24-2N 133-3E 70 100 -15 24-2N 133-3E 70 100 -15 24-2N 133-3E 70 100 -15 24-2N 133-3E 70 100 -15 24-2N 133-3E 70 100 -15 24-2N 133-3E 70 100 -15 24-2N 133-3E 70 100 -15 24-2N 133-3E 70 100 -15 24-2N 133-3E 70 100 -15 24-2N 133-3E 70 100 -15 24-2N 133-3E 70 100 -15 24-2N 133-3E 70 100 -15 24-2N 133-3E 70 100 -15 24-2N 133-3E 70 100 -15 24-2N 133-3E 70 100 -15 24-2N 133-3E 70 100 -15 24-2N 133-3E 70 100 -15 24-2N 133-3E 70 100 -15 24-2N 133-3E 70 100 -15 24-2N 133-3E 70 100 -15 24-2N 133-3E 70 100 -15 24-2N 133-3E 70 100 -15 24-2N 133-3E 70 100 -15 24-2N 133-3E 70 100 -15 24-2N 133-3E 70 100 -15 24-2N 133-3E 70 100 -15 24-2N 133-3E 70 100 -15 24-2N 1
1010007 22.40 134.31 65 22.10 133.00 05 39 U 23.70 132.11 55 100 -15 26.00 131.51 50 169 -35 28.40 131.60 50 67 . 1700007 22.40 134.21 65 22.70 134.00 05 13 U 24.40 133.00 55 82 -25 27.30 132.71 65 88 -20 30.10 133.22 50 148 . 1710007 22.40 133.40 70 23.10 133.70 70 13 05 25.40 132.80 70 101 -20 27.70 132.71 65 88 -20 30.10 133.20 60 173 . 1710007 23.40 133.40 70 23.10 133.40 70 13 05 25.40 133.80 70 101 -20 24.00 133.40 65 192 -20 26.10 133.20 00 124 . 1800007 23.40 133.40 70 23.70 133.80 75 19 5 24.40 133.50 70 19 -15 26.10 133.20 65 101 -15 28.10 133.20 00 24.10 134.00 90 24.10 134.00 70 0 -15 24.40 133.50 70 19 -15 26.10 133.20 65 101 -15 28.10 133.00 00 24.10 134.00 90 24.10 134.00 70 0 -15 24.40 133.50 70 19 -10 24.40 133.20 65 217 -10 27.40 133.00 00 24.10 134.00 90 24.10 134.00 70 0 -15 24.40 133.50 70 155 -15 26.50 134.20 65 217 -10 27.40 133.00 00 24.10 134.00 90 24.10 134.00 70 0 -15 24.40 133.50 70 155 -15 26.50 134.20 65 217 -10 27.40 133.00 00 24.10 134.00 90 24.10 134.00 70 90 24.10 134.00 90 24.10 134.00 90 24.10 134.00 90 24.10 134.00 90 24.10 134.00 90 24.10 134.00 90 24.10 134.00 90 24.10 134.00 90 24.10 134.00 90 24.10 134.00 90 24.10 134.00 90 24.10 134.00 90 24.10 134.00 90 24.10 134.00 90 24.10 134.00 90 24.10 134.00 90 24.10 134.00 90 24.10 134.00 90 24.10 134.00 90 24.10 134.00 90 24.10 134.00 90 24.10 134.00 90 24.10 134.00 90 24.10 134.00 90 24.10 134.00 90 24.10 134.00 90 24.10 134.00 90 24.10 134.00 90 24.10 134.00 90 24.10 134.00 90 24.10 134.00 90 24.10 134.00 90 24.10 134.00 90 24.10 134.00 90 24.10 134.00 90 24.10 134.00 90 24.10 134.00 90 24.10 134.00 90 24.10 134.00 90 24.10 134.00 90 24.10 134.00 90 24.10 134.00 90 24.10 134.00 90 24.10 134.00 90 24.10 134.00 90 24.10 134.00 90 24.10 134.00 90 24.10 134.00 90 24.10 134.00 90 24.10 134.00 90 24.10 134.00 90 24.10 134.00 90 24.10 134.00 90 24.10 134.00 90 24.10 134.00 90 24.10 134.00 90 24.10 134.00 90 24.10 134.00 90 24.10 134.00 90 24.10 134.00 90 24.10 134.00 90 24.10 134.00 90 24.10 134.00 90 24.10 134.00 90 24.10 134.0
17160002 25.4N 133.6E 65 23.1N 133.7E 70 13 05 25.4N 133.8E 70 101 20 27.7N 132.7E 65 88 -20 30.1N 133.7E 60 173 1716002 25.4N 133.9E 70 23.1N 133.8E 70 19 5 24.9N 133.5E 70 19 -10 24.6N 133.2E 65 192 -20 26.4N 133.7E 60 225 1800007 25.4N 133.9E 70 23.5N 133.9E 70 19 5 24.9N 133.5E 70 19 -10 24.6N 133.2E 65 101 -10 28.1N 133.7E 60 225 1800007 25.4N 133.9E 70 90 22.1N 134.0E 70 10 10 10 10 10 10 10 10 10 10 10 10 10
1716007 23-4N 133-9E 70 23-1N 133-6E 70 18 9 24-1N 133-7E 70 169-15 24-2N 133-8E 65 101-15 28-1N 133-0E 60 225 17160007 23-4N 133-9E 70 23-4N 133-0E 60 225 101-10 26-1N 133-0E 60 225 17160007 23-4N 133-9E 70 18 -> 23-5N 133-9E 70 18 -> 23-5N 133-9E 70 18 -> 23-5N 133-9E 70 18 -> 23-5N 133-9E 70 18 -> 23-5N 133-9E 70 18 -> 23-5N 133-9E 70 18 -> 23-5N 133-9E 70 18 -> 23-5N 133-9E 70 18 -> 23-5N 133-9E 70 18 -> 23-5N 133-9E 70 18 -> 23-5N 133-9E 70 18 -> 23-5N 133-9E 70 18 -> 23-5N 133-9E 70 18 -> 23-5N 133-9E 70 18 -> 23-5N 133-9E 70 18 -> 23-5N 133-9E 70 18 -> 23-5N 133-9E 70 18 -> 23-5N 133-9E 70 18 -> 23-5N 133-9E 70 18 -> 23-5N 133-9E 70 18 -> 23-5N 133-9E 70 18 -> 23-5N 133-9E 70 18 -> 23-5N 133-9E 70 18 -> 23-5N 133-9E 70 18 -> 23-5N 133-9E 70 18 -> 23-5N 133-9E 70 18 -> 23-5N 133-9E 70 18 -> 23-5N 133-9E 70 18 -> 23-5N 133-9E 70 18 -> 23-5N 133-9E 70 18 -> 23-5N 133-9E 70 18 -> 23-5N 133-9E 70 18 -> 23-5N 133-9E 70 18 -> 23-5N 133-9E 70 18 -> 23-5N 133-9E 70 18 -> 23-5N 133-9E 70 18 -> 23-5N 133-9E 70 18 -> 23-5N 133-9E 70 18 -> 23-5N 133-9E 70 18 -> 23-5N 133-9E 70 18 -> 23-5N 133-9E 70 18 -> 23-5N 133-9E 70 18 -> 23-5N 133-9E 70 18 -> 23-5N 133-9E 70 18 -> 23-5N 133-9E 70 18 -> 23-5N 133-9E 70 18 -> 23-5N 133-9E 70 18 -> 23-5N 133-9E 70 18 -> 23-5N 133-9E 70 18 -> 23-5N 133-9E 70 18 -> 23-5N 133-9E 70 18 -> 23-5N 133-9E 70 18 -> 23-5N 133-9E 70 18 -> 23-5N 133-9E 70 18 -> 23-5N 133-9E 70 18 -> 23-5N 133-9E 70 18 -> 23-5N 133-9E 70 18 -> 23-5N 133-9E 70 18 -> 23-5N 133-9E 70 18 -> 23-5N 133-9E 70 18 -> 23-5N 133-9E 70 18 -> 23-5N 133-9E 70 18 -> 23-5N 133-9E 70 18 -> 23-5N 133-9E 70 18 -> 23-5N 133-9E 70 18 -> 23-5N 133-9E 70 18 -> 23-5N 133-9E 70 18 -> 23-5N 123-9E 70 18 -> 23-5N
1880007 24.1N 134.0t 90 24.1N 134.0t 75 0 -15 24.5N 133.9t 70 155 -15 25.5N 133.2t 65 246 -2 27.5N 133.0t 60 313 1818007 25.5N 134.6t 65 25.5N 134.5t 75 5 -10 28.1N 133.9t 70 93 -10 3C.4N 133.8t 65 246 -2 27.5N 133.0t 60 313 1818007 25.5N 134.6t 65 25.5N 134.5t 75 5 -10 28.1N 134.3t 70 93 -10 3C.4N 133.8t 65 246 -2 27.5N 133.0t 60 313 1818007 25.5N 134.6t 65 25.5N 134.5t 75 5 -10 28.1N 134.3t 70 93 -10 3C.4N 133.8t 65 246 -2 2 27.5N 133.0t 60 313 1818007 25.5N 134.5t 85 27.5N 133.5t 75 12 -10 29.8N 133.0t 70 154 -5 34.6N 133.7t 60 455 -5 1910007 25.5N 134.5t 85 27.5N 133.5t 75 12 -10 30.4N 133.0t 70 154 -5 34.6N 133.7t 60 455 -5 1910007 27.4N 133.5t 85 27.5N 133.5t 75 12 -10 30.4N 133.0t 70 154 -5 34.6N 133.7t 60 456 -5 1910007 27.4N 133.5t 85 27.5N 133.5t 75 12 -10 30.4N 133.0t 70 154 -5 34.6N 133.7t 60 456 -5 1910007 27.4N 133.5t 80 27.5N 133.5t 75 12 -10 30.4N 133.0t 70 154 -5 34.6N 133.7t 60 456 -5
1812002 24.9N 134.4E 95 24.3N 133.9E 75 45 -20 24.8N 133.0E 70 155 -15 28.9N 133.2E 65 246 55 27.6K 133.0E 60 313 180002 25.9N 134.4E 85 25.5N 134.5E 75 5 -10 28.1N 134.3E 70 93 -10 30.4N 134.8E 65 328 0 33.4N 136.0E 69 57.7 1800002 25.9N 134.4E 85 27.5N 134.4E 75 0 -10 29.8N 133.0E 70 154 -5 34.8N 133.7E 60 455 -5 1912002 27.4N 133.5E 85 27.5N 133.3E 75 12 -10 30.4N 131.8E 70 161 0 34.4N 131.9E 60 429 -5 1912002 27.4N 133.5E 85 27.5N 133.5E 75 12 -10 30.4N 131.8E 70 181 0 33.4N 125.7E 60 456 -5
1900002 26.1M 134.5E 80 26.3M 134.5E 75 12 -5 29.7M 134.1E 70 161 -5 34.6M 134.7E 60 485 -5 1900002 26.9M 134.1E 85 26.9M 134.1E 75 0 -10 29.6M 133.0E 70 154 -5 34.2M 133.7E 60 456 -5 1912002 27.4M 133.5E 85 27.5M 133.5E 75 12 -10 30.4M 131.8E 70 161 0 34.4M 131.9E 60 429 -5
1916002 27.7N 133.5E 85 27.5N 133.5E 75 12 -10 30.4N 131.8E 70 19 0 34.4N 131.9E 60 429 -5
2000007 28.0N 131.7E 75 27.9N 131.8E 75 8 U 30.2N 130.1E 70 138 5 33.8N 127.8E 60 413 -25 38.4A 131.9E 40 827.200007 28.3N 130.6E 75 28.5N 129.5E 75 13 U 30.5N 127.9E 70 110 5 32.9N 120.2E 65 336 -20 37.0A 120.6E 50 713 2012002 28.5N 128.8E 65 28.9N 128.7E 75 13 10 31.4N 126.0E 65 20.0 -05 33.7N 127.4E 60 394 -25 39.4A 128.0E 30 857.210002 28.7N 127.5E 65 28.9N 128.4E 70 12 5 30.6N 126.2E 65 135 0 -05 33.7N 127.5E 65 28.9N 128.4E 70 12 5 30.6N 126.2E 65 174 -20 33.7N 127.5E 55 462 -25 36.4A 124.7E 40 63.4A 124.7E 40 63.4A 126.0E 40 760 2110002 28.5N 127.5E 65 28.8N 128.4E 70 12 5 30.6N 126.9E 60 169 -25 32.7N 127.5E 65 28.8N 128.4E 70 12 5 30.6N 126.9E 60 169 -25 32.7N 125.0E 50 462 -25 36.4A 124.7E 40 63.4A 124.7E 40 63.4A 126.0E 40 760 2110002 28.5N 127.5E 65 28.8N 128.4E 60 27.7N 126.5E 60 113 -25 32.7N 125.6E 60 462 -25 38.4A 126.0E 40 760 2110002 28.5N 127.5E 65 28.8N 126.6E 65 18 -05 26.7N 127.5E 60 113 -25 32.4N 125.6E 60 164 -25 28.2A 126.0E 60 612 2110002 28.5N 127.5E 60 28.5N 127.5E 60 612 28.5N 127.5E 60 612 28.5N 127.5E 60 612 28.5N 127.5E 60 612 28.5N 127.5E 60 612 28.5N 127.5E 60 612 28.2A 127.5E 60 612 28.2A 127.5E 60 612 28.5N 127.5E 60 612 28.5N 127.5E 60 612 28.5N 127.5E 60 612 28.2A 127.5E 60 612 28.2A 127.5E 60 612 28.2A 127.5E 60 612 28.2A 127.5E 60 612 28.2A 127.5E 60 612 28.2A 127.5E 60 612 28.2A 127.5E 60 612 28.2A 127.5E 60 612 28.2A 127.5E 60 612 28.2A 127.5E 60 612 28.2A 127.5E 60 612 28.2A 127.5E 60 612 28.2A 127.5E 60 612 28.2A 127.5E 60 612 28.2A 127.5E 60 612 28.2A 127.5E 60 612 28.2A 127.5E 60 612 28.2A 127.5E 60 612 28.2A 127.5E 60 612 28.2A 127.5E 60 612 28.2A 127.5E 60 612 28.2A 127.5E 60 612 28.2A 127.5E 60 612 28.2A 127.5E 60 612 28.2A 127.5E 60 612 28.2A 127.5E 60 612 28.2A 127.5E 60 612 28.2A 127.5E 60 612 28.2A 127.5E 60 612 28.2A 127.5E 60 612 28.2A 127.5E 60 612 28.2A 127.5E 60 612 28.2A 127.5E 60 612 28.2A 127.5E 60 612 28.2A 127.5E 60 612 28.2A 127.5E 60 612 28.2A 127.5E 60 612 28.2A 127.5E 60 612 28.2A 127.5E 60 612 28.2A 127.5E 60 612 28.2A 127.5E 60 612 28.2A 127.5
2010000 2 88.5N 128.0E 70 28.5N 128.7E 75 13 10 31.4N 126.0E 65 135 0 33.5N 125.0E 60 394 -25 39.0N 128.0E 90 45 2010002 28.5N 128.0E 90 454 2010002 28.5N 128.0E 90 454 2010002 28.5N 128.0E 90 454 2010002 28.5N 128.0E 90 454 2010002 28.5N 128.0E 90 454 20100002 28.5N 128.0E 90 454 2010002 28.5N 128.0E 90 454 2010002 28.5N 127.5E 65 28.5N 127.5E 65 28.5N 127.5E 65 28.5N 127.5E 65 28.5N 127.5E 65 28.5N 127.5E 65 28.5N 127.5E 65 28.5N 127.5E 60 455 28.5N 127.5E 60 455 28.5N 127.5E 60 455 28.5N 127.5E 60 455 28.5N 127.5E 60 455 28.5N 127.5E 60 455 28.5N 127.5E 60 455 28.5N 127.5E 60 455 28.5N 127.5E 60 455 28.5N 127.5E 60 455 28.5N 127.5E 60 455 28.5N 127.5E 60 455 28.5N 127.5E 60 455 28.5N 127.5E 60 455 28.5N 127.5E 60 455 28.5N 127.5E 60 455 28.5N 127.5E 60 455 28.5N 127.5E 60 455 28.5N 127.5E 60 455 28.5N 127.5E 60 455 28.5N 127.5E 60 455 28.5N 127.5E 60 455 28.5N 127.5E 60 455 28.5N 127.5E 60 455 28.5N 127.5E 60 455 28.5N 127.5E 60 455 28.5N 127.5E 60 455 28.5N 127.5E 60 455 28.5N 127.5E 60 455 28.5N 127.5E 60 455 28.5N 127.5E 60 455 28.5N 127.5E 60 455 28.5N 127.5E 60 455 28.5N 127.5E 60 455 28.5N 127.5E 60 455 28.5N 127.5E 60 455 28.5N 127.5E 60 455 28.5N 127.5E 60 455 28.5N 127.5E 60 455 28.5N 127.5E 60 455 28.5N 127.5E 60 455 28.5N 127.5E 60 455 28.5N 127.5E 60 455 28.5N 127.5E 60 455 28.5N 127.5E 60 455 28.5N 127.5E 60 455 28.5N 127.5E 60 455 28.5N 127.5E 60 455 28.5N 127.5E 60 455 28.5N 127.5E 60 455 28.5N 127.5E 60 455 28.5N 127.5E 60 455 28.5N 127.5E 60 455 28.5N 127.5E 60 455 28.5N 127.5E 60 455 28.5N 127.5E 60 455 28.5N 127.5E 60 455 28.5N 127.5E 60 455 28.5N 127.5E 60 455 28.5N 127.5E 60 455 28.5N 127.5E 60 455 28.5N 127.5E 60 455 28.5N 127.5E 60 455 28.5N 127.5E 60 455 28.5N 127.5E 60 455 28.5N 127.5E 60 455 28.5N 127.5E 60 455 28.5N 127.5E 60 455 28.5N 127.5E 60 455 28.5N 127.5E 60 455 28.5N 127.5E 60 455 28.5N 127.5E 60 455 28.5N 127.5E 60 455 28.5N 127.5E 60 455 28.5N 127.5E 60 455 28.5N 127.5E 60 455 28.5N 127.5E 60 455 28.5N 127.5E 60 455 28.5N 127.5E 60 455 28.5N 127.5E 60 455 28.5N 127.5E 60
20100UZ 20.7N 128.8E 65 28.9N 128.7E 75 13 10 31.4N 120.8E 65 200 -05 33.7N 120.3E 60 454 -25 39.8N 128.0E 30 84.1 21000UZ 20.8N 128.0E 65 28.9N 128.2E 70 12 5 30.6N 120.8E 60 148 -25 33.7N 120.8E 50 462 -25 36.4N 124.8E 40 769 21000UZ 20.7N 127.5E 65 28.8N 127.4E 70 18 5 29.7N 120.8E 60 148 -25 32.7N 120.8E 50 462 -25 36.4N 124.8E 40 769 21100UZ 20.7N 127.5E 65 28.8N 126.8E 60 120.8E 60 148 -25 32.4N 120.8E 50 462 -25 36.4N 124.8E 40 769 21100UZ 20.7N 120.8E 60 140 -20.8E
2100002 28.7N 127.5t 65 28.8N 127.4t 70 8 5 29.7N 124.95 60 148 -25 32.7N 123.6t 50 462 -25 36.4N 124.3t 60 614 2112002 28.5N 127.1t 60 28.5N 127.1t 60 28.5N 127.1t 60 164 -25 32.4N 123.6t 50 466 -30 36.5N 125.0t 60 614 2112002 28.1N 126.6t 70 27.8N 126.6t 65 18 -05 26.7N 127.1t 60 113 -25 32.4N 123.4t 60 164 -25 28.2N 123.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t 60 82.2t
2200007 27.7N 126.0L 85 27.6M 126.0E 65 6 -20 26.1N 126.8E 60 96 -25 25.6N 126.8E 60 97 -30 27.1N 130.0E 00 133 2200007 27.3N 125.6L 85 27.3N 125.5E 70 5 -15 25.5N 126.8E 65 40 -10 24.5N 126.3E 65 87 -15 26.1N 130.3E 65 233 2212007 26.7N 125.3E 85 27.0N 125.4E 70 19 -15 25.4N 126.8E 65 42 -15 25.8N 128.5E 65 81 -15 26.1N 130.4E 65 322
2200007 27.3N 125.6t 85 27.3N 125.5t 70 5 -15 25.5N 125.8t 65 40 -10 24.9N 128.8t 65 87 -15 26.1N 130.3t 65 233 2212002 26.7N 125.3t 85 27.0N 125.4t 70 19 -15 25.4N 126.0t 65 42 -15 25.8N 128.8t 65 81 -15 26.1N 130.4t 65 324
2212002 26.7N 125.3L 85 27.0N 125.4E 70 19 -15 25.4N 126.UE 65 42 -15 85.EN 128.5L 65 81 -15 26.IN 130.4E 55 324
and the second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second s
230 UOZ \$5.6N 125.1E 85 25.4N-125.3E 70 12-15 24.9N 127.8E 70 56 -20 26.7N 127.8E 70 143-10 28.7K 129.7E 55 425
2306007 25.1N 125.2E 75 25.3N 125.2E 70 12 -5 24.8N 126.8E 70 84 -10 36.1N 129.4E 65 211 -10 28.7N 129.7E 65 65 65 65 65 65 65 65 65 65 65 65 65
2316002 29.9N 126.3L 85 24.9N 126.1E 70 21 -15 25.2N 128.4L 70 147 -10 27.7N 129.4E 65 317 -10
240000Z 26.1N 127.4c 80 26.0N 127.3E 85 8 5 28.3N 129.4E 80 107 5 31.9N 129.8c 70 453 5
2418002 2 06N 127-8E 80 27-8N 128-UE 80 11 0 31-0N 128-UE 65 [22 -10
2500007 29.4N 127.9E 80 28.1N 127.9E 75 28 -5 30.9N 127.5E 60 255-15
2512002 30.5N 126.8E 70 30.6N 126.7E 05 8 -5 38.2N 126.2E 40 244 -15
2600002 34.7N 125.2L 75 34.0M 126.4E 80 61 5
2612002 38.3N 121.0E 55 40.7N 122.4E 40 157 -15
TYPHOUNS WHILE WIND OVEH 35KTS ALL FORECASTS
WANNING 24-HK 48-HR 72-HR WANNING 24-HK 48-HR 72-HR AVEHAGE FURECAST ERROR 20NK 118MM 20NM 386MM 20NK 118MM 20NM 185MM AVEHAGE MIGHT ANGLE ERROR 12NM 30NM 183MM 222MM 12NM 30NM 183MM 222MM
AVERAGE MAGNITUDE OF WIND EMMOR 7KTS 12KTS 18KTS 25KTS 7KTS 12KTS 18KTS 25KTS 18KTS 25KTS 18KTS 25KTS 18KTS 25KTS 18KTS 25KTS 18KTS 25KTS 18KTS 25KTS 18KTS 25KTS 18KTS 25KTS 18KTS 25KTS 18KTS 25KTS 18KTS 25KTS 18KTS 25KTS 18KTS 25KTS 18KTS 25KTS 18KTS 25KTS 18KTS 25KTS 18KTS 25KTS 18KTS 25KTS 18KTS 25KTS 18KTS 25KTS 18KTS 25KTS 18KTS 25KTS 18KTS 25KTS 18KTS 25KTS 18KTS 25KTS 18KTS 25KTS 18KTS 25KTS 18KTS 25KTS 18KTS 25KTS 18KTS 25KTS 18KTS 25KTS 18KTS 25KTS 18KTS 25KTS 18KTS 25KTS 18KTS 25KTS 18KTS 25KTS 18KTS 25KTS 18KTS 25KTS 18KTS 25KTS 18KTS 25KTS 18KTS 25KTS 18KTS 25KTS 18KTS 25KTS 18KTS 25KTS 18KTS 25KTS 18KTS 25KTS 18KTS 25KTS 18KTS 25KTS 18KTS 25KTS 18KTS 25KTS 18KTS 25KTS 18KTS 25KTS 18KTS 25KTS 18KTS 25KTS 18KTS 25KTS 18KTS 25KTS 18KTS 25KTS 18KTS 25KTS 18KTS 25KTS 18KTS 25KTS 18KTS 25KTS 18KTS 25KTS 18KTS 25KTS 18KTS 25KTS 18KTS 25KTS 18KTS 25KTS 18KTS 25KTS 18KTS 25KTS 18KTS 25KTS 18KTS 25KTS 18KTS 25KTS 18KTS 25KTS 18KTS 25KTS 18KTS 25KTS 18KTS 25KTS 18KTS 25KTS 18KTS 25KTS 18KTS 25KTS 18KTS 25KTS 18KTS 25KTS 18KTS 25KTS 18KTS 25KTS 18KTS 25KTS 18KTS 25KTS 18KTS 25KTS 18KTS 25KTS 18KTS 25KTS 18KTS 25KTS 18KTS 25KTS 18KTS 25KTS 18KTS 25KTS 18KTS 25KTS 18KTS 25KTS 18KTS 25KTS 18KTS 25KTS 18KTS 25KTS 18KTS 25KTS 18KTS 25KTS 18KTS 25KTS 18KTS 25KTS 18KTS 25KTS 18KTS 25KTS 18KTS 25KTS 18KTS 25KTS 18KTS 25KTS 18KTS 25KTS 18KTS 25KTS 18KTS 25KTS 18KTS 25KTS 18KTS 25KTS 18KTS 25KTS 18KTS 25KTS 18KTS 25KTS 18KTS 25KTS 18KTS 25KTS 18KTS 25KTS 18KTS 25KTS 18KTS 25KTS 18KTS 25KTS 18KTS 25KTS 18KTS 25KTS 18KTS 25KTS 18KTS 25KTS 18KTS 25KTS 18KTS 25KTS 18KTS 25KTS 18KTS 25KTS 18KTS 25KTS 18KTS 25KTS 18KTS 25KTS 18KTS 25KTS 18KTS 25KTS 18KTS 25KTS 18KTS 25KTS 18KTS 25KTS 18KTS 25KTS 18KTS 25KTS 18KTS 18KTS 25KTS 18KTS 18KTS 18KTS 18KTS 18KTS 18KTS 18KTS 18KTS 18KTS 18KTS 18KTS 18KTS 18KTS 18KTS 18KTS 18KTS 18KTS 18KTS 18KTS 18KTS 18KTS 18KTS 18KTS 18KTS 18KTS 18KTS 18KTS 18KTS 18KTS 18KTS 18KTS 18KTS 18KTS 18KTS 18KTS 18KTS 18KTS 18KTS 18KTS 18KTS 18KTS 18KTS 18KTS 18KTS 18KTS 18KTS 18KTS 18KTS 18KTS 18KTS 18KTS
#UNDER OF FORECASTS COMMON 79 75 75 75 75 75 75 75 75 75 75 75 75 75
Ju 20 20

TYPHOON SUSAN
0600Z 07 JUL 10 050UZ 14 JUL

BEST THACK	WARNING ERHORS	24 HOUR FORE	ECAST ERROAS	48 HOUR FORE	CAST ERKORS	72 HOUR FORECAST					
POSIT WIND POS		POSIT WIND		POSIT WIND			DST WIND				
	119.2E 30 45 -05	17.8N 115.1E 50				-					
0712002 11.UN 118.55 40 17.2N		18.3N 113.8E 50 18.6N 112.9E 50									
0718002 17.4N 117.2E 40 17.4N	116.8E 30 23 -10	10:04 115:35 34	Ļ,5 10 -	•	•	<u>-</u>					
0800002 17.6N 117.0E 45 17.6N	115.5£ 30 85 -15	19.10 111.4t 50			,						
0800002 18.1m 117.3E 55 17.7N	115.15 45 127 -10	18.4N 112.1E 55		19.5N 144.4E 50 22.7N 113.4E 45	379 -5 20. 168 -10		559 -10				
081200Z 19.0N 117.8L 60 19.0N		20.8N 116-1E 60 21.1N 116-1E 60		22.9N 113.4t 45	191 -20	•					
0818002 19.4N 117./E 60 19.5N	117.6E 60 B U	21.14 110.15 0		-		•					
0900002 14.7v 117.5t 55 20.3v	116.75 60 57 2	22.7N 114.1E 50	178 -5 2 155 0 2	24.6m 112.7t 25	300 -40						
0900002 20.1N 117.1L 55 20.2N		21.90 114.80 55 22.40 114.20 55		4.0N 114.3E 25	283 -35						
0912002 20.5h 116.6c 55 20.8h 0918002 20.6h 116.2c 55 21.2h		22.6N 113.6E 30	195 -35 2	3.6N 112.7E 25	255 -30						
					226 10 21	7N 111.2E 45	272 0				
1000002 20.3h 116.0c 55 20.2h		20.4N 114.9E 60 21.5N 112.8E 45		20.9N 114.4L 60	220 10 21.						
1006002 20.2N 116.1t 55 20.4N 1012002 20.4N 116.2t 55 20.2N	115.66 55 30 0	20.5N 115.4E 6U		1.5N 114.6E 50	162 5						
	116.0E 65 26 U	20.5N 115.4E 60	126 5 2	1.5N 114.6E 50	145 5						
	116-01 05 45 U	20.8N 115.4E 50	126 0 2	21.5N 113.7E 50	1.33 5						
1100002 21.00 116.50 65 20.4N 1100.02 21.50 116.60 05 21.60		23.00 117.5E 50		5.7N 118.2E 25							
1114.02 41.7N 116.8E 60 21.8N	116./5 60 8 0	23.9N 117.9E 45			,						
1116002 ZZ.ON 117.UL 55 ZZ.AN	117.3E 6u 39 5	24.94 118.2E 25	550 -50 -	,							
1200002 22.28 117.1E 50 23.38	117.00 +5 76 -5	25.4% 117.0E 25	- 29 - 20 -	,,	:,						
1200002 64.00 116.90 50 22.3N	117.UE +5 19 -5	23.1N 117.4L 40		24 2N 11/.7E 40	49 -5						
	117.UE 45 50 V	23.2N 117.4E 40			,						
121800Z Zi.7N 116.2E 45 22.8N	117.2t 45 86 0	23.5N 117.3L 40	51 -10 -	,,							
1300002 41-9% 116-1E 45 22-4N	116.2E 50 19 5	22.2N 116.CC 45		,,	,	*					
1300001 24.0N 116.2C 40 22.4N	116.2E DU 24 10	23.4N 116.5L 45		,,	,						
1312002 22.3N 116.0C 45 22.6N											
13120A5 55.14 111.0c 20 55.94	110.50 50 57			-			_				
1400005 \$\$.00 117.0c 00 23.10				,,							
1400002 65.4N 117.5C 45 23.4N	116.20 Ju 71 -15			,,	,						
	TYPHOONS WHILE WIND			ALL FORELASIS	2-HR						
AVERAGE FURECAST ERROR	84 HH-45 GAINRAW 815 MNB41 4004				6NM						
AVERAGE HAGHT ANGLE ERHOR	28NP İVBN# 186	NM 399NM	MABS	108NH ISSNM 39	984						
AVERAGE MAGNITUDE OF WIND ERROR			6KTS		SKIS SKIS						
AVERAGE BIAS OF WIND ERROR NUMBER OF FORECASIS	-2KIS -6KIS -13		-2KTS		2 2 2						
HOWER OF LOURSHS!		-		a ,	ı						
				1 6	•						

TYPHUON 1655 OUUQZ OB JUL TO 1800Z 23 JUL

BEST THACK	WAHNING	24 HOUH LOKECAST	48 MOUR FORECAST	72 HOUR FUNECAS!
	ERRORS TEU UNIW TERRORS		FOST WIND UST WIND	ACZIL MINN DZI MIND FHHDUZ
	168.5E 30 54 -25	15.5N 164.8E 60 220 20		
0819005 js.ew 168-pr 22 13-34	1 167.5E 30 101 -20 1 168.7E 40 49 -15	16.UN 164.UE 6U 217 25 14.2N 167.2E 5U 45 15	35.5N 107.7L 55 119 10	17.9A 165.2E OU 220 0
0900002 12.5N 168.0E 45 13.5N 0900002 12.9N 167.5E 40 13.7N		14.4N 166.7E 55 42 20 14.9N 166.2E 25 75 -15	16-3N 165-4E 60 170 10	19.1k 165.JE ou 281 0
0912002 13.4N 167.1E 35 14.1N 0918002 13.5N 166.9E 35 14.2N	1 167.6E 3v 51 -5	15.3N 165.0E 25 112 -20 15.4N 165.5E 30 120 -15		
		15.2N 166.2E 45 93 -5	-	
1000002 43.6N 166.6E 35 14.4N 1000002 43.7N 166.6E 40 13.6N 1012002 43.7N 166.6E 45 14.4N	166.9E 30 25 +15	14.0N 166.2E 40 43 -10		
1010002 13.7N 166.6E 45 14.3N	166.15 45 36 0	15.3N 165.5E 50 72 -10	16.1N 164.3€ 55 122 -15	10.7k 102.6E QU 270 -40
	. 165.⊅£ 50 53 U	14.40 164.20 50 76 -10 14.40 163.00 55 09 -5	15.0N 104.4E 55 108 -30	15.46 lol.cE ou 100 -45
1115005 i# · 14 166 · 55 22 13 · 84	1 165.⊐£ 50 44 -> 1 165.⊐£ 50 38 -10	13.80 165.50 55 60 -5 14.20 164.40 55 30 -15	14.8N 104.4E DD 173 -40	14-8V 105-8E 00 50 -00
12.00002 14.4n 165.5t 60 14.3n 12.0002 14.4n 165.5t 50.00021	1 165.7E 33 13 -5 1 165.4E 55 24 -5	14.8N 165.2t 55 138 -20 15.2N 164.5t 55 175 -30	15.1N 164.4t 60 331 -45	15.46 164.1E DU 454 -60
1212UU2 14.3N 164.6E 6U 14.0N	: 164.8E 55 21 -5	15.0N 164.0E 60 196 -35	15.8N 163.0E 60 334 -65 15.7N 163.0E 60 323 -60	16.UN 162.6E 65 392 -55
1218002 14.1N 163.9E 70 14.4N 130002 13.7N 163.1E 75 14.1N		15.2N 161.6E 80 165 -20 14.6N 161.0E 80 141 -25	16.6N 159.8E 80 261 -45 15.3N 159.7E 85 208 -35	18-84 157.7E 80 207 -45
1300002 13.2N 162.3E 85 13.3N 1312002 12.9N 161.4E 95 13.1N		12.5n 157.0E 90 78 -30	12.1N 15/.4E 90 101 -30 12.4N 15/.4E 95 242 -30	10-1k 158.¿E yu 235 -35 12-7k 155.1E yo 35u -30 12-8k 149.8E 100 43g -15
1318002 14.7N 160.4E 100 12.7N		11.8N 157.6L 95 94 -30		12-84 149-8E 100 500 -10
1400007 12.6N 159.7E 105 12.5N 1406002 12.7N 158.8E 115 12.5N	159.4E 95 18 -10 158.4E 95 26 -20	12.1N 156.1E 115 109 -5 11.8N 154.8E 115 190 -05	12.3N 152.8E 130 330 5 11.8N 151.1E 130 422 5	12.7h 149.6E 145 520 50
1412002 12.8N 158.3E 120 12.8N 1418002 13.3N 157.1E 125 12.8N	158.2E 105 6 -15	12.8N 155.3E 125 1/4 0 12.8N 154.6E 130 228 05		13-Un 150.4E 140 536 45 13-1h 149-8E 140 563 45
150000Z 13.9N 156.4E 120 13.7N		14.5N 152.5E 140 215 15	35.2N 140.5E 145 399 50	15.0k 144.4E 150 548 60
1506002 14.8N 155.9L 120 14.8N 1512002 15.7N 155.5L 125 15.3N	155.7E 130 12 10 155.5E 130 24 5	17.0N 152.2L 140 119 15 17.0N 153.7L 140 156 25		19.35 145.9E 100 335 60 19.35 148.6E 150 276 60
151800Z 16.6N 154.9L 125 16.2N	•	19.3N 153.5E 145 99 35	51.0N 121.0F 120 85 22	55-AV 148-2E 120 108 42
160000Z 17.6N 154.4E 125 17.8N 160600Z 16.4N 153.7L 125 18.4N	154.4E 140 12 15 153.5E 135 11 10	20.60 151.41 135 26 40 21.50 150.11 120 61 25		25.4A 144.9E 110 236 30 26.3A 143.7E 100 27I 25
1612002 19.5N 152.9E 115 19.6N 1618002 20.3N 152.1E 110 20.5N	153.0E 125 8 10 151.8E 115 21 5	22.8N 149.1E 115 110 20 23.6N 147.8E 105 167 10	35.3N 145.7E 105 247 15 36.5N 144.1E 95 322 10	27.45 142.8E 95 310 20 24.65 141.1E 85 414 10
170000Z 21.2N 151.6E 95 21.1N	151.7E 110 8 15	24.3N 148.3E 10U 138 10		30.26 142.3E by 33/ 10
	150.7E 110 37 15 150.8E 110 6 15 150.5E 105 13 10	25.2N 147.1E 10U 191 10 24.1N 148.7E 10U 70 10 24.4N 148.4E 95 65 10	28.2N 144.1E 90 287 15 26.7N 145.UE 90 128 15	31.10 141.6E 80 353 15 29.70 143.0E 80 209 5
	150.06 105 18 15	24.4N 148.4E 95 65 10 25.2N 148.1E 95 65 15	<u>-</u>	29.2k 143.5E (5 149 -5 30.3k 142.5E (5 190 5
180000Z 23.4N 150.0E 90 23.3N 181200Z 23.7N 149.9E 90 23.7N	150.UE 105 6 15	25.4N 147.7L 95 57 20 25.5N 147.9L 8U 42 .5	27.9N 144.9L B5 122 20	30.50 142.3E 75 153 0
1818002 24-4N 149-6E 85 24-4N	149.5E. 95 5 10	26.5N 148.5E 85 21 10	28.5N 147.JE 80 76 0	31.46 146.1E 75 282 0
1900002 25.2N 149.3E 80 25.1N 1900002 25.7N 148.7E 75 26.2N		27-6N 148-3E 8U 24 10 30-0N 147-UE 8U 138 15	25.8N 147.2t 75 118 5 33.1N 145.7E 75 258 U	31.96 146.0E 70 371 0 36.06 145.7E 70 538 5
1912002 26.1N 148.3E 75 26.3N 1918002 25.8N 148.3E 75 26.5N	148.5E 85 16 10	29.2N 146.7E 75 72 0	32.6N 145.2E 70 227 -5	35.98 145.0E 65 535 0 33.38 141.2E 65 326 0
2000002 27.4N 147.9E 70 27.5N	147.3E 80 32 10	29.9N 145.0E 75 88 5	32.0N 143.1E 70 249 0	34.0N 142.8E 05 470 -5
2012002 28.0N 146.5L 75 28.1N	146.5E 80 6 5	30.8N 144.2E 75 115 0 30.1N 144.6E 70 96 -5	3.20 142.3L 70 302 5 0 23L 65 32.54 NO.SE	35.9A 141.7E 65 497 0 34.4A 141.8E 00 500 10
		29.9N 143.0L 70 102 -5	31.7N 141.4E 65 302 0	34.1A 140.8E 60 499 15
2100002 28.5N 145.5E 70 28.6N 2100002 28.9N 144.5E 75 28.7N 2112002 29.3N 143.0E 75 29.1N	144.7E 75 16 U	30.0N 142.7t 65 173 -5 29.8N 142.0t 70 219 5 30.7N 140.3t 70 166 5	31.7N 140.9E 65 406 0	
2116002 49.2N 141.2L 75 29.5N		32.4N 139.UL 70 206 5		
2200002 29.2N 139.5E 70 29.1N 2200002 29.4N 138.4E 65 29.4N	139.5E 75 6 5 138.6E /0 10 5	29.8N 133.0E 75 98 5 30.1N 133.6E 70 113 5	,,	
2212002 59.7N 137.3E 65 29.6N 2216002 30.4N 135.7E 65 30.1N	137.JE 70 6 5	30.3N 132.3E 70 176 20 31.6N 131.0E 65 162 20	,,	
2300002 31.UN 134.3E 70 31.IN	134.3E 65 6 -5	,		
230600Z 31.9N 132.9E 65 31.8N 231200Z 33.2N 131.7E 50 33.0N	132.96 65 6 0 131.88 65 13 15	,,		
231800Z 34.3N 130.8E 45 34.9N	130.3E 55 30 10	,,		
	TYPHOUNS WHILE WIND		ALL FORECASIS	
AVERAGE FORECAST ERROR	WAHNING 24-HK 48. 27NF 114NN 2371	NM 346NM 27NM	24-HR 48-HH 72-HR 114NH 237NH 346NH	
AVERAGE MIGHT ANGLE ERROR AVERAGE MAGNITUDE OF WIND ERROR AVERAGE DIAS OF WIND ERROR	18NP 68NM 1399 9KIS 14KIS 219 0KIS 2KIS -09			
NUMBER OF FORECASIS	0KIS 2KIS -0,	(15 OKTS OKTS 43 64	60 47 43	
			29 19 19	

TYPHOON ALICE

0000Z 01 AUG TO 0000Z 07 AUG

BEST TRACK	WAHN ING ERHORS	24 HOUR FORECAST	UHS 48 MOUN FORECAST	72 HOUR FUNECAST					
POSTT WIND POS	UNIW (SU UNIW II	POSIT WIND DST							
0100002 15.6N 158.8E 55 17.0N		21.1N 156.7E 60 217							
010000/ 10.1n 158.3t 55 16.0n		19.8N 156.2L 75 120	5 22.8N 154.0L 85 103 00	25.7A 153.8E YO 141 5					
0112002 10.4N 157.9E 55 16.3N 0110002 17.0N 157.6E 65 17.0N		19.UN 155.9E 75 '53	5 21-9N 154-5t 85 20 0	24-6N 153.BE 90 184 5					
0110005 1400 12400 02 1400	157.56 55 6 -10	19.7N 155.8L 65 25	-20 22.4N 154.5E 75 78 -10	24.9N 153.9E b5 241 5					
0200002 1/-5N 157-2E 70 17-4N		19.8N 155.8E 80 32	-10 22-3N 154-DE 85 158 -5	25.UN 153.8E YU 29Y 15					
0200002 17.9N 156.9E 70 18.2N		20.8N 155.2L 85 25	00 23.4N 154.2L 90 164 5	26.2h 153.7E 90 342 20					
0212002 18.4m 156.6t 70 18.5m 0218002 19.4m 156.1t 35 18.8m		20.2N 155.5E 90 135	5 22.0N 154.7t 95 3U3. 10	24.UN 154.0E Y5 494 30					
AF10005 15444 128415 92 18494	156.25 80 36 -5	20.6N 155.2E 90 183	5 22.4N 154.2E 95 334 15	24.2k 193.3E 95 522 30					
0300002 20.3N 155.6L 90 20.0N	155.6E 90 IB 00	22-5N 154-1E 95 133	5 24.7N 153.1E 95 273 20	26.4A 152.5E 85 493 15					
0400002 <1.1N 154.9L 85 21.1N		24.3N 153.5E 95 110	10 26.5N 152.0E 85 280 15	28.56 152.3E 75 517 5					
0312002 22.1N 154.2C 85 21.5N		24.2N 153.4E 90 170	5 26.5N 156.5F 85 353 20	28.5A 152.3E 75 582 5					
0319005 53.1v 123.3F 82 55.4v	154.2E YU 65 5	25.3n 152.3t 85 153	-2 56.0M 123.er 80 345 12	30.4N 151.5E ?5 548 S					
0400002 24.0N 152.3E 90 24.3N	152.5E #U 21 U	27.7N 149.7L 75 68	0 30.6N 148.4E 60 236 -10						
	151.38 65 11 0	27.3N 148.5E 75 58	5 30.0N 147.6E 65 257 -5						
0412002 25.3N 150.5E 85 25.3N		27.8N 147.6E 75 64	10 3C-3N 145-6E 70 219 0						
0410002 46.1N 149.6L BO 25.9N	149.5E 85 13 5	28.4N 146.8L 75 94	10 3CJ9N 145.5E 70 250 0						
0500002 2(.ON 148.7c 75 26.8N	148.7E 85 12 10	29.7N 146.UE 75 109	5 32.3N 144.8E 70 220 5						
0500002 41.7N 147.5t 70 27.8N		30.4N 144.0E 70 101	0 32.5N 143.4E 65 212 5						
		30.1N 141.3E 75 104	5						
0219005 5Å·JU 142·SF 92 58·AU	145.26 80 18 15	30.3N 140.3E 70 155	0						
0600002 29.9N 143.9E 70 30.2N	144.28 75 24 5	32.3N 139.2E 65 132	0						
0600002 JO.8N 142.7E 70 30.7N		32.6N 136.1E 60 313	0						
0612002 31.8N 141.7t 70 31.1N	142.UE 70 45 U	,, "							
061800Z 32.8n 141.1E 70 33.0n	140.78 65 23 -5	,							
0764002 34.0N 140.9E= 65 33.7N	140.36 65 35 0	,							
0700002 35.6N 141.3E 60 35.8N	141.UE 60 19 U								
			• •	•					
	TYPHOUNS WHILE WIND	WER SEKTS	ALL FORECASTS						
	WANNING 24-HK 48		INING 24-HK 48-HH 72-HR						
AVERAGE FUNECAST ERHOR	23NM 110NM 224A		MATER MARS MARE						
AVERAGE HIGHT ANGLE ERROR	14NM 48NM 78N		ANN 48NM 74NM 132NM						
AVERAGE MAGNITUDE OF WINE ENHOR		TS 13KTS TS 13KTS	GKTS GKTS 9KTS 13KTS OKTS 1KTS 4KTS 13KTS						
AVERAGE DIAS OF WIND ERHER NUMBER OF FORECASIS	0KIS 1KIS 4F	TS 13KTS	OKTS 1KTS 4K15 13KTS						

TYPHOON BETTY OUODZ US AUG TO 1200Z 17 AUG

BEST THACK	BARA ING ERMONS	24 HOUR FORECAST	48 MOUH FORE	ECAST 72 ERRURS	72 HOUR FUNECASI ERRORS				
POSIT WIND POS			WIND POSIT WIND	UST WIND POST	T WIND DS! WIND				
0900005 11.40 149.85 30 11.80		12.5N 147.4L 50 125	0		,				
0900002 12.4n 149.0t 30 12.2n 0912002 13.0n 148.5t 40 13.1n	149.3E 30 21 0 148.4E 30 B -10	12.9N 147-2E 50 160 15.4N 145-6E 55 54	-5						
-0916002 13.7N 148.2E 50 13.4N		14.8N 146.2E 85 138	25 36.7N 149.1E 100		42.2E 100 328 10				
		•	• • • • • • • • • • • • • • • • • • • •						
1000002 14.6N 147.4E 50 14.5N 1006002 15.5N 146.5E 55 15.4N		17.1N 145.0E 90 82	25 25.3N 143.2E 100 25 22.3N 141.5E 100	202 25 22.UN 1- 266 20 25.4N 1-	41.3E 100 377 -5 40.5E 70 506 -15				
1012002 19.3N 145.7t 55 16.4N		20.UN 142.7E 85 119	20 23.7N 1+1.VE 110		40.2E 115 581 10				
1016002 16.8N 145.UE 60 17.2N		21.3N 141.5E 90 173	20 35.0N 1+0-1E 115	423 25 28.UN 1	39.7E 115 644 10				
1100002 17.4N 144.2E 65 17.6N	144.00 65 17 0	21.UN 141.3E 85 169	10 24.4N 14U.OL 95	416 -10 27-IN 1	39.7E 100 627 -10				
1115005 10.5W 141.8C P2 18:0W		20.14 138.2E 75 '90	-5 22-6N 130+1E 85		39:8E 100 501 -15				
111800% 18.5N 140.7E 70 18.7N	140./E 70 12 U	21.6N 137.3E 90 175	0 54+3N 135+6E 110	337 5 26.9N 1	34.jE Jjv 485 -15				
1200002 18.6N 139.7E 75 19.1N	139.4E 70 34 -5	21.2N 135.UE 90 139	-15 23-5N 134-2E 110	235 0 25.7N L	30.3E 110 304 -15				
	1 9 ns 31.861	19.10 134.3F 102 13	0 \$C-7N 131-4E 115		30:3E 110 306 -15				
1212002 18.8N 137.4E 80 18.7N 1216002 18.8N 136.4E 90 19.0N	137.4E 85 16 10	19.3N 133.1E 105 29	0 20.5N 129.7E 115	30 -10 23.4N 1	27:5E 115 131 -25				
					-				
1300002 15.9N 135.4E 105 18.9N		19.3M 131.8E 130 19			23.6E 140 75 -5				
1300002 19.0N 134.5E 105 19.0N 1312002 19.2N 133.6E 105 19.0N		19.50 130.2E 130 45	15 21.3N 120.4E 125 10 21.6N 125.9E 125		23.4E 120 84 15 22.3E 115 74 15				
131du02 19.4N 132.6E 105 19.1N		19.5N 128.9E 135 84	10 21.0N 125.0E 125		21.7E 115 139 15				
	•		5 of an 1:15 All 105) Aug. (8, 7, 1	30.05 110 114 30				
1400002 19.6N 131.7E 110 19.3N 1400002 20.0N 130.8E 115 20.0N	131.0E 130 19 20 131.0E 130 11 15	20.2N 127.6E 130 61 21.9N 128.0E 130 58	5 22.2N 123.9E 120 5 23.9N 124.3E 120	108 -5 24.7N 1 42 15 25.6N 1	20.8E 110 112 30 20.3E 90 88 15				
1412002 20.4N 129.8E 125 20.4N		22.4N 126.5t 120 25	-10 24-6N 122.9E 105	43 05 26.4N 1	18.7E SU 10710				
1418002 20.9N 128.7E 125 20.8N	128.9E 30 13 5	55.8M 155.5F 115 33	-20 24.4N 121.3E 100	89 00					
1500002 21.2N 127.8E 125 21.4N	127.8E 125 12 0	23.6N 123.4£ 105 88	-20 25.3N 119.4E 65	129 -15	;				
1500002 cl.4n 127.1t 125 21.2n	126.6E 125 30 U	23.UN 122.2E 105 149	0 25.1N 11[.BE 45	197 -30	;				
1512002 22.0N 126.0E 130 21.6N		23.4N 122.2L 105 124							
1218005 ¢¢+8N 152+RC 132 55+ÅN	122-9E 152 6 -10	Se-Su 155-0F 102 30	05						
1600002 23.7N 125.0E 125 23.7N		26.8N 121.2t 90 21			;				
160000Z 24.6N 124.3E 105 24.7N			-30	•					
1612002 23.3N 123.1E 100 25.5N 1610002 23.7N 122.1E 100 25.9N		28.3N 119.9L 45 46	-15						
1700002 co.5N 121.4E 80 26.1N			,,	· ·					
1700002 27.0N 120.8E 75 27.2N 1712002 27.5N 119.8E 60 27.6N	120.8E 35 12 -20 119.7E 40 8 -20		,,						

	1.0		ALL SOULIANTS						
	IYPHUONS MHILE WIND WARNING 24-HK 48		ALL FORELASTS AHNING 24-HH 48-AH 1	72-HR					
AVENAGE PURECAST ERROR	15NF 87NM 179	NM 296NM		96NH					
AVERAGE RIGHT ANGLE ERROR	10NM 66NM 147			36NM 16KTS					
AVERAGE MAGNITUDE OF WIND ERROR AVERAGE BIAS OF WIND ERROR		KTS -2KTS		-2K1S					
NUMBER OF FORECASIS	33 31 44			20					

TYPHOON CORA

```
06002 25 AUG TO 18007 28 AUG
                      BEST TRACK
                                                            WARNING
                                                                                               24 HOUR FORECAST
                                                                                                                                               48 HOUR FORECAST
                                                                                                                                                                                             72 HOUR FORECAST
                                                POSIT WIND DST WIND
                                                                                             POSIT WIND OST WEND
                                                                                                                                            POSIT WIND DST WIND POSIT WIND DST WIN
                                 WIND
                   POSIT
2506007 19.0N 116.1E 45 19.2N 116.5E 30
2512007 18.9N 116.0E 45 19.2N 116.5E 55
2518007 18.9N 115.6E 45 19.3N 116.3E 55
                                                                          98 -05 20.5N 110.9E 55
98 -05 20.5N 110.7E 55
 260000Z 18.9N 115.3E 45 18.8N 115.0E 35
260600Z 18.8N 114.8E 50 18.8N 114.8E 55
                                                                           18 10 18.8N 112.8E 60
17 05 [8.8N 1]2.4E 60
                                                                                                                         18 -5
11 -5
                                                                                                                                       19.14 110.4E 55
                                                                                                                                                                      21 -15 ----
                                                                                                                         69 -05
84
 261200Z 18.7n 114.2E 55 18.8n 114.5E 55
261800Z 18.7n 113.4E 60 18.8n 114.5E 55
                                                                            18 0 18.8N 113.4E 60
63 -5 18.8N 112.9E 60
                                                                                                                                                                     202 5
246 10
                                                                                                                                        18.9N 111.3E 60
2700002 18.7N 113.1E 65 18.7N 113.2E 60
2706007 18.8N 112.6E 65 18.6N 113.1E 65
2712007 19.0N 112.2E 65 18.6N 112.7E 65
                                                                           31 0 18.6N 111.2E 65
37 00 18.6N 110.8E 65
                                                                                                                       132 10 -----
                                                                                                                                                                        -- -- -----
271800Z 19.3N 111.5E 65 18.7N 112.2E- 65
                                                                           53 00
                                                                                       18.9N 110.3E
                                                                                                                60
                                                                                                                        226
                                                                                                                               10
2800002 19.4N 110.6E 65 19.2N 111.5E 70
                                                                           52 05 --.-
2806002 19.9N 109.3E 35 26.0N 109.7E 60
2812002 28.6N 108.2E 55 20.2N 108.7E 55
                                                                                                                          --
                                                                                                                                                                        -- -- ----
                                                                        23 5 ----
 2818007 21.2N 107.1E 50 20.6N 107.2E 50
                                                                           25 0 ----
                                                      TYPHOONS WHILE WIND OVER 35KTS WARNING 24-HR 48-HR 72-HR
                                                                                                                           ALL FORECASTS
WARNING 24-HR 48-HR 72-HR
                                                           32NM 97NM 120MM 179NM
12NM 33NM 46NM 66NM
AVERAGE FORECAST ERROR.
AVERAGE RIGHT ANGLE ERROR
                                                                                                                               32NH 97NH 120NH 178NH
12NH 33NH 46NH 66NH
AVERAGE MAGNITUDE OF WIND ERROR
AVERAGE BLAS OF WIND ERROR
                                                           1 KTS 1 KTS -3 KTS
-3KTS -2KTS -5KTS
                                                                                                                               1 KTS 1 KTS -3 KTS
-3KTS -2KTS -5KTS
                                                                                                 3KT5
                                                                                                                                                                    3KTS
NUMBER OF FORECASTS
                                                            15
                                                                                                                               15
                                                                                                                                          7
                                                                                                                                                         6
                                                                                            TYPHOON ELSIE
                                                                           1206Z 31 AUG TO 8600Z 04 SEP
26 HOUR FORECAST
ERHORS
                                                                                                                                            48 HOUR FORECAST
ERRORS
                                                                                                                                                                                            72 HOUR FORECAST
                      BEST TRACK
                                                            MARNING
ERRORS
                                                                           12 -10 17.6N 110.5t 60 101 -15 19.3N 106.2E 50 322 -15 ---- ----- 6 5 17.7N 108.9E 65 162 -10 19.2N 103.7E 25 412 -50 ---- -----
 010000Z 14.9N 114.7E 55 14.9N 114.9E 45
010000Z 15.5N 113.7E 60 15.5N 113.8E 65
                                                                         12 10 17.9N 108.6E 75
13 5 17.3N 109.4E 65
                                                                                                                       182 .5 19.0N 104.4E 30 363 -45
120 0 18.3N 106.0E 55 256 -15
0112007 15.7N 113.UL 65 15.9N 113.UE 75 0118007 15.9N 112.4E 65 16.0N 112.6E 7U
0200002 10.2N 111.5E 75 16.5N 111.3E 70
                                                                           21 -5
                                                                                                                        215 -- 10
                                                                                                                                       19.3N 103.9E
                                                                                                                                                                      368 -45
                                                                                                                55
                                                                                        18.0N 107.5E
                                                                                                                        13 -10 16.UN 110.3E 65
6 -5 16.0N 110.0E 65
25 5 17.2N 106.0E 40
0200002 16.0N 111.1E 75 15.9N 111.3E 05 0212002 15.8N 110.9E 70 15.8N 111.0E 05
                                                                                                                                                                        92 0 ----
                                                                                                                                                                                                                             --
                                                                                                                       190 -30
                                                                                                                                                                                     --,-
0218002 15.6N 110.5L 65 15.9N 110.2E 7U
                                                                           13 U 15.8N 109.3£ 65
                                                                                                                                                                        -----
                                                                                                                                                                                                              ::
                                                                                                                                                                                                                       ==
0300002 13:5N 110:8E 75 15:5N 110:3E 05
                                                                                                                          33 -5 ----
                                                                                                                                                               ==
                                                                                                                                                                                                                             ==
                                                                                                                       ----
0312002 15.5N 109.6E 75 15.4N 109.5E 85
0318002 15.5N 109.4E 70 15.2N 109.4E 05
                                                                          8 10 ----
040000Z 15.4N 108.9E 70 15.2N 109.1E 65
040600Z 15.1N 108.2E 55 15.2N 108.2E 35
                                                                         17 -5 ---- -----
                                                                                                                                        ALL FORECASTS
                                                      TYPHOONS WHILE WIND OVER 35KTS
                                                         WAHNING 24-HR 48-HR 72-HR
16AM 108NM 108NM 0NH
AVERAGE FURECAST EHROR
                                                                                                                             11mm SENM 270mm
BKTS 11KTS 28KTS
AVERAGE HIGHT ANGLE ENROR AVERAGE MAGNITUDE OF WIND ENGOR
                                                         11NM USNM 270NM ONM
UKIS 11KTS 28KTS OKTS
                                                                                                                                                                     ONM
AVEHAGE WIAS OF WIND ERROR
NUMBER OF FORECASTS
                                                            -3KIS -9KIS -28KIS
                                                                                                                               -3KT5 -9KTS -28KTS
                                                                                                                                                                     OK 15
                                                                                                  OKTS
                                                                                           TYPHOON FLOSSIE
                                                                                  0000Z 10 SEP TO 00004 16 SEP
                                                                                                                                                                                              72 HOUR FUNECASI
ERHORS
                      BEST THACK
                                                            MAHN ING
                                                                          24 HOUN FORELAST
ERHORS ERHORS
                                                                                                                                            48 MOUN FORECAST
                                                                                                                                                                        t RHURS
ERRORS - LERRORS                                                                                                                                                                                      ERNARI
POSIT WIND PIECE
POSIT WIND
1100002 14.7N 119.1E 35 14.4N 119.6E 30
1106002 14.8N 118.4E 35 14.8N 118.5E 30
                                                                         34 -5 14.8N 116.8E 55
6 -5 15.6N 114.7E 55
                                                                                                                         35 10 ---- -----
78 .5 ----
1112002 14-9N 117-7E 35 15-2N 117-5E 30
1118002 14-7N 117-0E 40 15-0N 117-2E 30
                                                                           21 -5 16.2N 114.0E 45
21 -10 15.8N 114.1E 45
                                                                           24 -10 15.0N 112.2£ 45
1200002 14.8N 116.2L 45 14.7N 115.8E 35
                                                                                                                        119
                                                                                                                                  0
                                                                                                                                       35-6N 189-4E
                                                                                                                                                              50 197 -15
1206007 15.0N 115.9E 50 15.0N 115.9E 35
                                                                           0 -15 15.2N 113.6E 45
6 -15 15.1N 112.9E 45
                                                                                                                          30 -5
35 -10
                                                                                                                                      35.4N 111.6E 50 48 -15 15.4N 109.5E 55 15.5N 110.9E 50 55 -25 15.9N 108.9E 55
                                    45 15.0N 114.7E 35
                                                                                                                          42 -10
                                                                                                                                                                                     16.14 108.2E
                                                                           13'-10 15.3N 112.3L 45
                                                                                                                                        15-6N 110.3E 50
                                                                                                                                                                        58 -25
                                                                                                                         43 -20 16.2N 110.3E 50 75 -20 16.5N 108.3E 55 72 -20 16.6N 107.9E 50 114 -15 ---
1300007 15.5N 114.2E 45 15.3N 114.4E 35 1300002 15.7N 113.7E 50 15.0N 113.8E 35
                                                                           17 -10 15.9N 112.4E 45
8 -15 16.3N 111.9E 45
                                                                                                                                                                     170 -20 ----
1312007 15.6N 113.2E 55 15.9N 113.2E 35 1318007 15.5N 113.0E 55 15.7N 112.8E 40
                                                                           18 -20 16.6N 110.4E 45
17 -15 16.1N 110.3E 50
                                                                                                                        121 -30 17.1N 108.0E 50
80 -25 16.6N 108.3E 50
1400002 15.3N 112.8L 65 15.3N 112.7E 50
                                                                                                                                       15.0N 107.3E
                                                                           17 0 15.1N 111.0E 75
6 0 15.1N 111.0E 85
.6 0 15.1N 108.6E 70
                                                                                                                          53 10 ---- ----
140000Z 15.2N 112.4E 65 15.2N 112.4E 65 1412.0Z 15.0N 111.7E 75 15.0N 111.8E 75
                                                                                                                          43
1418002 15.0N 111.1E 75 15.0N 111.0E 75
                                                                                                                          36 20 ----
                                                                                       15.1N 108.6E 75
                                                                                                                                                                        -- -- ----
150000Z 15.0N 110.7E 70 15.0N 110.7E 80 150600Z 14.9N 110.1E 65 15.0N 110.2E 80
                                                                                                                                                               -==
                                                                         6 10 ----
1512002 14.7N 109.6£ 70 14.8N 109.6E 80 1518002 14.5N 109.0£ 70 14.8N 109.0E 80
160000Z 14.5N 108.7E 55 14.7N 108.5E 50
                                                                         17 -5 ----
                                                                                                                            MARNING 24-HK 48-RH
                                                      TYPHUUNS WHILE WINU OVER 35KTS WARNERG 24-HR 48-HR 72-HR
                                                           20NF 75NH 99NH 125NH
14NF 44NH 72NH 106NH
                                                                                                                             20NM 75NM 99NM 125NM
14NM 44NM 72NM 106NM
AVENAGE FUNECAST ERNOR
AVENAGE RIGHT ANGLE ERROR
                                                                                                                               10KTS 12KTS 18KTS 1/KTS
-6KTS -1KTS -16KTS -1/KTS
AVERAGE MAGNITUDE OF WIND ENHOR AVERAGE BIAS OF WIND ERROR
                                                           10KTS 12KTS 18KTS 17KTS
-6KTS -1KTS -16KTS -17KTS
NUMBER OF FORECASTS
                                                                                                                               25
                                                                                                                                           21
                                                                        21
```

9

16

TYPHOON HELEN 0000Z 13 SEP 10 1200Z 16 SEP

	00001 13 251	b 10 1500% 19 2Eb		
BEST TRACK	WARNING 24	HOUR FORECAST	48 HOUR FORECAST	72 HOUR FORECAST
1300007 15-00 136-9E 30 15-10	SIT HIND OST HIND DOCK	EARCAS T WIND OST WIND	POSIT WIND DST	RS ERRORS
1306002 15.4n 136.6E 40 16.0n 1312002 16.7n 135.5E 50 16.7n	136.0E 60 50 20 18.4N 1	33.2L 80 60 10	2C-8N 131-0E 90 173	10 23. km 129.2F 100 603 00
131800Z 17.6N 134.7E 50 17.5N	134.9E 65 13 15 20.4N 13		22.3N 131.4E 90 170 23.2N 131.9E 90 229	10 24-9N 130-2E 100 642 35
140000Z 18.5N 133.9E 55 18.3N 140600Z 19.4N 133.1E 70 19.5N	134.1E 65 16 10 21.7N 13 133.3E 70 13 0 22.7N 13	31.8E 75 24 0 31.2E 90 63 10	24.4N 130.4E 100 336	10
14120UZ 20.1N 132.4E 70 20.0N 141800Z 21.1N 132.0E 70 21.UN	132.5E 80 8 10 23.IN 13	30.5E 95 145 15	25.3N 130.0E 100 468 26.1N 129.7E 100 592	35
150000Z 22.1N 131.8E 75 22.6N				
150600Z 23.6N 131.8E 80 23.7N 151200Z 25.1N 132.0E 80 25.3N	131.6E 90 12 10 30.4N 13	33-6E 75 109 -25		an langu bengan da lan lan lan
1218007 51.0N 135.0E 82 52.5V		35.8E 70 120 05		
1600007 54.3N 133.5E 90 59.0N	133.3E 85 21 -05	,	,,	
1015007 30.4N 134.8E 100 31.8N				
	TYPHORUS MILLS MAD WES STORY	_		•
AVERAGE FORECAST ERROR	TYPHOONS WHILE WIND OVER 35KT	R WARNING		
AVERAGE RIGHT ANGLE ERROR	18NM 95NM 328NM 623NM 12NM 45NM 68NM 118NM	1 13NM	95NM 428NM 623NM 45NM 68NM 118NM	
AVERAGE MAGNITUDE OF WIND ERROR	LIKIS 6KTS 19KTS 28KT		7KTS 19K <u>I</u> S 28KTS	
NUMBER OF FORECASTS	14 11 6 2	15	6 2 0	
	Түрноо	N 10 <u>A</u>	- 2	
	0600Z 17 SEP	TO 06007 Z4 SEP		
BEST TRACK	WARNING 24	HOUR FORECAST	48 HOUR FORECAST	72 JOHN 808804ST
	ERRORS	ERRORS	ERRO	
170600Z 17.1N 155.1E 30 17.2N		3.0E 45 289 -5		IND BOSIT WIND DE WIND
1712002 16.9N 155.6E 30 17.0N 1718002 16.5N 156.5E 35 16.3N	155.1E 30 29 0 17.6N 15 156.7E 30 17 -5 15.5N 15	54.25 50 266 -5 59.05 55 52 -10		
1800002 16.5N 157.0E 45 16.5N				15 18.0N 155.1E 85 415 -5
180600Z 15.9N 157.6E 50 15.8N 181200Z 15.5N 158.3E 55 15.5N	158.4E 60 6 5 15.5N 16	1.4E 70 283 10	16 2N 162.4E 75 539. 17.2N 164.JE 75 747	5 18. UN 165.7E 75 1074 -15 0 19.2N 167.3E 70 1200 -20
1818002 15.4N 158.1E 65 15.3N		•	• -	-2 11.0H 164.TE in 110T -52
190600Z 15.6N 157.9L 90 15.3N 190600Z 15.8N 157.1L 80 15.8N		0.0E 90 340 30 7.3E 100 254 30	15.6N 161.7E 90 807	0 16.4h 159.8E 100 (1139)-16
1912007 15.9N 156.5E 60 15.8N 1918007 15.9N 155.5E 50 15.8N	156.7E 90 13 30 15.9N 15 156.2E 95 41 45 15.9N 15	4./E 110 217 35	16.4N 151.8L 125 375 16.6N 151.4E 130 437	35 17.7N 148.8E 135 478 35 35 18.0N 148.3E 140 527 30
· · · · · · · · · · · · · · · · · ·		2.2E 120 271 30		35 19.3N 145.8E 140 465 35
2006002 16.8N 153.0E 70 16.8N 2012002 17.3N 151.2E 75 17.2N	153.0E 85 0 15 20.2N 14	7.5E 80 120 -10	23.4N 144.3E 80 82 - 22.7N 144.8E 80 121	15 27.7N 143.3E /U 88 -30
201800Z 17.7N 149.5E 80 17.7N				20 26.QN 139.5E 80 299 -10
2100002 18.0N 147.8E 90 18.0N			23.0N 139.2E 100 241	5 26.5N 138.3E 95 415 10 0 27.6N 138.1E 95 501 15
2106007 18.3N 146.8E 90 18.3N 2112007 19.4N 146.0E 90 19.1N 2118007 20.7N 145.0L 95 20.3N			23.9N 136.4E 100 270 24.4N 141.5E 100 245 26.2N 141.8E 100 257	0 27.4N 138.1E 95 501 15
		* .	<u>.</u>	10
	143.9E 90 13 -5 27.2N 14 143.3E 105 19 10 27.2N 14 142.9E 110 16 10 28.0N 14	2.2E 105 27 5	34.0N 143.2E 85 57	5
2218002 24.6N 142.0E 110 24.3N	142.3E 110 24 00 28.9N 14	1.8E 90 96 0		
230000Z 26.2N 141.9E 105 26.2N 230600Z 27.3N 141.7E 100 27.4N				
2312002 28.5N 141.7E-100 28.3N 2318002 30.5N 142.0E 90 30.1N	141.8E 110 13 10			
**				
240600Z 34.3N 142.8c 85 32.3N 240600Z 34.3N 144.3c 80 34.0N	144.UE 100 23 20	-:		
	TYPHOONS WHILE WIND OVER 35KT	s	ALL FORECASIS	
AVERAGE FORECAST ERROR	WARNING 24-HR 48-HR 72-H 22NM 156NH 353NH 634NH	R WARNING	24-HR 48-HR 72-HR 156NH 353NH 634NH	
AVERAGE RIGHT ANGLE ERROR	10NM 68NM 121NM 207NM	9NM	PRUM ISTUM SOJUM	
AVERAGE MAGNITUDE OF WIND ERROR AVERAGE BIAS OF WIND ERROR NUMBER UF FORECASTS	R 12KTS 14KTS 11KTS 21KT 10KTS 5KTS 6KTS 1KT 27 25 18 14	š 19ktš 29	1.5KTS 16KTS 1KTS 25 18 14	
			10 6 3	
		N LORNA		
•	00002 01 007	TO 00002 03 OCT		
BEST TRACK	WARNING 24	HOUR FORLCAST	48 HOUR FORECAST	72 HOUR FORECAST
	SIT WIND DST WIND POSIT	ERRORS	POSIT WIND DST W	IND POSIT WIND DST WIND
0112002 17.4N 113.6E 60 16.8N 0112002 17.4N 112.0E 65 17.2N	112.2E 70 17 5 17.2N 10	6.8E 85 66 10		
0118002 17.9N 110.7E 65 18.UN	110.0E 70 8 5 20.5N 10	•		
0200002 18.0N 109.5E 65 18.0N	108.1E 65 6 -10			
0212002 18.2N 107.3E 75 18.3N 0218002 18.2N 106.5E 65 18.3N	107.1E 65 13 -10	,		en unit menin en en un en unit menin en en un
0306002 18.0N 105.4E 45 18.2N				
•				
	TYPHOUNS WHILE WIND OVER 35KT WARNING 24-HK 48-HR 72-H	R WARNING		
AVERAGE FURECAST ENROR AVERAGE MIGHT ANGLE ERNOR	14NP 12NM 0NM 0NM MMO MMO MMO 11 4051	146M 126M	128NM UNM UNM 117NM ONM ONM	
AVERAGE MAGNITUDE UP WIND ERHOU AVERAGE BIAS OF WIND ERROR	H 6KTS 15KTS 0KTS 0KT -3KTS 0KTS 0KTS 0KT	rs 6KT	i 15KTS UKIS OKIS i 13KTS OKIS OKIS	•
NUMBER OF FORECASIS	8 4 0 0	3 -361.	1	
	•		1	

TYPHOON MANIE

00005 n2 OC1 10 18005 if OC1

BEST TRACK	WARNING ERHORS	24 HUUR FORECAST	48 MOUR FORECAST RS ERRORS	72 HOUR FORECAST				
POSIT WIND PO	GNIW TEG UNIW TIE	POSIT WIND UST W		POSIT WIND DST WIND				
0500002 14.1N 167.8E 45 14.4N		15.2N 164.9E 50 80	-5	mant. Atun Dai Mikh				
0512002 14.1N 167.1E 50 14.5N 0518002 14.1N 166.1E 50 14.7N	167.0E Ju 25 -20 166.JE Ju 38 -20	15.UN 164.2t 50 76 -	25					
401000 \$3410 160415 20 14450	100.55 30 38 -20	15.2N 163.4E 55 112 -	30					
0000002 14.0N 165.4E 50 14.1N	166.7E 45 76 -5	14.2N 164.8E 55 275 -	5 14.2N 162.7E 65 570 -30	14-4N 159.BE 75 744 -35				
0600002 14.0N 164.3E 55 13.9N	164.3E 60 6 5	13.9N 160.0E 85 149 -		15.5N 153.5E 105 443 0				
	163.2E 75 6 0	15.UN 158.5L 95 115	00 16.3N 153.3E 120 202 25	18.4N 149.3E 130 221 25				
0618005 14.20 161.00 R2 14.30	161.9E 75 21 -10	14.4N 157.UL 95 448 -	05 17.0N 154.0E 120 208 5	19.26 148.UE 130 203 20				
0700002 14.9N 160.1E 90 14.8N	160.1E ab 6 -5	16.1N 154.7E 415 95	20 17-EN 150-41 130 171 20					
0700002 15.2N 158.4c 95 15.2N	158.8E 90 23 -05		20 17.en 150.et 130 171 20 35 19.1n 1+9.et 130 177 25	20.4N 146.5E 130 136 25 22.0N 146.0E 130 115 25				
0712002 15.6N 156.6E 95 15.2N	156.5E 95 25 00	16.8N 150.7L 125 58	10 15.7N 1+0.8E 130 77 25					
0718002 10.0N 154.7E 100 15.4N	155.3E 95 50 -05	17.4N 150.UL 125 91	0 20-3N 145-5E 130 114 20	22.9N 143.6E 125 25 25 23.8N 143.9E 125 13 30				
080000Z 10.5N 153.1E 95 16.3N	152.8E 100 21 05	19.4N 147.1E 130 79	20 22.5N 1+3.2E 130 124 25					
0800002 17.0N 151.0E 85 17.0N		•						
0812002 17.5N 150.0E 95 17.5N				25.9N 139.3E 120 295 25 26.4N 138.4E 115 459 25				
0818002 47.5N 148.4E 115 17.7N	148.2E 100 17 -15		20 23.EN 139.JE 125 246 30	26.8N 137.1E 115 594 35				
0900002 18.1N 147.4E 110 17.9N	144 ME 11 3c. II	• •		•				
0900002 10.7N 146.5E 105 18.7N		20.6N 141.8E 13U 129 . 21.4N 143.5E 130 28 .						
0912002 19.3N 145.5E 105 19.3N								
0916002 20.0N 144.5E 110 19.7N			F 85 80 110 00 100 100					
•	•		- 55454 35545 150 350 40					
1000002 20.6N 144.1E 105 20.7N			0					
1000002 24.5N 144.0E 105 21.7N 1012002 22.7N 144.0E 100 22.4N	•	25.5N 141.4E 100 208	5					
1012005 55-14 144-0E 100 55-44			0					
• • • • • • • • • • • • • • • • • • • •	•	200111 144015 300 252						
1100002 25.6N 143.9E 90 25.3N		,	,,					
1100002 37.60 144.5E 95 27.30	144.2E 95 24 0							
1112002 29.60 146.2E 90 29.20								
1110002 31.9N 146.9E 80 31.7N	146.9E 90 12 10		,,					
	TYPHUONS WHILE WIND		ALL FORECASTS					
AVERAGE FORECAST ERROR	WARNING 24-HR 48.		ING 24-HH + 48-MH 72-HR					
AVERAGE RIGHT ANGLE ERROR	15NM DUNN 109K		NA 122NN 255NA 289NM NA 60NM 109NM 130NM					
AVERAGE MAGNITUDE OF WIND ERROR	9KIS 21KIS 25K	TS 25KTS	AM 60NM 109AM 130NM KTS 21KTS 25KTS 25KTS					
AVENAGE BIAS OF WIND ENHUR	-1KTS 9KTS 200		KIS SKIS ZUKIS 19KIS					
NUMBER OF FORECASTS	27 23 16	12 .2	23 16 - 12					
			9 7 8					
			1 ' 0					

TYPHOON NANCY

0600Z 16 OCT 10 1200Z 21 OCT

	00005 to oct to 15045 \$1 0ct																						
		BEST TRA	Сĸ		₩A	AN I NĞ		0R5	ä	4 HOUR	FORE		CHS	4	я йоль	FORE		ors	1	72 HOŲR	FORE		ROAS
1600002 1612002	15.7N	169+6E		15.6N			DST	# I NO		167.UL		DST	* 15U -15	,-		#1MD				160.0E	IND 70	191 191	-52 MIND
1610002	15.8N	167.85	50	16.ŹN	168.4E	40			17.1N	166.01		182	-30	16.3N	162.61					159.1E	70	195	-50
1700002							18	_	-	163.11										155.0E		368 368	15
1706002 1712002	16.1N	164.5E	75	16.0M	164.5E	80	11	5	17.UN	160.4E	90	68	-10	18.2N	157.8E	95	222	0	19.40	153.8E	95	423	30
1718002							6			158•5L					154.7E			5		151.EE	• •	514	35
1800002 1800002	10.4N	161.7E 160.8E	90 95	16.4N 17.3N	161.0E 160.0E	85 115	. 13		19.2N	156.8E	150	115 156	20	26 JEN	153.3E	110	340 407	35	21.7N	151.0E	ľūó	567 64 I	
1812002 1818002	18.3W	159.9E 158.8E	l u Q 100	18.0N 19.0N	160.UE 158.9E	150	8	20 20	20.2N	156.8E 155.5E	130 130	101 107	35 40	22.0N 23.2N	154.0£	120	390	55 60	23.7N	152.UE	110	585	
1900002								15		153.9L					151.5E		501 196			,-			
1912002	51.6V	158.UL	100	51.ÝN	158.0E	115	55 J R	20 20		157.3E		115	35		158.2E		573	25		:			
1918002	22.3N	158•24	90	55•èN	157.5E	ĪTO	43	50	25.9N	158.Jt	90	j19	30	,-	,-					;*			
2000002	23.1N	158.5E	85 75	23.UN	158.1E	100	23 61	15 20	25.7N 24.7N	158.6E	80 75	175	20 15	==;=	==::=		==		==:=		==	==	==
2012002	24.2N	159.42		24./N 25.3N	159.9E 160.7E	85 75	40 68	2u 15		166.3E	60	274	- - -	;-	:-			==	;-	;-			==
2100002	24.8N	160.6E			160.vE		33	20		,-				,-						;-			
		161.5E 162.6E		25.5N	162.8E	75 65	38 11	15 10	==:=	:-				;-	==::		==	==	;-	;-	==		==
TYPHOONS WHILE WIND OVEH 35KTS WANDING 24-HK 48-HR 72-HK									*	.RNIN		DRECAST		2-nH									
		AST ERRO		H			35NM 98NM	197	VM 24	enm Enm			25NM 14NM	135N 98N	4 1976	M 24	SNW 9NW						
		TUDE OF					22KT			LKTS LKTS			16KT		15 18k	15 2	IKTS						
NUMBER					22	: -	18	13	٠,	9			22	18_	13		3						

TYPHOON OLGA

BEST THACK	WARNING ERRORS	24 HOUR FORECAST ERRORS	46 HOUR FORECAST ERHURS	72 HOUR FORECAST ERRORS
POSIT WIND P 220000Z 8-1N 174-1E 60 8-0	OSIT WIND DST WIND	8.5N 171.0E 100 B5 40	19.6N 16 .6E 115 104 55	11.00 164 3E 152 138 10
221200Z 8.6N 173.8c 65 8.2	N 173.0E 75 24 15 N 173.9E 75 25 10 N 173.5E 65 26 0	8.6N 170.3E 100 81 49 8.6N 171.8E 100 113 45 9.7N 171.6E 70 136 10	19.3N 168.8E 115 255 65	11.8N 163.8E 125 182 70 10.8N 165.4E 125 398 70 11.9N 165.3E 85 446 20
2300002 9.3N 172.2E 60 9.3	3N 172.1E 65 6 05	10.6N 168.3E 70 36 10	11.6N 169.3E 75 116 20	12.5N 160.2E B5 212 10 12.5N 161.1E B5 346 0
2312002 9.9N 170.4L 55 9.8	N 171-0E 65 36 10	10.7N 168.5E 60 105 00 11.0N 167.7E 60 142 10 12.0N 165.9E 60 112 5	12.2N 104.2E 70 301 15	12.0H 160.2E 85 411 10 14.7N 158.6E 85 415 .5
240000Z 11.2N 168.3E 60 11.0 240600Z 11.8N 167.1E 55 11.4		11.9N 164.3E 80 108 25	13-6N 161-6t 65 358 -20	13.6H 155.6E 11U 392 20
2412002 12.2N 165.6E 50 12.4	N 165.7E 50 13 00	14.0N 161.4E 60 122 5	14.1N 150.0E 75 151 0	14.4W 150.6E 90 352 -15 11.4W 147,5E 195 467 00
250000Z 12.6N 162.6E 55 12.3 250600Z 13.5N 161.2C 55 13.1	IN 161.DE 50 27 -05	12.2N 156.6E 60 109 -15 13.2N 154.6E 60 94 -25	13.6N 145.2E 75 234 -30	13.4N 145.1E 95 396 -5 15.2N 142.8E 95 397 -5
2512002 13.8N 159.3L 55 14.1 2518002 13.8N 157.9L 65 13.7	N 159-2E 55 19 U	15.0N 151.9E 65 98 -16 14.1N 151.2E 65 109 -15	16.0N 145.0E 80 159 -25 14.6N 144.0E 80 289 -25	17.4N 138.5E 100 58E 10
2606007 14.56 155.5t 85 14.1	N 155.7E 80 27 -5	14.2N 150.7E 75 165 -15 14.8N 150.1E 100 208 -5 16.6N 147.8E 100 129 -5	15-3N 1+4-5E 110 392 10	17.4N 140.9E 95 619 10
2612002 15.1N 153.6E 75 14.9 2618002 15.9N 151.5E 80 15.9	N 150.7E 100 46 20	18.2N 142.2E 115 184 10	20.5N 137.5E 100 406 10	
2700007 10.7N 149.5E 90 16.5 2706007 17.5N 147.8E 105 17.4		19.1N 143.9E 110 85 10 20.9N 141.8E 110 114 10 21.0N 141.4E 100 134	24.4N 140.4E 85 420 5	
2712002 18.3N 146.4E 105 18.1 2718002 19.4N 145.2E 105 19.5	5N 145.0E 115 13 10	24.1N 141.2E 85 120 -		
2800002 20.5N 144.2E 100 20.4 2806002 21.8N 143.6E 100 21.7 2812002 23.0N 143.3E 100 23.2	N 143.6E 110 6 10	24.6N 141.2E 90 228 5 25.3N 142.8E 85 317 5		
281800Z C.7N 143.3L- 90 24.7	N 143.4E 100 5 10			
290000Z 27.3N 144.2E 85 26.5 290600Z 30.0N 145.6E 80 29.5	5N 143.6E 90 57 5 5N 145.5E 85 30 5			
	TYPHOONS WHILE WIND O		ALL FORECASTS NG 24-HR 48-HR 72-HR	
AVERAGE FORECAST ERROR	21NM 136NM 263A 12NM 71NM 123A	M 420MM 23M M 156MM 13M	M 136NM 263NM 420NM	
AVERAGE MAGNITUDE OF WIND ERF AVERAGE BIAS OF WIND ERROR NUMBER OF FORECASTS	96 96 22 66 26 28 30 26 22		TS 7KTS 14KTS 16KTS 26 22 18	
			6 6 3	

TYPHOON PAMELA

BEST TRACK	WANNING ERRORS	S4 HOUR EOREC	AST 46 MOUR FORECAST 'ERNORS ERNORS	72 HOUR FORECAST
POSIT WIND POS 040600Z 13.0N 129.8E 50 12.9N 1 0412U0Z 12.8N 128.0E 65 12.8N 1	IT WIND DST WIND 130.0E 55 13 05		UST WIND POSIT WIND UST WIN 71 -5 14.5N 118.2E 65 74 -10 71 00 14.7N 117.4E 70 88 -05	15.8k 114.4E 75 107 -25 16.1k 113.8E 80 137 -20
0418002 12.5N 126.5E 75 12.8N		13.9N 119.8E 55	54 -10 15.6N 114.9E 70 60 -20	
050000Z 12.3N 124.8E 75 12.7N 050000Z 12.2N 123.2E 75 12.4N	123.0E 70 17 -5	14.2N 118.7E 65 14.6N 112.5E 75 15.1N 116.3E 75	60 00 \$5.5N 113.8E 75 66 -20 304 00 \$5.6N 114.2E 80 92 -20 78 00 \$6.1N 112.9E 80 88 -20	16.3h 110.9E 80 203 0
0512007 12.6N 121.5E 65 13.1N 1 0518007 13.0N 119.7E 65 13.0N 1		15.2N 114.9E B0	36 -10 16-3N 111-7E 85 85 -25	
0600002 13.2N 118.7E 65 13.3N 10606002 13.4N 117.6E 75 13.5N	116.6E 7u 58 -05		99 -15 15.3N 108.3E 65 237 -39	
0612002 13.8N 116.2L 75 13.8N 10618002 14.6N 114.8L 90 14.4N			127 -5 35.0N 100.8E 25 481 -46 130 -15	
0700002 15.2N 113.7E 95 15.1N		• • • • • • • • • • • • • • • • • • • •	154 0	
0706002 15.9N 112.6E 100 15.8N 0712002 16.7N 111.5E 100 16.6N 0718002 17.5N 110.9E 110 17.5N	111.5E 110 6 10		241 25	. Gair estis es es es
0800002 18.6N 110.6E=100 18.9N	110.5E 90 19 -10	,,		
0806002 19.7N 110.7L 80 19.7N 10.7L 80 19.7N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.0N 10.				
	TYPHOONS WHILE WIND		ALL FORECASTS	
AVERAGE FORECAST ERROR	WAKNING 24-HR 48 27NM 121NM 161 15NM 86NM 104	NM 155NM	WARNING 24-MK 48-MR 72-MR 27hm 121nm 161nm 155nm 15hm 86nm 104nm 48nm	
AVERAGE MIGHT ANGLE ERROH AVERAGE MAGNITUDE OF WIND ERROR AVERAGE BIAS OF WIND EAROR	7KIS 11KTS 26		7KTS 11KTS 26KTS 18KTS -4KTS -4KTS -4KTS -26KTS -13KTS	
NUMBER OF FORECASTS	18 14 10		7 7 5	

TYPHOON RUBY 1200Z 14 NOV 10 0000Z 20 NOV

BEST TRACK	WARNING ERRORS	24 HOUR FORECAST	48 HOUR FORECAST ERRORS	72 HOUR FORECAST ERRORS
POSIT WIND POS 1412007 12-3N 178-4E 65 12-2N 1418002 12-8N 177-4E 65 12-8N	IT WIND DST WIND	POSIT WIND DST WIND 13.8N 175.6E 80 77 10	POSIT WIND DST WIND 15-10 172-4E 85 104 -05	ACSIT WIND DSI WIND 16-3N 169-3E 90 195 25 16-8N 168-1E 90 215 40
1500007 13.3N 176.3E 70 13.2N 1500007 13.7N 175.3E 75 13.7N 1512007 14.3N 174.3E 70 14.6N 1518007 14.3N 173.1E 90 14.6N	175.0E 75 17 0	14.7N 173.5E 85 70 -25 15.4N 170.8E 85 42 -10 15.9N 169.2E 90 88 00 16.2N 169.5E 90 40 -10	17-3N 161-0E 90 73 15 17-6N 164-7F 95 104 30	17.4N 167.1E 99 257-50 19.4N 165.2E 95 306 55 19.4N 160.7E 100 221-60 18.7N 163.1E 100 281. 65
	171.4E 120 6 25 170.4E 120 21 30	15.9N 167.JE 120 81 20 15.9N 167.ZE 140 17 65 17.5N 166.9E 130 92 65	17.5N 163.5E 125 113 85 17.8N 163.0E 135 164 95 19.3N 163.7E 130 296 90	19.3N 160.2E 120 228 85 19.4N 159.8E 120 261 85 21.3N 160.3E 120 371 90
1700002 15.8N 168.7E 100 15.7N 1706002 16.1N 167.4E 75 16.4N 1712002 16.3N 165.9E 65 16.3N	168.8E 130 8 30 167.5E 100 19 25	16.8N 165.3E 125 153 85 18.7N 163.3E 70 220 30	18.6N 162.0E 115 256 80 20.7N 159.9E 70 316 35 17.6N 155.2E 70 90 40	21. LN 160.6E 120 39 90 20.7N 159.0E 100 337 75
180000Z 15-7N 162-9E 40 16-0N 180600Z 15-4N 161-6E 40 15-4N 181200Z 15-4N 160-5E 40 15-3N	162.8E 65 19 25 161.5E 45 6 05 160.6E 30 8 -10	16.8N 157.0E 70 109 35 15.7N 156.0E 35 58 0 15.6N 156.4E 30 58 0	19.0N 151.9E 70 190 45	
190000Z 15.8N 158.6E 35 15.6N 190600Z 15.3N 156.8E 35 16.4N 191200Z 15.5N 156.0E 30 16.5N	158.5E 30 13 -05 157.4E 30 35 -5 156.3E 30 17 0	16.1N 155.2E 30 19 0 16.1N 154.6E 50 54 25		anga anaga an an an anga anaga an an an anga anaga an an an
1918002 19.8N 155.3L 30 16.7N 2000002 17.0N 154.5E 25 17.2N				
AVERAGE FORECAST ERROR AVERAGE RIGHT ANGLE ERROR AVERAGE MAGNITUDE OF WIND ERROR AVERAGE BIAS OF WIND ERROR NUMBER OF FORECASTS	TYPHOONS WHILE WIND (WARNING 24-HR 46 19NN 92NN 170H 12NH 40NH 115H 13KIS 25KIS 41H 5KIS 20KIS 34H 20 16 12	HR 72-HR WARNING M 245NM 18NM H 146NM 15NM CTS 46KTS 11KTS		

TYPHOON SALLY

0600Z 01 DEC TO 0000Z 05 DEC

		•		
BEST TRACK	WARNING	24 HOUR FORECAST	48 HOUR FORECAST	72 HOUR FORECAST
POSIT WIND PO	ERRORS SIT WIND DST WIND	ERHONS POSIT WIND DST WIND	POSIT WIND OST WIND	POSIT WIND DSI WIND
0106002 6.8N 109.1E 60 7.1r 0112002 6.7N 107.8E 75 6.4P	109.6E 50 35 -10 107.6E 55 21 -20	7.1N 105.2E 60 24 -20 6.6N 102.4E 60 144 -10	7-9N 100-9E 60 88 -5	9-8N 97-0E 40 218 -20 10-4N 95-4E 50 271 -5
	106.8E 65 6 -10			13.9N 96.1E 50 306 5
	105.6E 65 6 -15 105.0E 70 17 -10			14.7n 95.6E 50 351 10
0212002 7.BN 104.5E 70 7.9N	104.9E 65 24 -5 104.0E 65 25 -5	9.5N 102.3E 65 46 5	11-8N 99-UE 45 122 -10	
U300002 8.UN 103.0E 70 8.1	103.3E 75 19 5	9.7N 100.4L 75 42 15	12.8N 97.8E 40 186 0	
	102.1E 75 21 10 101.5E 75 19 15	11111 1716 36 114 2		
	101.2E 65 18 5	11.3N 98.8E 50 88 5		
0400002 9.6N 101.1E 60 9.6N 0406002 10.0N 100.7E 60 10.1N	101.2E 65 6 5 100.3E 55 24 -5	11.1N 99.7E 65 72 25		
0412002 10.0N 100.0E 55 10.1N 0418002 10.0N 99.5E 45 10.0N	100.4E 55 24 0 98.6E 40 53 -5			
0500002 10.0N 99.2E 40 9.9N	98.9E 30 19 -10			
AVERAGE FORECAST ERROR AVERAGE RIGHT ANGLE ERROR AVERAGE MAGNITUDE OF WIND ERRO AVERAGE BLAS OF WIND ERROR NUMBER OF FORECASIS	TYPHOONS WHILE WIND WARNING 24-HR 48 21NM 90NM 176 15NM 42NM 127 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25NM 23 25N	THR 72-HR WARNING NM 287NN 25NN NM 250NM 15NN KTS 108TS 88TS KTS -38TS -38TS	90NM 178NM 287NM +2NM 129NM 250NM - SKTS 11KTS 10KTS	

TYPHOON THERESE

BEST TRACK	WARNING ERRORS	24 HOUR FORECAST ERRORS	48 HOUR FORECAST ERRORS	72 HOUR FORECAST ERRORS
POSIT WIND 0106002 7.0N 137.3E 30	POSI 1 WIND DST WIND 6.8N 137.2E 30 13 0	POSIT WIND DST WIND 7.8N 132.0E 55 30 -05	POSIT WIND OST WIND	POSIT WIND DS! WIND
0106002 7.0N 137.3E 30 0112002 7.3N 136.2L 35	6.8N 137.ZE 30 13 0 7.ZN 136.JE 30 8 -5	7.8N 132.0E 55 30 -05 8.8N 131.7E 50 94 -15		
0118002 7.3N 134.9E 45	7.7N 135.UE 30 25 -15	9.6N 130.4E 50 134 -15		;;
020000Z 7.3N 133.7E 55	7.4N 133.7E 55 6 0	9.UN 128.4E 75 72 05	10.8N 123.4t 50 95 5	11.1N 118.0E 55 114 0
0206002 7.4N 132.3L 60 0212002 7.5N 130.8L 65	7.3N 132.6L 60 19 00 7.5N 130.8E 60 0 -5	8.3N 127.9E 75 95 00 9.5N 125.9E 75 69 15	10.7N 144.7E 50 48 0	11.4h 117.5E 55 131 -5
0212002 7.5N 130.8t 65 0218002 7.7N 129.2t 65	7.5N 130.8E 60 0 +5 7.9N 129.7E 60 32 +5	9.5N 125.9E 75 69 15 10.0N 124.7E 6U 71 15	11.0N 120.5E 50 17 -5 11.2N 119.5E 50 54 -5	11.UN 115.7E 00 224 -5 12.UN 114.8E 05 252 -5
	•			
030000Z 8.1N 127.6E 70 030600Z 8.5N 126.3L 75	8.1n 127.3E 70 18 00 8.in 125.9E 65 34 -10	9.5N 121.1E 60 78 15 9.2N 119.6E 60 134 10	10.5N 110.0E 75 234 20 10.4N 114.9E 70 282 10	11.8k 112.0E 80 397 5
0312002 9-1N 124-8t 60	8.3N 124.3E 55 56 -05	9.5N 118.2E 65 179 10	10.5N 113.7E 75 338 10	12.4 110.0E 80 461 -15
031800Z 10.0N 123.5L 45	10.ŽN 122.2E 55 77 10	13.2N 116.4E 70 237 15	14.9N 112.3E 80 424 10	16.44 108.SE 80 370 -50
040000Z 10.6N 121.8E 45	10.2N 122.3E 55 38 10	13.7N 117.0E 75 176 20	\$5.9N 113.6E 75 362 0	17.9h 110,5E 75 484 -25
	10.8N 121.2E 55 0 5	13.1N 116.6L 75 164 15 14.1N 115.6E 60 241 -5		17.8k 110.2E 75 455 -25
0412002 11.2N 120.7E 55 0418002 11.8N 120.2E 55	11.4N 119.9E 50 48 -5 11.7N 120.1E 50 8 -5	14.1N 115.6E 60 241 -5 13.8N 116.8E 60 161 -10	36.1N 112.6E 60 376 -35	18.UN 110.0E 00 441 -45
050000Z 12.2N 119.6E 55	12.4N 119.3E 55 21 0	14.9N 115.8E 65 225 -10	16.7N 113.1E 65 324 -35	18.2N 110.7E 65 35c -40
		14.2N 116.4L 60 154 -30	35.7N 113.5E 55 229 -45	16.7A 110.8E 50 250 -50
		12.8N 118.8L 55 '48 -40		14.1K 114.5E 00 54 -40
0518002 j2.3N 119.1F 70	12.4N 119.0E 65 8 -5	12.7N 118.2£ 65 35 -35	33.3N 116.6E 65 68 -40	13.8V 114.ÅE 65 41 -30
060000Z 12.4N 118.7E 75 060600Z 12.5N 118.4E 90	12.4N 118.8E 75 6 0 12.5N 118.4E 85 0 -5	12.5N 118.0£ 75 58 -25 12.7N 116.9E 105 38 5	12.9N 116.3E 70 101 -35 12.9N 115.5E 100 62 0	13.5k 114.0E 65 40 -25 13.3k 111.6E 95 36 5
0612002 12.6N 118.0E 95		12.8N 116.7E 110 54 5	13.1N 114.7t 105 80 5	13.5K 111.8F 95 57 0
0618002 12.8N 117.6E 100	12.7N 117.6E 95 6 -5	12.9N 116.2E 110 63 5	13.2N 114.2E 105 72 10	13.6K 111.3E 95 79 -5
070000Z 12.9N 117.1E 100	12.8N 117.0E 95 8 -5	13.1N 115.0E 110 48 5	33.5N 112.5E 105 25 15	13.8N 109.8E 95 44 0
0706002 13.2N 116.5E 100 0712002 13.4N 116.0E 105	13.0N 116.5E 100 12 U	13.3N 114.0E 110 38 10 13.9N 113.5E 110 6 10		
071800Z 13.7N 115.5E 105		14.3N 113.1E 90 25 -5		
·	•		14 av 100 66 ac 20 ac	
080000Z 13.9N 114.9E 105 080600Z 13.9N 114.2E 100	13.8N 115.0E 105 8 0 14.7N 114.2E 100 12 0	14.3N 112.4L 90 24 0 14.3N 111.1E 85 33 -5		
0812007 13.9N 113.6E 100	14.0N 113.8E 100 13 0	13.9N 111.1E 85 12 -10		,,
0818002 13.9N 113.2E '95	14.0N 112.9E 95 18 0	13.9N 109.8E 80 13 -20		
090000Z 13.9N 112.4E 90		13.5N 109.7E 70 50 -25	•	
090600Z 13.9N 111.5E 90 091200Z 13.9N 110.9E 95	14.0N 111.3E 100 13 10 14.0N 110.8E 100 8 5			
091800Z 14.0N 110.0L 100			•	
100000Z 14.1N 109.1E 95	·	,	,,	
744444 104+1F A2	14-iu 102-00 00 0 -10			

AVERAGE FORECAST ERROR
AVERAGE RIGHT ANGLE ERROR
AVERAGE MAGNITUDE OF WIND ERROR
AVERAGE BLAS OF WIND ERROR
NUMBER OF FORECASTS

TYPHOONS WHILE WIND OVER 35KTS
WARNING 24-HR 48-HR 72-HR
10NN 89NN 101NN 252NN
4KTS 14KTS 18KTS 10KTS
-1KTS -2KTS -1UKTS -1BKTS
35 32 25 21

ALL FORECASTS

WARNING
10MM
10MM
4KTS
-1KTS
-2KTS
-1KTS
-2KTS
-1KTS
-2KTS
-1KTS
-2KTS
-1KTS
-1KTS
-1KTS
-1KTS
-2KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KTS
-1KT

ANNEX A

SUMMARY OF TROPICAL CYCLONES IN THE EASTERN NORTH PACIFIC

1. EASTERN PACIFIC RESUME

During the 1972 EASTPAC tropical cyclone season, Fleet Weather Facility, Alameda, issued a total of 347 tropical warnings on eight hurricanes, three tropical storms, and three tropical depressions. Three of these tropical disturbances moved out of Alameda's area of responsibility.

The 1972 total of fourteen tropical cyclones was the lowest in more than five years. Of the eight hurricanes during the 1972 season, six occurred in August.

On 1 November 1972, Fleet Weather Central, Pearl Harbor, assumed forecasting responsibility for the United States Navy in the Eastern Pacific. Two short-lived cyclones, Liza and Tropical Depression #16, developed and dissipated in the Eastern Pacific without making landfall.

In accordance with the National Hurricane Operations Plan, tropical cyclone issuances for the Eastern Pacific Ocean east of longitude 140°W and north of the Equator are prepared by the National Weather Service's Eastern Pacific Hurricane Center, San Francisco (EPHC-SFO).

Fleet Weather Facility, Alameda, relayed these tropical cyclone forecasts to the Department of Defense.

Information provided regarding tropical cyclones of the 1972 season is based upon data provided by EPHC-SFO.

	COMPARISON ANNUAL WAI OGY DATA				
	1968	1969	<u>1970</u>	1971	1972
TOTAL NUMBER OF WARNINGS	531	219	350	410	347
CALENDAR DAY OF WARNING	S 126	67	98	89	85
TROPICAL DEPRESSIONS	6	5	3	3	3
TROPICAL STORMS	13	6	15	8	3
HURRICANES	6	4	3	11	8
TOTAL	25	15	21	22	14

2. CENTRAL PACIFIC RESUME

Fleet Weather Central, Pearl Harbor, issued warnings on six tropical cyclones in 1972.

Total Number of Warnings	99
Calendar Days of Warnings	25
Tropical Depressions	1
Tropical Storms	4
Hurricanes	1
Total Tropical Cyclones	6

All warnings were coordinated with the Central Pacific Hurricane Center, Honolulu, and the Eastern Pacific Hurricane Center, San Francisco, in accordance with the National Hurricane Operations Plan.





FIGURE A-1. ATS-1 satellite picture of the eastern North Pacific, 18 August 1972, depicting hurricanes Celeste, Diana, Tropical Storm Estelle and a tropical depression which became Fernanda the following day.



									MAX	MIN		WARNINGS	5
	CLONE	mv Dr	MANGE		INC			E	SFC	OBS	mam	NO. AS	DISTANCE
<u>C1</u>	CLONE	TYPE	NAME_	_	ות	AT:	5		WIND	\underline{SLP}	TOTAL	HURRICANE	TRAVELED
	01	HR	ANNETTE	31	MAY	_	07	JUN	75	993	31	5	795
	02	TD	TD 02	27	JUN	-	28	JUN					615
	03	TD	TD 03	04	JUL	-	06	JUL					930
	04	TS	BONNY	27	JUL	-	30	JUL					570
	0.5	HR	CELESTE	04	AUG	_	22	AUG	120	943	71	42	3600
(a)	06	HR	DIANA	10	AUG	_	20	AUG	100	968	24	16	1680
	07	HR	ESTELLE	15	AUG	-	23	AUG	75		32	4	1884
(b)	0.8	HR	FERNANDA	19	AUG	-	31	AUG	100	950	29	18	2040
	09	HR	GWEN	21	AUG	_	31	AUG	110	962	39	18	1980
	10	HR	HYACINTH	28	AUG	-	06	SEP	110	962	36	16	2640
	11	TS	IVA	13	SEP	-	22	SEP					1900
(c)	23	TS	JUNE	26	SEP	-	28	SEP					280
•	12	HR	JOANNE	29	SEP	-	06	OCT	85	971	28	14	1500
	13	TD	TD 13	12	OCT	-	18	OCT			- -		1440
	14	TS	KATHLEEN	17	OCT	-	19	OCT					600
	15	TS	LIZA	13	NOV	-	16	NOV					510
	16	TD	TD 16	20	NOV	-	21	NOV					110
	(a) TS from 16 AUG - 20 AUG - data not available (b) TS from 27 AUG - 31 AUG - data not available (c) Name and number given by FWC/JTWC Guam												

3. CENTRAL PACIFIC - INDIVIDUAL CASES

1972 was the Central Pacific's most active hurricane season in recorded history. In all, one hurricane (Celeste), three tropical storms (Diana, Fernanda, and June) and an unnamed tropical cyclone of lesser intensity entered or formed within an area bounded by latitudes 10° and 20°N, and by longitudes 140° and 170°W. Of these, three straddled the Hawaiian Islands, while two took more southerly paths and came very close to Johnston Island. All occurred during the period August through October.

In life cycle and track, Hurricane Celeste and tropical storms Diana and Fernanda were reminiscent of Lorraine and Maggie in August 1970 and Denise and Elenor in July 1971. All formed off Mexico and Central America, failed to undergo the usual northward recurvature in the eastern Pacific, and then drifted thousands of miles westward toward Hawaii along the southern periphery of strong high pressure areas. Tropical Storm June, on the other hand, began her short-lived career in a very active equatorial trough about 600 miles southsouthwest of Hawaii Island.

On the morning of August 19, Celeste passed about 25 miles northeast of Johnston Island, whose entire population had been evacuated as a precaution against the possible escape of stored toxic gases.

The weather station itself lost about a third of its roof and ceiling tiles, but interiors and equipment were virtually unscathed. Instruments that remained in operation throughout the storm recorded hurricane-force winds from 3:54 a.m. to 9:18 a.m. on the 19th, a fastest-mile of 105 miles an hour from the northwest (the gust

recorder was inoperative), a minimum sealevel pressure of 29.04 inches and a total rainfall of 6.21 inches. Since the funnel of the gage was partially plugged with coral, the latter may be an underestimate.




FIGURE A-2. Hurricane Celeste (left) 400 nm south of Oahu, Hawaii. Tropical Storm Diana (right) some 700 nm east of Hilo, Hawaii, appears on edge of photo, 16 August 1972, 2059 GMT. [DAPP data]

 $^{^{}m 1}$ Report submitted by Regional Climatologist, NWS Pacific Region, Honolulu, Hawaii.




FIGURE A-3. Effects of Celeste on Johnston Island.

Celeste was the first true hurricane ever known to have affected Johnston. The Mariners Weather Log (January 1973) makes the following observations on this storm: "Celeste was of considerable meteorological interest. The central Pacific sees relatively few tropical storms each year. Much rarer is a hurricane that forms off Mexico and moves west across the central Pacific while maintaining hurricane intensity. Also interesting was the fact that Celeste moved with few sudden changes of direction, intensity or shape."

On the morning of August 18, waves judged to be up to 30 feet high from Tropical Storm Diana swept four homes off their foundations on Hawaii Island's Puna coast, extensively damaging one of them, for a loss estimated at \$75,000, excluding furnishings. Continuing northwestward, the storm's center came within 60 miles northeast of Hilo before dissipating, her nearest landfall.

On the morning of August 29, Fernanda, moving northwestward and weakening rapidly, passed within 220 miles northeast of Hilo, her closest approach to the islands. While the state experienced no severe weather directly attributable to Fernanda, a possible aftermath was a flash flood from rains in Hawaii Island's Kohala Mountains that overtopped Waipio Stream on the afternoon of the 31st, damaging a farmer's pickup truck and destroying his load of taro.

Tropical Storm June passed within 50 miles to the south of Johnston Island on the morning of September 27, but was too weak to do any damage. The peak gust recorded at the weather station was 42 knots.








FIGURE A-4. Celeste damage on Johnston Island.


The final storm of the 1972 season was a tropical cyclone that formed near $16\,^\circ N$ 130°W on September 28 and traveled westward to about 150 miles south of South Point, giving Hawaii Island's eastern slopes up to 10-1/2 inches of rain within the space of a few hours on the afternoon of October 3.











5. CENTER FIX DATA - HURRICANES

		EYE FIXES, HUR	RICANE	ANNETTE	TE 31 MAY - 06 JUN 72			
FIX NO.	TIME	POSIT	FIX	ACC	OBS (EST) SFC WND	EYE FORM	EYE DIAM	
1 2 3 4 5 6 7 8 9	312217Z 012125Z 021815Z 022219Z 032127Z 042221Z 051710Z 052129Z 061805Z 062227Z	12.0N 106.0W 12.5N 106.5W 13.4N 107.9W 13.5N 107.3W 12.5N 108.3W 12.8N 109.0W 13.5N 110.0W 14.5N 108.5W 15.3N 106.3W 17.0N 106.0W	SAT P SAT SAT SAT P SAT P SAT	STG C STG B 30NM STG X STG X STG X 20NM STG X 5NM STG X	DIA 2.0 CAT DIA 2.0 CAT 30 DIA 2.0 CAT 55	CIRC 2.0 3.0 2.5 CIRC 2.0 CIRC 2.0	22 15 25	
		EYE FIXES, HURR	RICANE C	ELESTE	12 AUG - 22 AUG	72		
FIX NO.	TIME	POSIT	FIX CAT	FLT LVL	FLT OBS OBS LVL SFC MIN WND WND SLP	MIN 700MB HGT	FLT LVL EYE EYE TI/TO FORM DIA	
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16	042231Z 052329Z 062233Z 072327Z 082234Z 0923333Z 110027Z 112015Z 112334Z 130034Z 14004JZ 180131Z 190605Z 200310Z 211837Z	14.5N 119.5W 14.0N 119.5W 14.0N 120.5W 14.0N 122.5W 14.5N 125.5W 15.0N 129.0W 15.0N 133.4W 15.2N 137.2W 15.0N 138.0W 15.0N 143.5W 12.6N 1448.1W 15.1N 163.8W 15.9N 167.6W 17.5N 169.2W 20.0N 170.3W 21.2N 171.8W	SAT SAT SAT SAT SAT SAT SAT P-10 P-1 P-5 P-10 P-15	700MB 700MB 700MB 700MB	DIA 3.0 CAT 3. DIA 1.5 CAT 2. DIA 1.5 CAT 3. DIA 3.0 CAT 3. DIA 3.0 CAT 3. DIA 1.0 CAT 3.	2786 2646 2585 2911 3054	16/8 CIRC 30 16/11 CIRC 23 17/ CIRC 22 20/13 CIRC 30 18/9	
		EYE FIXES, HUF	RRICANE	DIANA :	10 AUG - 15 AUG	72		
FIX NO.	TIME	POSIT	FIX CAT	ACC	OBS (EST) SFC WND	EYE FORM	EYE DIAM	
1 2 3 4 5 6 7 8 9	1022322 1120402 1123302 1222382 1223532 1323372 1418102 1422452 1523352 1523392	10.0N 116.5W 12.0N 119.3W 12.9N 120.5W 13.8N 124.9W 14.0N 125.0W 15.5N 129.9W 17.5N 130.9W 17.0N 132.8W 18.9N 137.2W 17.9N 137.4W	SAT SAT SAT SAT SAT SAT SAT	STG B 3NM STG X 2NM STG X STG X STG X 2NM STG X STM STG X	45 DIA 1.0 CAT 74 DIA 1.5 CAT DIA 2.0 CAT UNK DIA 4.0 CAT 45 DIA 2.0 CAT	CIRC 3.5 3.5 CIRC 4.0 ELIP	7 11 30 	
		EYE FIXES, HUR	RICANE I	ESTELLE	14 AUG - 21 AUG	G 72		
FIX NO.	TIME	POSIT	FIX CAT	ACC	OBS (EST) SFC WND	EYE FORM	EYE DI AM	
1 2 3 4 5 6 7 8	142241Z 152144Z 162242Z 172341Z 182244Z 192343Z 201743Z 202247Z 212127Z	09.5N 111.0W 12.0N 114.5W 16.0N 117.0W 16.5N 121.8W 17.2N 122.0W 19.0N 123.0W 20.9N 123.4W 22.0N 126.5W 24.7N 130.8W	SAT SAT SAT SAT SAT P SAT P	STG B STG C STG C+ STG X STG X 12NM STG C 20NM	DIA 3.0 CAT DIA 3.0 CAT UNK		180/30/25	

EYE FIXES, HURRICANE FERNANDA 19 AUG - 25 AUG 72

		EIE FIXES, HU	RRICANE	PERNANDA	19 AUG - 25 A	.UG 72	
FIX NO.	TIME	POSIT	FIX CAT	ACC	OBS (EST) SFC WND	EYE FORM	EYE DI AM
1 2 3 4 5	191554Z 202242Z 221801Z 232347Z 241700Z	09.5N 104.0W 12.9N 108.0W 15.5N 114.8W 16.8N 121.2W 17.9N 124.8W	SAT SAT P SAT P	STG C STG X 10NM STG X 20NM	85	2.0 CIRC 4.0 CIRC	24 25
6 7	242250Z 252349Z	17.4N 127.4W 19.2N 134.5W	SAT SAT	STG X STG X	DIA 2.0 CAT	3.0	
		EYE FIXES,	HURRICAN	E GWEN 2	3 AUG - 30 AUG	72	
FIX NO.	TIME	POSIT	FIX CAT	ACC	OBS (EST) SFC WND	EYE FORM	EYE DI AM
1 2 3 4 5 6 7 8 9 10 11	232152Z 242125Z 242250Z 262253Z 271758Z 272156Z 281730Z 282259Z 300600Z 301405Z 3012300Z	14.2N 106.1W 16.9N 106.8W 15.9N 106.7W 18.0N 110.5W 19.5N 111.9W 19.0N 113.0W 22.4N 114.8W 23.2N 115.6W 28.2N 119.6W 28.7N 120.5W 29.2N 120.7W 29.4N 121.5W	SAT P SAT SAT P SAT P P SAT P	STG B 20NM STG X STG X STG X SNM STG X SNM STG C 4NM	DIA 2.0 CAT UNK DIA 3.0 CAT 55	CIRC 2.0 4.0 CIRC 4.0 CIRC 2.0 CIRC 2.0 CIRC	20 35 25 30
		EYE FIXES, HU	IRRICANE	HYACINTH	29 AUG - 05 S	EP 72	
FIX NO.	TIME	POSIT	FIX CAT	ACC	OBS (EST) SFC WND	EYE FORM	EYE DIAM
1 2 3 4 5 6 7 8 9 10 11 12	292157Z 301923Z 311712Z 012302Z 022150Z 022207Z 030156Z 032309Z 041800Z 042208Z 051513Z 051830Z	11.5N 101.8W 14.3N 106.5W 15.7N 111.2W 17.5N 116.5W 19.1N 119.9W 18.5N 121.0W 16.0N 122.5W 22.5N 123.8W 28.9N 125.0W 27.4N 124.5W 30.8N 122.1W 31.3N 120.9W	SAT P P SAT P SAT SAT SAT P P P	STG C SNM SNM STG X INM STG X STG C STG X STG C INM SNM SNM	80 110 65 	CIRC CIRC CIRC CIRC MISG CIRC UNK	30 60 25 MISG 20 UNK
		EYE FIXES, H	URRICANE	JOANNE	29 SEP - 05 OC	T 72	
FIX NO.	TIME	POSIT	FIX CAT	ACC	OBS (EST) SFC WND	EYE FORM	EYE DIAM
1 2 3 4 5 6 7 8 9	292136 Z 302228 Z 011731 Z 012137 Z 020126 Z 022233 Z 031750 Z 032141 Z 050152 Z	11.7N 105.1W 13.6N 109.3W 14.8N 111.7W 15.1N 113.6W 15.1N 114.0W 17.5N 116.0W 18.9N 116.5W 19.0N 116.7W 23.0N 116.8W 23.2N 116.6W	SAT SAT P SAT SAT SAT P SAT SAT	STG B STG C 3NM STG X STG C- STG X 10NM STG X STG X STG X	DIA 3.0 CAT 80 DIA 2.0 CAT	CIRC 3.0 3.0 CIRC 3.0 CIRC 3.0	20

6. POSITION DATA - TROPICAL STORMS AND DEPRESSIONS

	TROPICAL DEPRESSION TWO 27 - 28 JUNE								STORM IVA SEPTEMBER		
DTG 270000Z 270600Z 271200Z 271800Z	LAT 13.0N 13.7N 14.7N 16.0N	104.0W ROPICAL DE	DTG 280000Z 280600Z 281200Z 281800Z PRESSION THRI		105.5W	DTG 131800Z 14000Z 14060Z 141200Z 141800Z 150000Z	LAT 12.0N 13.0N 13.4N 13.8N 14.9N 15.3N	LONG 102.0W 102.5W 103.3W 104.0W 104.8W 106.5W	DTG 180500Z 181200Z 181800Z 190000Z 190600Z 191200Z	18.3N 18.4N 18.7N 18.8N	LONG 110.1W 110.5W 111.0W 111.8W 112.9W 114.1W
DTG 040000Z 040600Z 041200Z 041800Z 050000Z	LAT 9.5N 9.5N 9.7N 10.0N	LONG 109.5W 111.1W 112.4W 114.0W 115.5W	DTG 050600Z 051200Z 051800Z 060000Z	11.5N 13.9N	LONG 118.0W 120.3W 123.9W 124.0W	1506007 1512002 1518002 1600002 1606002 1612002 1700002 1700002 1712002	17.4N 17.4N 17.3N	107.2W 108.0W 108.6W 108.6W 108.5W 108.3W 108.2W 108.4W 108.5W	DTG 1806007 1812007 1818007 1906007 1912007 1912007 2006007 2012007 2012007 2106007 2112007 2112007 22118007 2206007	18.4N 18.1N 18.0N 18.0N 17.8N 17.5N	119.7W 121.0W 122.5W 124.0W 126.0W 127.5W 128.5W
DTG 271800Z	LAT 19.0N	LONG 109.5W	DTG 2900002	LAT	LONG	171800Z 180000Z	17.3N 17.4N	109.6W	2212002	17.5N 17.5N	129.5W 130.5W
280000Z 280600Z	19.6N 20.0N	110.0W 111.0W	290600Z 291200Z	21.7N 22.0N 22.3N	115.0W 116.0W 117.0W		TROF	PICAL DEPRI 12 - 1	ESSION THIRTI B OCTOBER	EEN	
281200Z 281800Z	20.6N 21.2N	112.0W 114.2W TROPICAL S	291800Z 300000Z STORM DIANA	22.2N 22.2N	117.8W 118.1W	DTG 1218002 1300002 1306002	LAT 14.5N 14.2N 14.1N	LONG 114.5W 115.5W	DTG 160000Z 160600Z	LAT 14.7N 14.1N	LONG 123.1W 124.0W
DTG	T ATT	16 - 20	AUGUST	7.45	LONG	131200Z 131800Z	13.7N 12.5N	116.3W 118.0W 120.0W	161200Z 161800Z 170000Z	14.6N 14.9N 15.2N	124.9W 125.5W 126.1W
161800Z 170000Z 170600Z 170600Z 171200Z 171800Z 180000Z 180600Z 181800Z	LAT 18.3N 18.2N 18.3N 18.4N 18.5N 18.7N 18.8N 18.9N 19.0N	LONG 141.1W 143.7W 145.4W 147.1W 148.9W 149.7W 150.8W 151.7W	DTG 190000Z 190600Z 191200Z 191800Z 200000Z 200600Z 201200Z 201800Z	LAT 19.2N 19.6N 20.0N 20.5N 20.8N 21.2N 21.7N 22.4N	LONG 153.2W 153.6W 153.9W 154.4W 154.9W 155.3W 155.7W 156.0W	140002 1406002 1412002 1418002 1500002 1506002 1512002 1518002		123,48	1612002 1618002 1700002 1706002 1712002 1718002 1800002 1812002 1818002	15.7N 17.1N 18.1N 19.2N 20.3N 21.2N 21.0N	126.9W 127.0W 127.0W 127.1W 127.6W 127.8W
		ROPICAL ST	ORM FERNANDA					17 - 19	ORM KATHLEEN OCTOBER	ľ	
DTG 2700002 2706002 2712002 2718002	20.2N 20.4N 20.6N		DTG 2912002 2918002 3000002 3006002 3012002 3106002 3110002 3112002	LAT 21.4N 21.5N 21.8N 22.4N	LONG 151.5W 152.2W 153.0W 153.4W	DTG 171200Z 171800Z 180000Z 180600Z 181200Z	LAT 14.5N 15.0N 15.6N 15.9N 16.0N	LONG 107.0W 108.1W 109.5W 109.8W 110.1W	DTG 181800Z 190000Z 190600Z 191200Z	LAT 16.8N 17.5N 18.8N 20.0N	LONG 110.8W 111.0W 110.1W 109.0W
280000Z 280600Z 281200Z	20.6N 20.8N 21.0N	146.6W 147.3W 148.4W	301200Z 301800Z 310000Z	22.9N 23.5N 23.7N	153.8W 154.2W 154.7W				STORM LIZA NOVEMBER		
2818002 2900002 2906002	21.2N 21.2N 21.3N	149.3W 150.1W 150.7W	3106002 3112002 3118002	23.9N 24.2N 24.6N	155.3W 155.8W 156.3W	DTG 131200Z 131800Z	LAT 11.0N 10.0N	LONG 97.0W 97.5W	DTG 1500002 1506002 1512002	LAT 11.0N 11.1N	LONG 100.2W 100.7W
nma.		26 - 28	STORM JUNE SEPTEMBER			140000Z 140600Z 141200Z 141800Z	10.5N 11.0N 11.0N 10.0N	97.0W 97.5W 98.0W 99.0W	1512002 1518002 1600002	11.2N 10.8N 10.8N	101.4W 104.7W 104.8W
DTG 261800Z 270000Z 270600Z	14.2N 14.7N 15.3N	14.7N 166.8W					TRO	PICAL DEPI	RESSION SIXTE NOVEMBER	EN	
2712002 2718002 2800002	15.9N 16.3N	168.7W 169.2W 170.3W				DTG 2000002 2006002 2012002 2018002	14.0N 14.2N	LONG 111.0W 111.0W 110.8W 112.0W	DTG Z10000Z 210600Z 211200Z 211800Z	15.0N	LONG 112.0W 112.0W 112.0W 112.0W

7. POSITION AND VERIFICATION DATA - HURRICANES

HURRICANE DIANA

POSITION FROM BEST TRACK AND VERIFICATION DATA 1018002 to 1612002 AUG 1972

	STORM POSITION	24 HR ERROR	48 HR ERROR		STORM POSITION	24 HR ERROR	48 HR ERROR
TIME	LAT LONG	DEG/DIST	DEG/DIST	TIME	LAT LONG	DEG/DIST	DEG/DIST
101800Z	09.0N 114.0W		•	131800Z	15.6N 127.9W	103/120	080/100
110000Z	09.9N 115.0W	-	-	140000Z	16.2N-128.7W	038/110	083/162
110600Z	10.7N 116.3W	•	-	1406Q0Z	16.8N 129.3W	048/156	080/195
1112002	11.2N 117.9W	-	-	1412002	17.1N 130.1W	025/120	081/222
1118002	11.6N 119.3W	328/145	•	1418002	17.5N 131.0W	057/90	084/300
120000Z	11.9N 120.6W	060/65	- '	1500002	18.0N 132.0W	060/90	040/222
120600Z	12.3N 121.9W	070/80	•	1506002	18.2N 133.0W	063/90	052/228
1212002	12.8N 123.3W	060/60	-	151200Z	18.4N 134.0W	060/90	028/210
1218002	13.2N 124.2W	000/02	321/220	151800Z	18.7N 135.7W	060/90	035/130
130000Z	13.7N 125.3W	100/25	070/120	1600002	18.7N 137.5W	270/72	090/30
130600Z	14.2N 126.1W	095/75	072/175	160600Z	18.6N 138.6W	260/110	0901/24
131200Z	14.9N 127.1W	098/90	077/200	161200Z	18.5N 139.7W	260/120	085/50
		24	HR FORECAST	ERROR =	90.0NM		
		48	HR FORECAST	ERROR =	161.7NM		

HURRICANE ANNETTE

HURRICANE ESTELLE

- POSITION FROM BEST TRACK AND VERIFICATION DATA 311800Z MAY to 071800Z JUNE 1972

POSITION FROM BEST TRACK AND VERIFICATION DATA 150600Z to 230600Z AUG 1972

STORM POSITION 24 HR ERROR 48 HR ERROR STORM POSIT 24 HR ERROR 48 HR ERROR TIME LONG LAT DEG/DIST. DEG/DIST. TIME LAT LONG DEG/DIST DEG/DIST 111.0W 111.4W 112.9W 114.3W 115.5W 116.6W 150600Z 10.0N 311800Z 150600Z 151200Z 151800Z 160000Z 160600Z 161200Z 12.0N 107.8W 10.6N 11.2N 11.9N 107.8W 107.6W 107.5W 107.4W 107.3W 107.2W 107.2W 12.4N 12.5N 12.5N 12.5N 010000Z 010600Z 011200Z 011800Z 000/120 12.0N 12.4N 13.8N 15.0N 15.3N 15.6N 15.9N 16.4N 16.5N 16.7N 16.9N 17.0N 355/138 297/330 352/145 002/145 014/150 093/245 12.5N 12.5N 12.5N 12.6N 12.7N 12.8N 090/220 092/200 092/310 161800Z 170000Z 170600Z 171200Z 117.8W 118.8W 119.4W 119.9W 020000Z 020600Z 021200Z 021800Z 030000Z 030600Z 092/310 277/72 080/70 085/95 083/120 072/120 107.3W 107.3W 107.4W 107.5W 107.6W 093/490 091/430 092/460 092/480 293/110 085/230 085/230 083/230 083/230 086/215 087/245 061/170 055/300 055/300 010/115 320/48 120/96 112/140 171800Z 180000Z 120.9W 120.9W 121.6W 121.7W 121.9W 121.9W 122.0W 122.3W 12.9N 13.0N 13.1N 13.2N 050/85 032/200 053/210 057/210 180600Z 031200Z 181200Z 181800Z 190000Z 031800Z 040000Z 072/120 053/30 083/112 082/125 070/80 062/132 058/170 057/192 052/150 107.6W 110/195 057/210 230/80 103/282 097/340 092/360 082/408 079/440 068/510 025/100 015/245 324/312 040600Z 13.3N 13.4N 13.5N 13.6N 107.6W 107.6W 107.6W 107.6W 095/240 093/276 092/324 110/**7**0 070/60 0412002 190600Z 122.3W 122.6W 123.0W 123.2W 123.7W 124.1W 17.5N 18.2N 18.9N 19.5N 20.0N 041800Z 050000Z 1912002 1918002 2000002 2006002 2012002 107.5W 107.5W 107.5W 107.5W 0506002 14.0N 14.3N 14.5N 14.7N 15.4N 15.9N 16.4N 16.8N 17.4N 18.0N 18.8N 051200Z 051800Z 355/150 001/408 305/90 303/160 300/150 296/306 000/61 301/72 310/90 016/08 002/45 022/75 355/150 201800Z 210000Z 210600Z 211200Z 124.1W 125.2W 126.3W 127.3W 128.2W 129.5W 20.9N 21.9N 22.5N 23.2N 060000Z 107.5W 107.0W 106.8W 106.2W 105.9W 105.5W 105.2W 104.0W 060/185 056/252 046/336 063/32D 065/302 DISSIPATING 076/372 0606002 061200Z 061800Z 070000Z 24.1N 25.0N 25.9N 26.7N 26.9N 27.9N 211800Z 220000Z 342/162 056/410 053/460 053/492 130.8W 131.9W 133.2W 134.5W 136.0W 298/380 295/354 288/510 070600Z 220600Z 221200Z 221800Z 230000Z 071200Z 071800Z 327/78 DISSIPATING 350/265 301/162 2306002 27.0N 136.4W 190/90 295/118 24 HR FORECAST ERROR = 171.5NM 48 HR FORECAST ERROR = 299.8NM

24 HR ERROR = 151.6NM 48 HR ERROR = 233.3NM

HURRICANE CELESTE

POSITION FROM BEST TRACK AND VERIFICATION DATA

HURRICANE CELESTE

POSITION FROM BEST TRACK AND VERIFICATION DATA
041800Z to 220600Z AUG 1972

	.041	1800Z to 220	600Z AUG 1972			STORM	POSIT	24 HR ERROR	48 HR ERROR	72 HR ERROR
	STORM POSIT	24	HR ERROR	48 HR ERROR	TIME	<u>LAT</u>	LONG	DEG/DIST	DEG/DIST	DEG/DIST
					120600Z	14.5N	139.8W	010/90	060/110	070/80
					121200Z	14.1N	140.6W	090/70	080/100	110/110
TIME	LAT	LONG	DEG/DIST	DEG/DIST	121800Z	13.6N	141.8W	020/70	360/90	340/80
11.11	2217	20.10	220,2251	220,2201	130000Z	13.3N	142.8W	030/50	020/50	300/10
041800Z	15.0N	119.0W			130600Z	13.1N	144.2W	100/30	170/20	•
			-	=	1312002	12.9N	145.6W	230/40	230/90	230/140
050000Z	15.0N	119.0W	-	-	131800Z	12.7N	147.0W	220/50	220/90	240/150
050600Z	15.0พ	119.3W	-	-	1400002	12.6N	148.2W	340/40	290/90	290/160
051200Z	15.0N	119.6W	-		140500Z	12.6N	149.3W	210/100	220/180	-
051800Z	15.0N	119.9W	270/54	-	141200Z	12.5N	150.3H	250/90	250/150	280/230 270/140
060000Z	15.0N	120.2W	270/12	-	1418002	12.4N	151.5W	240/50	230/80	250/220
0606002	14.9N	120.3W	245/18	_	1500002	12.6N	152.8W	220/80	240/170 250/190	250/220
	14.8N	120.4W	250/24		150600Z	12.BN	153.8W	230/100	220/100	290/100
061200Z				-	151200Z	12.9N	154.7W	190/70 180/50	270/70	300/40
061800Z	14.7N	120.5W	248/60	-	151800Z	13.1N	155.6W	350/30	360/140	020/360
070000Z	14.7N	120.6W	242/42	-	160000Z	13.4N	156.7W 157.7W	020/40	020/170	020/390
070600Z	14.3N	120.8W	231/66	-	160600Z 161200Z	13.7N 14.0N	158.8W	300/70	310/130	310/200
0712002	14.0N	121.0W	225/90	-	161200Z	14.3N	159.7W	250/70	340/80	350/240
0718002	13.6N	121.3W	221/120	-	170000Z	14.5N	160.3W	330/70	010/220	010/440
080000Z	13.2N	120.6W	127/126	<u></u>	170500Z	14.6N	161.1W	350/140	010/340	020/580
080600Z	14.0N	121.8W	090/70		171200Z	14.8N	161.8W	360/40	360/50	270/110
081200Z	14.2N	123.0W	072/40		171800Z	14.9N	162.6W	330/50	290/140	280/280
				-	180000Z	15.1N	163.3W	010/30	290/100	270/300
0818002	14.2N	123.8W	295/50		1806002	15.3N	164.2W	060/30	270/90	270/290
090000Z	14.3N	124.7W	318/20	343/18	181200Z	15.4N	165.2W	320/20	260/190	250/430
090600Z	14.3N	126.OW	288/60	288/60	181800Z	15.5N	166.4W	250/70	230/260	240/450
091200Z	14.3N	127.7W	282/100	285/85	190000Z	15.7N	167.1W	240/80	240/340	240/450
091800Z	14.4N	128.4W	265/150	272/200	1906002	16.0N	167.6W	230/100	220/330	220/340
100000Z	14.7N	129.7W	272/180	328/80	191200Z	16.4N	168.2W	220/130	220/290	-
		131.5W	276/260	284/270	191800Z	16.8N	168.7W	230/140	210/250	-
100600Z	15.1N				200000Z	17.1N	169.3W	240/170	250/180	•
101200Z	15.4N	133.3W	278/336	285/350	200600Z	17.6N	169.5W	250/70.	020/20	-
101800Z	15.7N	134.2W	087/230	279/372	201200Z	18.2N	169.8W	040/160	-	-
110000Z	15.8N	135.2W	274/150	279/390	201800Z	18.8N	170.0W	060/160	-	-
110600Z	15.7N	136.4W	264/115	278/432	210000Z	20.3N	169.7W	030/260		-
111200Z	15.4N	137.4W	270/162	275/456	210600Z	20.6N	170.44	040/250	-	-
111800Z	15.0N	138.2W	230/192	268/240	211200Z	20.9N	171.2W	-	-	-
			228/132	220/162	211800Z	21.2N	172.0W	-		
120000Z	14.8N	139.0W			220000Z	21.5H	172.8V	-	-	-
120600Z	14.5N	139.8W	215/150	221/180	220600Z	21.9N	173.5W	-	-	-

²⁴ HR FORECAST ERROR = 111.4NM 48 HR FORECAST ERROR = 235.3NM

24 HOUR FORECAST ERROR = 85 NM 48 HOUR FORECAST ERROR = 146 NM 72 HOUR FORECAST ERROR = 245 NM

^{*} FOR ADDITIONAL DATA REFER FLEWEACEN PEARL HARBOR

HURRICANE FERNANDA

POSITION FROM BEST TRACK AND VERIFICATION DATA

191800Z to 261800Z AUG 1972

HURRICANE GWEN

POSITION FROM BEST TRACK AND VERIFICATION DATA
211800Z to 310600Z AUG 1972

	STORM POSITIO	on 24	HR ERROR	48 HR ERROR		STORM POSITION	N 24	HR ERROR	48 HR ERROR
TIME	LAT	LONG	DEG/DIST.	DEG/DIST.	TIME	LAT	LONG	DEG/DIST.	DEG/DIST.
191800Z	11.0N	104.0W	-	_	211800Z	09.6N	96.4W	-	_
200000Z	11.2N	104.5W	_	_	220000Z	10.1N	97.5 W	-	_
200600Z	11.2N	105.2W	_	_	220600Z	10.1N	98.5 W	_	-
201200Z	11.5N	105.7W	-	_	221200Z	10.7 N	99.5 W	-	-
201800Z	11.7N	106.9W	040/18	-	221800Z	10.2N	101.1 W	174/66	_
210000Z	12,2N	108.1W	287/114	-	230000Z	11.0N	102.5 W	267/102	-
210600Z	12.5N	108.9W	287/108	=	230600Z	11.6N	103.2 W	270/102	-
211200Z	12.8N	109.4W	300/90	-	2312002	12.1N	104.0 W	282/90	-
211800Z	13.0N	110.1W	030/45	013/36	231800Z	13.0N	104.9 W	004/144	322/60
220000Z	13.2N	110.8W	010/102	288/170	240000Z	13.9N	105.8 W	021/108	320/132
220600Z	13.5N	111.8W	040/48	285/144	240600Z	14.4N	106.2W	031/138	322/132
221200Z	13.9N	112.4W	165/143	295/144	241200Z	15.1N	106.6W	036/152	337/150
221800Z	14.9N	114.3W	040/60	286/84	241800Z	15.6N	106.9 W	060/168	033/282
230000Z	15.8N	116.0W	324/132	282/162	250000Z	16.2N	107.3W	087/168	056/212
230600Z	16.2N	117.1W	304/198	280/206	250600Z	16.4N	107.5 W	083/180	040/228
231200Z	16.6N	118.2W	305/192	236/180	251200Z	16.6N	107.8W	103/270	060/312
231800Z	16.9N	119.4W	215/45	325/130	251800Z	16.7N	107.9 W	110/162	085/315
240000Z	17.2N	120.8W	185/72	310/162	260000Z	16.8N	108.0W	121/198	087/342
240600Z	17.4N	122.OW	202/72	287/288	260600Z	17.0N	108.8W	135/330	090/331
241200Z	17.6N	123.2W	213/102	291/276	261200Z	17.5N	109.4W	122/378	117/384
241800	17.8N	125.0W	300/90	230/108	2618002	17.9N	110.0W	265/108	115/336
250000Z	18.0N	127.0W	290/60	216/186	270000Z	18.4N	110.8W	310/42	111/252
250600Z	18.4N	128.9W	300/132	237/234	2706007	18.6N	111.2W	308/42	126/342
251200Z	18.8N	130.8W	288/252	242/294	2712002	18.9N	111.9W	325/30	114/553
251800Z	19.1N	132.6W	310/102	320/282	271800Z	19.3N	112.5W	236/112	258/192
260000Z	19.4N	134.8W	296/198	300/246	2800002	19.7N	113.2W	257/55	308/42
260600Z	19.7N	136.3W	040/78	295/330	2806002	20.3N	113.6W	260/50	004/66
261200Z	19.9N	137.8W	335/162	291/402	281200Z	21.2N	113.8W	248/114	030/102
261800Z	20.0N	139.1W	132/96	304/216	281800Z	21.9N	115.0W	292/84	248/112
					290000Z	23.0N	116.2W	331/108	283/126
					290600Z	24.0N	116.9W	293/120	290/133
		24 HR FORE	CAST ERROR = 108.	4NM	291200Z	25.0N	117.5W	277/120	283/210
		48 HR FORE	CAST ERROR = 203.	8NM	291800Z	26.2N	118.6W	305/210	298/246
					300000Z	27.3N	119.4W	070/210	336/243
					300600Z	28.2N	120.0W	034/130	020/120
					301200Z	29.0N	120.2 W	202/228	285/300
					301800Z	29.3N	120.3W	200/192	312/288
					310000Z	29.5N	120.8W	122/168	105/510
					310600Z	29.5N	121.3W	144/120	DISSIPATING

HURRICANE HYACINTH

POSITION FROM BEST TRACK AND VERIFICATION DATA

281200Z AUG to 060600Z SEP 1972

STORM POSITION 24 HR ERROR 48 HR ERROR DEG/DIST. TIME LAT LONG DEG/DIST. HURRICANE JOANNE 10.7N 10.4N 10.1N 94.9W 95.8W 97.5W 281200Z 281800Z POSITION FROM BEST TRACK AND VERIFICATION DATA 290000Z 290600Z 291200Z 291200Z 300000Z 300600Z 301200Z 291800Z SEP to 161800Z OCT 1972 98.6W 99.3W 101.2W 10.3N 10.6N 11.3N 12.6N 13.1N 13.8N 14.0N 14.5N 14.5N 15.0N 15.3N 15.8N 16.2N 16.8N 17.1N 226/84 207/108 315/198 317/210 STORM POSITION 24 HR ERROR 48 HR ERROR 103.2W 104.1W TIME DEG/DIST. LAT LONG DEG/DIST. 104.1W 105.3W 106.3W 107.2W 108.1W 109.1W 318/240 318/240 008/150 330/24 146/45 112/90 170/24 291800Z 3012002 301800Z 310000Z 310600Z 311200Z 12.4 12.5 12.5 12.6 12.9 13.5 13.8 14.1 14.7 15.0 15.5 103.7 3000002 3006002 3012002 3018002 105.0 105.8 106.7 318/318 015/204 310/90 318/138 142/90 214/210 207/240 310/252 311800Z 110.9W 108.0 245/45 250/45 260/126 080/45 098/84 095/120 086/138 045/48 030/108 038/162 045/222 170/24 223/120 225/162 228/162 158/126 225/48 140/90 109.6 110.6 111.5 112.3 113.2 114.0 0100002 112.6W 010000Z 010600Z 112.6W 113.8W 115.0W 116.2W 117.5W 118.5W 010600Z 011200Z 0112002 0112002 0118002 0200002 0206002 0212002 0118002 020000Z 020600Z 17.5N 17.8N 17.8N 18.0N 18.4N 18.8N 19.4N 19.8N 20.8N 22.9N 23.0N 24.1N 118.5W 119.5W 120.1W 120.8W 121.7W 122.5W 140/90 148/60 120/90 090/84 092/112 096/141 195/252 195/252 165/224 150/210 177/132 092/141 021200Z 021800Z 030000Z 030600Z 270/90 115.5 116.2 116.5 116.6 116.6 060/75 070/165 072/228 085/315 021800Z 16.6 17.4 18.1 18.6 19.1 19.5 20.2 20.9 22.0 23.0 030000Z 030600Z 031200Z 031800Z 031200Z 031200Z 031800Z 040000Z 040600Z 122.5W 123.5W 124.2W 124.9W 125.2W 125.2W 125.2W 124.6W 123.5W 122.3W 092/141 268/204 072/204 071/192 055/330 035/342 028/348 037/402 045/690 065/224 070/780 020/72 000/90 003/120 025/210 025/90 048/288 085/228 110/150 105/192 103/240 270/96 323/48 358/72 330/105 300/78 280/102 057/384 055/408 056/524 074/540 0400002 0406002 116.6 116.7 116.7 116.5 116.3 116.2 115.9 115.7 115.5 041200Z 041800Z 050000Z 050600Z 041200Z 041800Z 050000Z 050600Z 051200Z 26.3N 28.5N 29.7N 30.6N 31.4N 025/90 048/240 060/360 055/354 092/186 095/258 090/204 086/168 090/390 320/132 24.3 25.3 26.5 27.3 28.4 0512002 0512002 0518002 0600002 0606002 0612002 0518002 060000Z 060600Z 312/162 325/150 32.3N 119.6W 100/150 075/878 320/96 29.0 310/102

> 24 HR FORECAST ERROR = 140.5 MI 48 HR FORECAST ERROR = 295.4 MI

24 HR FORECAST ERROR = 115.3 MI. 48 HR FORECAST ERROR = 242.5 MI.

DISSIPATED

24 HR FORECAST ERROR = 142.8MI 48 HR FORECAST ERROR = 227.5MI

061800Z

ANNEX B

BAY OF BENGAL TROPICAL CYCLONES

1. SUMMARY OF DATA




FIGURE B-1. Composite chart of best tracks for the Bay of Bengal.

TABLE B-1	. 1972 BAY OF BEN	GAL TROP	CAL CY	CLONES	
CYCLONE	INCLUSIVE DATES	MAX SFC WND	MIN OBS SLP	NO. OF WARNINGS ISSUED	REMARKS
19-72 24-72 25-72 31-72	06 APR - 13 APR 06 SEP - 12 SEP 18 SEP - 25 SEP 16 NOV - 23 NOV	85 80 70 90	968 975 983	6 5 15 4	FORMERLY TY ELSIE FORMERLY TY FLOSSIE

¹Tropical cyclones in the Bay of Bengal are numbered consecutively from the beginning of the calendar year and are included with those developing in the South Pacific and Indian oceans. The JTWC area of responsibility in the Bay of Bengal was expanded on 4 June 1971 to include the area north of the equator between the Malay Peninsula and 90°E. Only those cyclones that developed or tracked through this area are included in Annex B.

2. TROPICAL CYCLONE TRACKS




FIGURE B-2. Best track chart for Tropical Cyclone 19-72.




FIGURE B-3. ESSA-9 photo of Tropical Cyclone 19-72, 8 April 1972, 0852 GMT.




FIGURE B-4. Best track chart for Tropical Cyclone 24-72.




FIGURE B-5. ESSA-8 satellite view of Tropical Cyclone 24-72 on 9 September 1972, 0417 GMT.--Photo courtesy of Royal Observatory, Hong Kong.




FIGURE B-6. Best track chart for Tropical Cyclone 25-72.




FIGURE B-7. ESSA-9 satellite view of Tropical Cyclone 25-72, 20 September 1972.




FIGURE B-8. Best track chart for Tropical Cyclone 31-72. MSLP and MAX WIND were based on 21/1530 GMT observation from the Indian ship JAG JAWAN.--Courtesy of Indian Meteorological Department




FIGURE B-9. NOAA-2 digitized mosaic of Tropical Cyclone 31-72, 20 November 1972.

3. CENTER FIX DATA

FIX PUSITIONS FOR THUPICAL CYCLONG NO. 19-72 7 APR - 11 APH

FIX No.	lint	11204			ACCHY NAV-MET	FLT LVL	FL) LVL WND	OBS SFC WND	UBS MIN SLP	MIN 700MB MIN	FLT LVL 11/10	EYE FORM	URIEN-		inkn Wall	FUSIT UF /REMARKS
1	U704082 U707552	9.4N YU			SIG UAK				J.,	1121	117.0	FURA	TATION	DIA	CLD	HAUAR CJ54 & (V16U)
٤.		10.0N 90														LSSA 9
٤	0806532	11.5N 90	}•v€ .	5aí	SIL X	ÜΙΑ	2 CAT	3.0								ESSA 4
4	0903512	13.3N 91	.YE	SAÌ	SIO A	OLA	6 CAT	2.0								· + -·· •
5	0903 59 Z	14.0N 92	euE :	ŠAŤ												
6	U90801Z	14.UN 91	.UE	SAI	STO A	UÌA	2 CAT	3.0								EDDA 9
1	U41300Z	13.4N 91	.∠E	ĒP.	15 2	700 MB	85	មប	9/5	285	17 11	_		_	8	AC CLSU. LING ALLEDS
8	1004452	16.5N 91	.5L	SAI		.,				-1-	••••	_		-		" CESD! EING WEEDS
. 9	1888552	16.5N 911	. SF 9	SAÍ	Sta C.											ESSA 9
10	1000582	18:30 38	SE S	SA	Sto E:											ESSA Y
11	101545,			F.		500 MB	-		1004	-	-S -					,
		15.2N 90 17.5N 91	.5E	SAĮ		JUUMB	-	•	1004	-	*3 *	-		•	-	£55A 9

FIX POSITIONS FOR THOPICAL CYCLONE NO. 24-72 7 SEP - 9 SEP

					FLT	062	ObS	MIN	fLT				IHKN	POSIT		
FIX	IIME	Pusli	FIX ACCHY CAT NAV-ME!	FLT	FAF	SEC	MIN SLP	HOUND Hol	11/10	EYE FORM	UNIEN-	DIA	WALL	OF RADAR	/REMARKS	
1	U713182 0806422	14.4h 96.4E 16.1N 91.4E	SAT SAT											1334 Y		
	090A405		SAT T4.0/4.0	0/ D 0.5/										ESSA 9		u2
	0412272	17 AN H7-1F	P 30 5	SOOME	75	65	706	204	18 13	FILE	£=m	ADAJO	12	PKIL BL	-FUS ALUÜS	u c

FIX PUSTITIONS FOR TRUPICAL CYCLONE NO. 25-72 19 SEP - 22 SEP

F1X NO.	l Iuř	P0>I1	FIX ACCHY CAI NAV-HCT	FLT L¥L	LYL	UBS SFC WNU	OBS MIN SLP	HQ] 700MB MIN	FLÍ LVL T1/TO	EYE FORM	ORIEN- EYE TAILON DIA	THKN WALL CLO	POSIT UF /REMARKS RAGAR	
1 2 3 4	2007302 2008582		SAT T4.0/4.	700 MB 0/D2.0/	ۇك 24 HRS	2.0 55	994	305	15 -	-	• • .•	-	PŽSV 8 (AIRN) VO MC-RUKU PC CULU	V 1
5	510830X	19.00 80.5E				65	478	292	17 -	-	• •	•	NU #C-BRKN SC CNIR	02
7 8 9	211104Z 211104Z 220900Z	18.8N 87.7E 18.8N 87.3E 19.5N 84.0E		700 MB 700 MB		100 100 80	982	294	16 =	:		:	HU WC-FAS HANG SOM	92

TIA PUBLITURE FUR TRUPTCAL CYCLORE NO. 31-72 TO NOV - 22 NOV

Fla Nu.	TIMĒ	POSIT	FIX ACCHY CAT NAV-ME!	FL LV LVL WA	L STL	MIN DB3	učj Looma MTM	LIVIO FAF FFJ	ËYL FCRM	JHIEN- EYE	IAKN WALL CLD	FUSIT OF /REMARKS MACAH
1	1608527	11.UN 89.2C	5AT 516 C									
2	1703532	12.UN 89.UL	มห≀ิ ๖ไบ ี่:		CAI I-0							
3	170409Z	11.UN 09. C	SAT T4.5/4	.5/NA/19 HF	≀S							FŠSV Ř (AIPA)
4	1802352	11.0N 8/.,t		.0/50.0/17								AMON
5	1804352	11.5N 85.0E	SAT T4.5/4	.5/D1.0/24	HRS							
6	1804452	12.8N 86.gt	SAT STG	K DIA 7	LAT 3.0							NUAA 2
7	1403302	12.5N 8/.JE	SAT T4.5/4	5/D0.5/24	HRS							ėjoy R (Al¤A)
8	200 30 02	15. UN 86. E	SAT STO UN	Κ.,								HUMA 2
9	2206272	24.18 NY.E1	SAT T5.0/S	0/D1.0/24	HRS							CPOM A (MER DECHI)
10	22041 yZ	13.0% 81.5E	SAT STO .	N DIA 8	Cal 2.0							NUMA 2
11	22042UZ	12.2N 81.3E	SAT STO	E ALG A	U.1 2.0							FŽZY R (AIPA)
												MURA 2 (NESS)

4. POSITION AND VERIFICATION DATA

THOPICAL CYCLUNE 12-12 12002 UB APR TO UUGUZ II APR

	2001/2 20 711 11 20 20 20		
REST IMACK	#ANN LAND 24 HOUR TOR ERKORS	RECAST 46 MUUH FÜRELAST EHHUHS EHHUHS	72 HOLA FUNÇÇASÎ ENHORS
POSIT WIND POS 0812002 11+3N 90-1E 55 11-7N	11 FISH 05-01 UNIW 16-06 UC 30-06		PCSIT WIND DZI MINT
0900002 12.9N 91.0E 60 12.2N	89.5E DU 97 -10 13.8N H9.0E 60 91.4E 100 8 15 16.5N 94.4E 90		:
	92.4E 95 95 35 17.3N 96.0E 50	0 289 0	
1012007 10.00 20.0F 22 12.50	90.5t 35 29 -15	,,	
	TYPHOUNS WHILE WIND OVER 35KTS WARNING 24-HK 48-HK 12-HK	ALL FURELASIS WARNING ZAMM ABMH 72-MR	
AVENAGE FUNECAST ERRUR AVENAGE RIGHT ANGLE ERROR AVENAGE MAGRITUDE OF MINL ERRUR AVENAGE OIAS OF WINL ERRUR AUMBER OF FORECASTS	MNU NGU MNU YNU MNU NGO MNU YNU	##NING 24-PK ************************************	
	THOPICAL CYCLUNE 2		
	120nZ UB SEP TO DUGG)2 10 SEP	
HEST IMACK	BAHNING 24 HOUR FOR ERNURS	ERHORS ERHORS	72 HOUR FUNECAS!
0817n05 10.00 81.95 22 10.50	11 WIND UST WIND POSTT WIND 92-2E 40 42-15 17-8N 89-8E 7U		PCSIT MINN NS! MINN
0900007 1/.2N 89.2E 60 17.7N 0912002 17.6N 87.2E 80 17.4N	90.0t 55 54 -5 20.3N 86.8t 65 87.2E 65 12 -15		
1000002 15.5N 85.4L 75 18.4N	85.1E 80 18 5		
AVENAGE FUNECAST ENHUR AVENAGE RIGHT ANGLE ENHUN AVENAGE MAGNITUDE OF WIND ENHUR AVENAGE DIAS UP WIND ENHUR NUMBER UP FORECASIS	IYPHOUNS WHILE AINU OVEN 35KIS WANNING 25-HK 48-HK 72-HK UNP UNH UNH UNH UNF UNH UNH UNH UKIS UKIS UKIS UKIS UKIS UKIS UKIS UKIS UKIS UKIS U	WARNING ZA-HR AG-HR ZZ-HR JZNN 141MM UNM UNM ZYNN 91NM UNM UNM LOKIS 10K15 UK15 -BKTS -10K15 UK15 UK15 - UK15 UK15 UK15 UK15	
	THOPPICAL CYCLUME &	•	
	12002 20 SEP 10 0000.	ik ec sep	
BEST THACK	WANTING 24 HOUR FOR	KLLAST 48 MOUN FORELAST ERHUKS ERHUKS	72 HOLR FUNECASI ERHORS
POSIT WIND POSI 2012002 15.50 89.5t 55 17.9N			POSIT WIND DSI WIND
2112002 18.7n 88.5c 60 19.6n 2112002 15.8n 87.0c 65 18.9n	88.3E 45 55 -15 23.6N 86.4E 45 87.4E 100 13 35	> <44 -40	
5500005 13.6W 82.3F 92 18-3W	84.9L ou 29 ->		,
AVERAGE FUNECAST EMBOR AVERAGE MIGHT ANGLE EMBOR AVERAGE MAGNITUDE UF WIND EMBOR AVERAGE MIAS OF WIND EMBOR MUMBER OF FORECASIS	ITPHOUNS WHILE WIND OVER 35KTS WARNING CO-HH GRAH /c-HH UNP UNN UNN UNN UNP UNN UNN UNN UKIS UKIS UKIS UKIS UKIS UKIS UKIS UKIS U U U U	ALL FURE_ASIS WANNING 24-MM 48-MM 7c-MM 376M 1860M UAM UAM J76M 1850M UAM 16KIS 20KIS UKIS UKIS 1KIS -20KIS UKIS UKIS 4 2 U	
	THOPECAL CYCLUME 3	17-15	
	ODOUS TO MON IN TSOM	14 55 NCA	
BEST THACK	#ANNING 24 HUUN TUN	CLCAST 40 MUUN FUNELAST ERRUNS ERRUNS	72 HOUR FUNECAS!
POSIT WIND POSI	1f wind DST Wind Publi wind 69.2E ou 90 15 12.2N x5.2E 70) US[MIAU PUSI! WIND UST WIND I) 471 10 13-14 WI-3E 80 366 15	ACPIL MINN NP MINL
1700002 11-1n 89-/E 60 11-3n	88.7£ 70 60 10 12.00 Mb.3t 75	07 10 12.6N BK.JE 80 248 15	,
1712002 11.3N 88.5t 60 12.1N	87.00 /5 27 10 12.5N 86.0E 80	48 15 \$2.30 07./L 85 182 15	·;•
190000Z 13.3N 86.5E 65 14.2N	85-1E 75 /1 10 14-4N 81-8E 80 83-7E 75 171 10 16-3N 80-/E 60		
	83.2E 75 248 5 17.2N 80.8E 50	498-15	
2012002 14.1N 87.7E 65 14-1N	85.6E 75 122 10 15.8N 84.3E 85		
2112002 13.5N 86.5E 70 15.2N 2112002 13.5N 84.3E 90 14.3N	87.5E 80 97 10 17.5N 88.5E 80 86.1E 70 115 -20 16.7N 85.9E 70		
2212002 13.6N 82.2E 75 14.6N 2212002 13.0N 79.6E 45 13.7N			*
TAVEHAGE FUNECAST EHNUK AVEHAGE MIGHT ANGLE EKROK AVEHAGE MAGNITUDE OF WIND EHNOH AVEHAGE DIAS OF WIND EHNUR NUMBER OF FORECASIS	TYPHUUNS WHILE WIND OVER JAKTS WARNING 24-MK 48-MH IC-MH ONP UNR ONE UNE UNP UNR ONE UNE UNT UNR ONE UNTS UKIS UKIS UKIS UKIS UKIS UKIS UKIS UKIS UKIS	ALL FURELASIS WARMING ZA-TIN + 40-M, 72-MH 190AM :257MM JJACH UNH 555M 122MM 11.5MM UNH 1945 15K15 14K15 UK15 1945 19K15 - 1K15 UK15 14 12 B U	

APPENDIX

ABBREVIATIONS AND DEFINITIONS

The following abbreviations and definitions apply for the purposes of this report.

ABBREVIATIONS

AJTWC Alternate Joint Typhoon Warning Center (Asian Tactical Forecast Center, Fuchu, Japan)

Automatic Picture Trans-APT

mission

Applications Technology ATS

Satellite

CINCPAC Commander in Chief, Pacific

CINCPACAF Commander in Chief, Pacific

Air Forces

CINCPACFLT Commander in Chief, Pacific

Fleet.

Data Acquisition and DAPP

Processing Program

EPRF Environmental Prediction

Research Facility (Naval Postgraduate School, Monterey, California)

NEDN Naval Environmental Data

NESS National Environmental

Satellite Service (Suitland,

Maryland)

NWS/NOAA National Weather Service,

National Oceanic and

Atmospheric Administration

PACOM Pacific Command

SLP (MSLP) Sea Level Pressure

(Minimum Sea Level Pressure)

TCRC Tropical Cyclone Reconnais-

sance Coordinator

DEFINITIONS

CYCLONE - An atmospheric closed circulation rotating counterclockwise in the northern hemisphere.

TROPICAL CYCLONE - A non-frontal cyclone of synoptic scale, developing over tropical or sub-tropical waters and having a definite organized circulation and warm core.

TROPICAL DEPRESSION - A tropical cyclone in which the maximum sustained surface wind is 33 kt or less.

TROPICAL STORM - A tropical cyclone with maximum sustained surface winds in the range 34 to 63 kt inclusive.

 $\frac{\text{TYPHOON/HURRICANE}}{\text{with maximum sustained}} \ \text{-A tropical cyclone}$ 64 kt or greater. West of 180 degrees longitude the name TYPHOON is used and east of 180 degrees longitude the name HURRICANE is used. All descriptive references to typhoons apply equally to hurricanes.

SUPER TYPHOON - A typhoon with maximum sustained winds greater than or equal to 130 kt.

TROPICAL DISTURBANCE - A discrete system of apparently organized convection, generally 100 to 300 miles in diameter originating in the tropics or sub-tropics, having a non-frontal migratory character and having maintained its identity for 24 hours or more. It may or may not be associated with a detectable perturbation on the wind field. As such, it is the basic generic designation which, in successive stages of intensification, may be subsequently classified as a tropical depression, tropical storm or typhoon.

EYE/CENTER - EYE refers to the roughly circular central area of a well-developed tropical cyclone usually characterized by comparatively light winds and fair weather. If more than half surrounded by wall cloud, the word EYE is used; otherwise, the area is referred to as a CENTER.

WALL CLOUD - A densely organized, roughly circular structure of cumuliform clouds completely or partially surrounding the eye or center of a tropical cyclone.


MAXIMUM SUSTAINED WIND - Highest surface wind speed of a cyclone averaged over a one minute period of time.

EXTRATROPICAL - A term used in warnings and tropical summaries to indicate that a cyclone has lost its "tropical characteristics". The term implies both poleward displacement from the tropics and the conversion of the cyclone's dominant energy source from latent heat of condensation release to baroclinic processes.

TROPICAL CYCLONE RECONNAISSANCE COORDI-NATOR - A CINCPACAF representative designated to levy tropical cyclone weather reconnaissance requirements on CINCPACFLT and CINCPACAF reconnaissance units within a designated area of PACOM and to function as a coordinator between CINCPACAF, weather reconnaissance units, and JTWC.

DISTRIBUTION

AFGWC (2)	HQ 1WWG (20)
AMEMBASSY BANGKOK (RED) (1)	HQ 3 WWG (1)
BUR OF MET, AUST (1) CACSF SEVENTHFLT (1) CAF SEVENTHFLT (1) CASWG THREE SEVENTHFLT (1) CATH UNIV OF AMERICA (2) CENWEABUR TAIWAN (1) CGFMF SEVENTHFLT (1) CHIEF, MAAG TAIWAN (3) CHINESE AF WEACEN TAIWAN (3) CHINESE NAV WEACEN TAIWAN (2) CINCPAC (4)	HO 9WRWG (2)
CAE SEVENTHEIT (1)	INDIA MET DEPT (1)
CACMO TUDEE CEVENTUELT (1)	JAPAN MET AGENCY (1)
CATH INTO OF AMEDICA (2)	LIBR OF CONGRESS (2) LIBR OF CONGRESS (EXCHANGE & GIFT DIV) (4)
CENWEARIR TAIWAN (1)	LOS ANGELES PUBL LIBR (1)
CGFME SEVENTHELT (1)	MCAS IWAKUNI (2)
CHIEF, MAAG TAIWAN (3)	MCAS KANEOHE BAY (2)
CHINESE AF WEACEN TAIWAN (3)	MUDEFASSTOFFICE JAPAN (1)
CHINESE NAV WEACEN TAIWAN (2)	NATWEASERV PACREG (2)
CINCPAC (4)	NAVAL ACADEMY (1)
CINCPACAF (1)	NAVOCEANO (2)
CINCPACFLT (5)	NAVPGSCOL (DEPT OF MET) (2)
CINCUSARPAC (2)	NAVPGSCOL (LIBR) (1)
CIVIL DEFENSE (GUAM) (3)	NAVWEASERVFAC ALAMEDA (1)
CLSF SEVENTHFLT (1)	NAVWEASERVFAC JACKSONVILLE (1)
CNO (2)	NAVWEASERVFAC SAN DIEGO (1)
COLORADO STATE UNIV (LIBR) (1)	NESS SUITLAND (2)
COMCRUDESPAC (1)	NHRL (2)
CINCPACAF (1) CINCPACAF (5) CINCUSARPAC (2) CIVIL DEFENSE (GUAM) (3) CLSF SEVENTHFLT (1) CNO (2) COLORADO STATE UNIV (LIBR) (1) COMCRUDESPAC (1) COMINFLOT ONE (1) COMNAVFACENGCOMPACDIV (1) COMNAVMARIANAS (1)	NWSED ASHEVILLE (2)
COMNAVFACENGCOMPACDIV (1) COMNAVMARIANAS (1)	NWSED ATSUGI (1) NWSED BARBERS POINT (1)
COMNAVMARIANAS (1) COMNAVWEASERVCOM (10)	NWSED CUBI POINT (2)
COMPHIBPAC (2)	NWSED IWAKUNI (1)
COMSEVENTHFLT (1)	NWSED NAHA (1)
· COMSC (1)	NWSED YOKOSUKA (2)
COMTHIRDFLT (1)	NWSFO HONOLULU (1)
COMUSNAVFORJÁPÁN (1)	ODDR&E (1)
COMUSNAVPHIL (1)	OL A, 10WSQ (1)
CPF SEVENTHFLT (1)	OL B, 1WWG (4)
CSG_SEVENTHFLT_(1)	ROYAL OBSERVATORY (3)
CSSF SEVENTHFLT (1)	TEXAS AGM (2)
DIA (1)	TTPI (1)
DIR OF MET SAIGON (1)	TYPHOON COMMITTEE SECRETARIAT (1)
ECAFE (2) EDS (D54) (1)	UNIV OF GUAM (1) UNIV OF HAWAII (DEPT MET) (1)
ENVPREDRSCHFAC (2)	UNIV OF HAWAII (LIBR) (1)
FAA (CERAP) (2)	UNIV OF MEXICO (1)
FLENUMWEACEN (1)	UNIV OF PI (1)
FLEWEACEN NORFOLK (1)	VQ-1 (1)
FLEWEACEN PEARL HARBOR (1)	WEA BUR RP (3)
FLEWEACEN ROTA (1)	WEARECONRON FOUR (1)
FLEWEAFAC SUITLAND (1)	20WSQ (12)
GEN MET DEPT THAILAND (1)	53WRS (2)
HQ AWS (3)	54WRS (10)
HQ 1ST MARINE ACFT WG (2)	55WRS (1)
	3345TH TECH SCHOOL (2)



Areas of Responsibility - Central and Eastern Pacific Hurricane Centers

EDGE INDEX

HOW TO USE THE EDGE INDEX



Bend the book nearly double and hold it in your right hand as shown.

Locate the listing you want in the Edge Index.

Match up the 1 or 2 line symbol next to the listing you have selected with the corresponding 1 or 2 dot symbol on the page edge.

OPEN THERE.

CHAPTER I Operational Procedures

CHAPTER II Reconnaissance and Communication

CHAPTER III Technical Notes

CHAPTER IV Summary of Tropical Cyclones

CHAPTER V Summary of Forecast Verification Data

ANNEX A Summary of Tropical Cyclones in the Eastern North Pacific

ANNEX B Bay of Bengal Tropical Cyclones

APPENDIX Abbreviations, Definitions and Distribution

NPPSBO GUA